
Subject: Error while compiling trunk version of cbmroot
Posted by [Arun Prakash](#) on Mon, 27 Dec 2010 10:01:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear All,

I am facing following error while compiling the trunk version of cbmroot. I am looking in to the problem .any commnets or suggestion in the regard will be useful

```
[ 4%] Building CXX object base/CMakeFiles/Base.dir/FairTimeStamp.o
[ 4%] Building CXX object base/CMakeFiles/Base.dir/FairDict.o
/home/bhu/work/build/base/FairDict.cxx: In function 'int G__FairDict_646_0_3(G__value*,
const char*, G__param*, int)':
/home/bhu/work/build/base/FairDict.cxx:6461: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int, bool, bool, Float_t)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6466: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int, bool, bool, Float_t)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6474: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int, bool, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t, Bool_t, Float_t)
```

```

std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6478: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int, bool, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6486: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6490: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6496: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(TString&, int)'

```

/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>, std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6498: error: no matching function for call to 'FairMultiLinkedData::FairMultiLinkedData(TString&, int)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>, std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx: In function 'int G__FairDict_646_0_4(G__value*, const char*, G__param*, int)':
/home/bhu/work/build/base/FairDict.cxx:6520: error: no matching function for call to 'FairMultiLinkedData::FairMultiLinkedData(Int_t, int, bool, bool, Float_t)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>, std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6525: error: no matching function for call to 'FairMultiLinkedData::FairMultiLinkedData(Int_t, int, bool, bool, Float_t)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t, Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,

```

Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6533: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(Int_t, int, bool, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6537: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(Int_t, int, bool, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&)
/home/bhu/work/build/base/FairDict.cxx:6545: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(Int_t, int, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:

```

```
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&
/home/bhu/work/build/base/FairDict.cxx:6549: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(Int_t, int, bool)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&
/home/bhu/work/build/base/FairDict.cxx:6555: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(Int_t, int)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&
/home/bhu/work/build/base/FairDict.cxx:6557: error: no matching function for call to
'FairMultiLinkedData::FairMultiLinkedData(Int_t, int)'
/home/bhu/work/trunk/base/FairMultiLinkedData.h:22: note: candidates are:
FairMultiLinkedData::FairMultiLinkedData(Int_t, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:21: note:
FairMultiLinkedData::FairMultiLinkedData(TString, std::vector<int, std::allocator<int> >, Bool_t,
Bool_t, Float_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:20: note:
FairMultiLinkedData::FairMultiLinkedData(std::set<FairLink, std::less<FairLink>,
std::allocator<FairLink> >, Bool_t)
/home/bhu/work/trunk/base/FairMultiLinkedData.h:19: note:
FairMultiLinkedData::FairMultiLinkedData()
/home/bhu/work/trunk/base/FairMultiLinkedData.h:17: note:
FairMultiLinkedData::FairMultiLinkedData(const FairMultiLinkedData&
make[2]: *** [base/CMakeFiles/Base.dir/FairDict.o] Error 1
make[1]: *** [base/CMakeFiles/Base.dir/all] Error 2
make: *** [all] Error 2
```

Best Regards
Arun Prakash
