

---

Subject: TGeoMixture SetIndex function

Posted by [Maria Patsyuk](#) on Mon, 02 May 2011 13:37:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

there is a function called "SetIndex()" in TGeoMixture class.  
What does this index mean?

For example if I define a number of media for the detector geometry (an example for Fused Sil medium follows), what should these indices for each of my medium mean?  
Should they be unique? Where are they later used?

```
// Mixture: FusedSil
nel    = 2;
density = 2.200000;
TGeoMixture* FusedSil = new TGeoMixture("FusedSil", nel,density);
  aa = 28.090000;  z = 14.000000;  w = 0.467475; // SI
FusedSil->DefineElement(0,aa,z,w);
  aa = 15.999400;  z = 8.000000;  w = 0.532525; // O
FusedSil->DefineElement(1,aa,z,w);
FusedSil->SetIndex(0);
// Medium: FusedSil
numed  = 1; // medium number
par[0] = 1.000000; // isvol
par[1] = 1.000000; // ifield
par[2] = 20.000000; // fieldm
par[3] = -1.000000; // tmaxfd
par[4] = -1.000000; // stemax
par[5] = -1.000000; // deemax
par[6] = 0.001000; // epsil
par[7] = -1.000000; // stmin
TGeoMedium *FusedSil_m = new TGeoMedium("FusedSil", numed,FusedSil, par);
```

Thank you

---