
Subject: Re: Official code for tracking TDR
Posted by [StefanoSpataro](#) on Thu, 05 May 2011 13:14:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have created the first analysis folder, psi3770, with also the .dec file and the dpm tuned at the proper energy. Only STT version there, up to now I have no feedback from TPC group on which code to use.

Slowly I will add further folders, once we will establish the models to use.

I have tried simulating 1000 dpm events and 100 evtgen models.
At the reco level (as explained in my previous post), I have the following crash (still with feb11):

```
*** PndRecoKalmanFit::Exec Genfit Exception: trk->addHitVector  
from PndMixBackgroundEvents : in this evt 7 evts of bkg are added, with the following times :  
t = -119.7  
t = -166.3  
t = 1.593  
t = 12.03  
t = 68.07  
t = 70.01  
t = 185.0
```

Found Tracks: 36 in event no. 86

```
-----  
glp_set_mat_col: j = 11; ind[5] = 0; row index out of range  
Error detected in file glpapi01.c at line 878
```

I have tried with may11 and the crash does not appear, but I have not used exactly the same seed and I would like to be sure that we will not fall again in this crash.

A general comment, I have seen many log messages that I think should be avoided, in order to reduce the disk space for log messages.