
Subject: Re: TPC MVD and GEM correlators
Posted by [Dima Melnychuk](#) on Thu, 16 Jun 2011 13:03:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Felix,

turning off GEANE, i.e. commenting the line

tpcSPR->useGeane(); // use RKTrackrep and GeaneTrackrep

I have the same error which Stefano reported:

*** Number of clusters in track: 10 ***
starting fit
Calling processTrack
starting track8
GException thrown with excString:
GFRecoHitFactory: no hitProducer for this detID available
in line: 61 in file: /home/dimam/pandaroot/pandaroot/genfit/GFRecoHitFactory.cxx
with fatal flag 0

GException Info Output

=====

Numbers Label String:

detID

Numbers:

24.00

=====

Error: Symbol #include is not defined in current scope run_reco_tpc_evt.C:145:
Error: Symbol exception is not defined in current scope run_reco_tpc_evt.C:145:
Syntax Error: #include <exception> run_reco_tpc_evt.C:145:
Error: Symbol G__exception is not defined in current scope run_reco_tpc_evt.C:145:
Error: type G__exception not defined
FILE:/home/dimam/pandaroot/pandaroot/macro/run/tdrct/eta_c/./run_reco_tpc_evt.C LINE:145
*** Interpreter error recovered ***

Dima
