
Subject: Re: TPC MVD and GEM correlators
Posted by [Dima Melnychuk](#) on Thu, 16 Jun 2011 13:03:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Felix,

turning off GEANE, i.e. commenting the line

```
tpcSPR->useGeane(); // use RKTrackrep and GeaneTrackrep
```

I have the same error which Stefano reported:

```
-----  
  
*** Number of clusters in track: 10 ***  
starting fit  
Calling processTrack  
starting track8  
GFEException thrown with excString:  
GFRecoHitFactory: no hitProducer for this detID available  
in line: 61 in file: /home/dimam/pandaroot/pandaroot/genfit/GFRecoHitFactory.cxx  
with fatal flag 0
```

GFEException Info Output

```
=====
```

Numbers Label String:

detID

```
-----
```

Numbers:

24.00

```
=====
```

```
Error: Symbol #include is not defined in current scope run_reco_tpc_evt.C:145:  
Error: Symbol exception is not defined in current scope run_reco_tpc_evt.C:145:  
Syntax Error: #include <exception> run_reco_tpc_evt.C:145:  
Error: Symbol G__exception is not defined in current scope run_reco_tpc_evt.C:145:  
Error: type G__exception not defined  
FILE:/home/dimam/pandaroot/pandaroot/macro/run/tdrct/eta_c/./run_reco_tpc_evt.C LINE:145  
*** Interpreter error recovered ***
```

```
-----
```

Dima
