Subject: Re: Pion off Nuclei [quasi-free] Posted by Johannes Siebenson on Tue, 17 Apr 2012 12:09:04 GMT View Forum Message <> Reply to Message

Hello,

ok with Pluto v5.40 it semms to work. But now I tried to include production of Lambda and K0S and somehow this does not work. I probably do something wrong. Could you tell me what?

//Add our quasi-free composite: makeStaticData()->AddParticle(14009, "pi-p",0.938272+0.139570); //Creates just a symbolic link: makeStaticData()->AddAlias("pi- + p","pi-+p");

//Add our quasi-free composite: makeStaticData()->AddParticle(18016, "Lambda + K0S",1.115683+0.497672); //Creates just a symbolic link: makeStaticData()->AddAlias("Lambda + K0S","Lambda+K0S");

//Executes the fermi plugin which adds also nuclei: makeDistributionManager()->Exec("nucleus_fermi");

//Add a new composite particle (target_id*1000 * beam_id)
//N.B. that "nucleus_fermi" has already added the 12C (with id=614)
makeStaticData()->AddParticle(614009,"pi- + 12C",11.174862+0.139570);
//Creates again a symbolic link:
makeStaticData()->AddAlias("pi- + 12C","pi-+12C");

//adds a decay by using the "pi- + 12C" particle as created above: makeStaticData()->AddDecay(-1, "pi- + 12C -> (K0S + Lambda) + 11B (quasi-free)","pi- + 12C","Lambda + K0S,11B", 1.0);

```
//This is the fermi model (contributed by M. Dieterle and L. Witthauer, Basel):
    PFermiMomentumGA * pmodel = new PFermiMomentumGA("pi-p_in_12C@pi- +
12C_to_Lambda + K0S_11B", "Quasi-free particle production <nucleus_fermi>",-1);
    pmodel->Add("q,parent");
    pmodel->Add("pi-,grandparent,beam");
    pmodel->Add("12C,grandparent,target");
    pmodel->Add("11B,daughter,spectator");
    pmodel->Add("q,daughter,composite");
    pmodel->Add("Lambda,granddaughter,participant");
    pmodel->Add("K0S,granddaughter,p2");
    makeDistributionManager()->Add(pmodel);
```

//This is our reaction, in this case just a quasi-free elastic reaction: PReaction *Reac = new PReaction ("_P1=3.6","pi-","12C","(pi- p) Lambda K0S (11B)","filename");

//TH2F * histo2 = new TH2F ("histo2","Rap. vs. Pt",50,-1.5,3.5, 50,0,1.5);

//Reac->Do(histo2,"foreach(pi-); x = [pi-]->Rapidity(); y=[pi-]->Pt(); ");

Reac->Print(); Reac->loop(1000); // Number of events

//histo2->Draw("colz");

Page 2 of 2 ---- Generated from GSI Forum