
Subject: Retrieve parameters from all.par in simulation.

Posted by [Lia Lavezzi](#) on Thu, 01 Nov 2012 17:21:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear developers,

I need some help with the parameters writing/reading: I want to put some numbers connected to the geometry of the STT (e.g. the geometry version, the radius, the tubeID of some reference tubes...) in the ascii file macro/params/all.par and read them.

I need to know the geometry version directly in the simulation and so I need to read the parameters directly inside PndStt.

To this end I set up a parameter container, PndSttRecoPar, with (for the moment) only a test variable in it and I added it to the PndSttContFact.

These files are set up correctly and also the all.par since I could get value of the parameter set in the ascii file during the digitization stage, setting:

```
par = (PndSttRecoPar*) rtdb->getContainer("PndSttRecoPar");
par->setChanged();
par->setInputVersion( FairRun::Instance()->GetRunId(),1);
```

in the SetParContainers() function inside the hit producer task.

However, I cannot get the parameter during the simulation stage: I tried to do it by setting the previous lines inside PndStt, in the function Initialize(), but the parameter is not filled in the parameters.root file (PndSttRecoPar is there, but the parameters has not the correct value from the ascii file).

Is it possible to get the parameters written in all.par by means of the usual procedure (i.e. with the rtdb) in the simulation? If so, how?

Thank you in advance,

Lia.
