
Subject: Pnd4CFitter - how to use it

Posted by [Elisabetta Prencipe \(2\)](#) on Fri, 30 Aug 2013 13:03:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Rho experts,

I am reconstructing the meson $D_s(2536)^+$ through its decay to $D^{*0} K^+$, D^{*0} to $D0$ gamma, $D0$ to $K\text{-}\pi^+$.

With the vertex fit or the mass constrained fit, no problems...I mean, I get troubles with the reconstruction of neutrals such as gammas, but this is another topic. My question now is the following: I have my Ds2535 list, and I write:

```
for (j=0;j<Ds2535.GetLength();++j)
{
  Pnd4CFitter fitter(Ds2535[j],ini);
  fitter.FitConserveMasses();
  double chi2_4c=fitter.GetChi2();
  hm_chi2_4c->Fill(chi2_4c);

  if (chi2_4c<40)
  {
    RhoCandidate *jfit = Ds2535[j]->GetFit();
    RhoCandidate *jfit2=Ds2535[j]->Daughter(0)->GetFit();

    h_4cf->Fill(jfit->M());
    h_4cf2->Fill(jfit2->M());

  }
}
```

The histograms are filled, but with crazy results. What am I doing so wrong? thank you for any feedback!
Elisabetta
