
Subject: [FIXED] use MC particle hypothesis in PndRecoKalmanTask
Posted by [Lu Cao](#) on Wed, 30 Oct 2013 13:17:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all,

In the rec macro, when I enable the flag to use the MC particle hypothesis as

```
recoKalmanFwd->SetIdealHyp(kTRUE);
```

my analysis macro crashes with the following error message.

Quote:

```
*****
```

```
initialisation for run id 1377867347
```

```
*****
```

```
-I- FairRunTimeDB::InitContainer() FairBaseParSet  
-I- FairRunTimeDB::InitContainer() PndSensorNamePar  
-I- FairRunTimeDB::InitContainer() PndMultiFieldPar  
-I- FairRunTimeDB::InitContainer() ANAPidSelections  
[ERROR ] init() ANAPidSelections not initialized  
Error in <FairRuntimeDb::initContainers(>: Error occured during initialization  
[INFO ] The number of entries in chain is 2000  
[INFO ] Branch: PidAlgoIdealCharged not found in Tree  
[INFO ] Branch: PidAlgoIdealCharged not found in Tree  
Warning in <PndAnaPidCombiner::PndAnaPidCombiner::ReadTCA(>: No  
"PidAlgoIdealCharged" array found.
```

```
*** Break *** segmentation violation
```

Do any experts know how to fix this problem?

I have tried this flag with the other Kalman task "PndRecoKalmanTask* recoKalman", this problem doesn't happen. My PandaRoot is rev#20993. The 4-step simulation codes and the test analysis macro are attached.

Many thanks in advance.

Best,
Lu

File Attachments

- 1) [dspair.dec](#), downloaded 125 times
 - 2) [sim.C](#), downloaded 131 times
 - 3) [dig.C](#), downloaded 139 times
 - 4) [rec.C](#), downloaded 144 times
 - 5) [pid.C](#), downloaded 139 times
 - 6) [mytask.C](#), downloaded 151 times
-