

---

Subject: Re: Influence of the reduced B-field on the track reconstruction  
Posted by [Gianluigi Boca](#) on Tue, 25 Mar 2014 17:01:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Donghee,  
so thanks for checking again with the last version of the code.  
Having a worse resolution with half the B field is expected on general arguments in magnetic field.

For instance, in the case of an experiment in which tracking is done with normal planar multiwire chambers  
and a dipole it is not difficult to show that

$$\text{Sigma}(p)/p = K * \text{Sigma}(\text{theta}) * p / B$$

where :

K = constant

Sigma(theta) = error on the bending angle theta ;

p = momentum;

B = magnetic field.

So the fact that you obtain a resolution a factor 2 worse when you use only half of B is in agreement with what expected

cheers    Gianluigi

Donghee Kang wrote on Tue, 25 March 2014 14:40Hi Gianluigi,

Thank you for your kind update

Introduced new code of the Pattern Recognition class PndTrkTracking2.cxx and .h has been exchanged and run again

Here is the output with new code.

The improvement is a level of few %, not so significant.

I assume that the reduced field map has lower performance than full field map, that should be a natural feature due to small bending power of produced particle inside solenoid field.

It would be great to check again same study with an important physics channel analysis.

Best wishes,  
Donghee