
Subject: Re: first try with fast simulation problem
Posted by [Alexandros](#) on Tue, 22 Apr 2014 08:58:42 GMT
[View Forum Message](#) <> [Reply to Message](#)

I changed my code in the new form:

```
// *** some variables
int i=0,j=0, k=0, l=0;
//gStyle->SetOptFit(1011);

// *** the output file for FairRunAna
TString OutFile="psi4160_out.root";

// *** initialization
FairLogger::GetLogger()->SetLogToFile(kFALSE);
FairRunAna* fRun = new FairRunAna();
fRun->SetWriteRunInfoFile(kFALSE);
fRun->SetInputFile(InFile);
fRun->SetOutputFile(OutFile); // only dummy; the real output is psi4160.root
fRun->Init();

// *** take constant field; needed for PocaVtx
RhoCalculationTools::ForceConstantBz(20.0);

// *** create an output file for all histograms
TFile *out = TFile::Open("psi4160.root","RECREATE");

// *** create some ntuples
RhoTuple *npsi4160 = new RhoTuple("npsi4160", "psi4160 analysis");
RhoTuple *nd0 = new RhoTuple("nd0", "d0 analysis");
RhoTuple *nantid0 = new RhoTuple("nantid0", "antid0 analysis");
RhoTuple *ncmc = new RhoTuple("ncmc", "mctruth info");

//
// Now the analysis stuff comes...
//

// *** the data reader object
PndAnalysis* theAnalysis = new PndAnalysis();
if (nevts==0) nevts= theAnalysis->GetEntries();

// *** name of the only PidAlgo TClonesArray in fsim
TString pidalg = "PidChargedProbability";

// *** QA tool for simple dumping of analysis results in RhoRuple
PndRhoTupleQA qa(theAnalysis, pbarmom);

// *** RhoCandLists for the analysis
RhoCandList psi4160, d0, antid0, kplus, kminus, piplus, piminus, all, mclist;

// *** Mass selector for the d0 cands
double m0_d0 = TDatabasePDG::Instance()->GetParticle("D0")->Mass(); // Get nominal
```

```

PDG mass of the D0/anti-D0
RhoMassParticleSelector *d0MassSel=new RhoMassParticleSelector("d0",m0_d0,1.0);

// *** the lorentz vector of the initial psi(4160)
TLorentzVector ini(0, 0, 8.000, 9.016);

// ***
// the event loop
// ***

while (theAnalysis->GetEvent() && i++<nevts)

```

and so on, but now it gives me an error saying:

```

-I- FairRunTimeDB::InitContainer() FairBaseParSet
[ERROR ] init() FairBaseParSet not initialized
-I- FairRunTimeDB::InitContainer() ANAPidSelections
[ERROR ] init() ANAPidSelections not initialized
Error in <FairRuntimeDb::initContainers(): Error occurred during initialization
[INFO ] The number of entries in chain is 10000

*** Break *** segmentation violation

```

Do you have any idea of what is wrong???
