
Subject: Re: Segmentation violation during drawing geometry
Posted by [Shyam Kumar](#) on Mon, 30 Jun 2014 06:40:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

I want to create root file of single lambda disk ot of two disk by using /pandaroot/mvd/MvdMC\$ root -l CreateLambdaGeometrySeparatedSupport.C previously it is working now It is not working and every macros which creates root file of geometry is not working. I have also tried drawGeo.C with FiarBaseParSet changed to FairGeoParSet again there is same problem.

//-----

```
shyam@shyam:~/pandaroot/macro/run$ root -l drawGeo.C
root [0]
Processing drawGeo.C...
Error in <TClonesArray::SetClass>: called with a null pointer
Info in <TGeoManager::CloseGeometry>: Geometry loaded from file...
Info in <TGeoManager::SetTopVolume>: Top volume is cave. Master volume is cave
Info in <TGeoNavigator::BuildCache>: --- Maximum geometry depth set to 100
Info in <TGeoManager::Voxelize>: Voxelizing...
Info in <TGeoManager::CountLevels>: max level = 12, max placements = 4550
Info in <TGeoManager::CloseGeometry>: 2003695 nodes/ 5810 volume UID's in FAIR
geometry
Info in <TGeoManager::CloseGeometry>: -----modeler ready-----
Info in <TGeoManager::SetVisLevel>: Automatic visible depth disabled
Info in <TCanvas::MakeDefCanvas>: created default TCanvas with name c1
```

*** Break *** segmentation violation

=====