
Subject: Re: Different results for same information extracted in different ways
Posted by [Stefan Pflueger](#) on Mon, 10 Nov 2014 16:41:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Mamen,

so when I run your macro in the compiled mode (.C+) it runs fine (sometimes I get errors but all the way at the end, when everything is clean up). From what I can see in your Output file, your crashes appear also all the way at the end so all results etc should be fine. The segfault is annoying nevertheless... I don't see why it crashes at this point, but since it is all the way at the end it has to do with cleanup of your objects (destructors are called). I would guess that somehow the memory management of root screws up there.

When I run the macros in interpreter mode (.C) it runs fine on some files and crashes on other files. In my case it crashes when filling the Reco2 histogram at some defined entry (not the last) of the tree. Debugging this nearly impossible (afaik), as more or less non logical stuff happens. However I traced it back to the #include statements. So removing the them should make your macro run just just like in the compiled mode (crashes at the end of the macro when cleanup happens, but that is no biggie). Hope that helps...

Small remark: I would recommend to replace the char array and sprint statements with stringstream as they are a bit safer, so something like this:

```
int W2=10;
std::string FWBW="bw";
int NBINS=100;
int BINMIN=-2;
int BINMAX=2;

std::stringstream ss;
ss<<"epempi0-W2-"<<W2<<"-Delta0-"<<FWBW<<"-LargeQ2-Merged.root";
```

Cheers,

Stefan
