
Subject: Re: AGATA Crystal positions (Look-Up Table)

Posted by [miree](#) on Thu, 19 Mar 2015 14:05:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

In the prespec package, the transformation looks like this
(prespec/plugins/AGATA/process/AgataAdapter.cpp)

```
void AgataAdapter::Orientation::transform(int crystal_id, double x, double y, double z, double
&x_lab, double &y_lab, double &z_lab)
{
    // perform the full transformation:
    // crystal coordinate sytem -> agata array coordinate system -> frs coordinate system
    y_lab = -(crystal_ori[crystal_id][0][0] * x + crystal_ori[crystal_id][1][0] * y +
crystal_ori[crystal_id][2][0] * z + crystal_pos[crystal_id][0]);
    x_lab = -(crystal_ori[crystal_id][0][1] * x + crystal_ori[crystal_id][1][1] * y +
crystal_ori[crystal_id][2][1] * z + crystal_pos[crystal_id][1]);
    z_lab = crystal_ori[crystal_id][0][2] * x + crystal_ori[crystal_id][1][2] * y +
crystal_ori[crystal_id][2][2] * z + crystal_pos[crystal_id][2] ;
}
```

You can see that swapping and minus signs are explicitly put here and are not part of the transformation matrices in CrystalPositionLookupTable.

As far as I know, the CrystalPositionLookupTable did change from Legnaro to GSI.
