Subject: [FIXED] Problem with PndVertexFitter for particles with neutral charge
Posted by Jennifer Pütz on Fri, 29 May 2015 08:44:07 GMT

View Forum Message <> Reply to Message

Hi everyone,

anti-lambda0 decays into an anti-proton and a pi+.

If I combine the proton and the pi- to the lambda0 the vertex fitter is working fine. Same for the antilambda0. But when I combine lambda0 and pi- to Xi- the vertex fitter does not work.

The vertex fitter is working fine for combining proton and pi- to lambda0. But if I combine lambda0 and anti-lambda0 to the pbar p system, here again the vertex fitter does not work.

I checked the 4-Mom-Constraint Fitter and it is working.

Is there already a solution for this problem?

I'm using on my system:

Fairsoft Version: March 15
FairRoot: Master
PandaRoot: Trunk Rev. 27718

Best
Jenny

File Attachments
1) 4CFit_chi2.png, downloaded 1163 times

4 Mom constraint χ^2 distribution for $\bar{p}\,p$ system

htemp	
Entries	684
Mean	3228
RMS	6223

2) VertexFit_chi2.png, downloaded 1205 times

Vertex Fit χ^2 distribution for $\bar{p}\,p$ system

htemp	
Entries	684
Mean	−9999
RMS	0

3) 4CFit_prob.png, downloaded 1211 times

4-Mom constraint probability for p̄ p system

htemp	
Entries	684
Mean	0.2132
RMS	0.3888