
Subject: Re: Question on R3BNeutronTracker2D
Posted by [C. A. Douma](#) on Mon, 11 Jul 2016 11:26:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Mr. Kresan,

I found the source of the problem concerning the beta test. The beta test works fine exactly as you designed it.

However, in my specific case the beam starts 4 meters behind the target. This causes that the collision at the target does not happen at $t=0$. When beta is then computed as

```
beta = cluster->GetZ()/(cluster->GetT()*c);
```

the time requested by `cluster->GetT()` is the TOF between the target and NeuLAND plus the time between the beam starting point and the target. But beta should of course be computed as

```
beta = cluster->GetZ()/(TOF*c);
```

where TOF is only the time between the cluster startpoint and the target collision.

I modified this in the neutron tracker. I also changed the beta definitions (and other similar pieces of code) to:

```
beta = TMath::Sqrt(cluster->GetZ()*cluster->GetZ() + cluster->GetY()*cluster->GetY() + cluster->GetX()*cluster->GetX())/(TOF*c);
```

so that the neutron tracker is now fully invariant under rotations etc. of the detector (relevant to simulate the EOS experiment of Igor, for example).

NOTE: the io-system of the tracker that I added here is still designed to work only for my own simulations.

Christiaan.

PS: I also noticed that the tracker still does not work with the R3B Neuland-class, only with the land-class. Is there a possibility to fix this?

File Attachments

- 1) [R3BNeutronTracker2D.cxx](#), downloaded 401 times
 - 2) [R3BNeutronTracker2D.h](#), downloaded 397 times
-