
Subject: Try with no PID

Posted by [Alexandros](#) on Wed, 27 Sep 2017 07:48:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

This will be a long message.

I am trying to run simulation and analysis for the channel $p\bar{p} \rightarrow D^0 \bar{D}^0 \rightarrow K^+ \pi^- + K^- \pi^+$

I want to run this with no PID at all.

I am running this, and without using PID, I fill my list with 4 candidates (minus1, plus1, minus2, plus2) since I have 4 charged tracks.

I use the "KaonAllMinus", "PionAllPlus", "KaonAllPlus", "PionAllMinus" for my 4 candidates.

Now the problem I have is the following: I am running 35000 events with EvtGen. The possible combinations for the D^0 without PID should be: $K^+ \pi^-$ (the correct one) and $K^- \pi^+$ (the wrong one). There must not be other combinations since in the plot attached (Firstplot) you will see that there is a cut on the reconstructed mass at the limit of one pion and one kaon, thus no $\pi^+ \pi^-$ and subsequently $K^- K^+$ are tried. In this way, I should get around 70000 (2 times the $K \pi$ combinations) D^0 mesons. What I get is 140000 events. So there is a double counting somewhere.

Now, I have also tried the same with "AllMinus", "AllPlus", "AllPlus", "AllMinus" for the minus1, plus1, plus2, minus2 candidates. There I would expect to have 4 times the combinations since besides the $K^+ \pi^-$ and the $K^- \pi^+$ now I also have $\pi^+ \pi^-$ and $K^- K^+$. I can see that since the lower limit now is at the two pion masses and the number of reconstructed D^0 is 4×35000 events. (Secondplot)

I have attached both plots and my analysis macro too.

Do you have any idea whether there is something wrong or whether I am doing something wrong?

Thank you in advance.


Alex

File Attachments

1) [d0d0bar_analysis_last.C](#), downloaded 546 times

2) [Firstplot.png](#), downloaded 1069 times

d0m



3) [Secondplot.png](#), downloaded 1012 times

d0m

