
Subject: Problem while analyzing a data with OS X which created with Linux Ubuntu based PandaRoot-dev version

Posted by [Umut Keskin](#) on Fri, 04 Sep 2020 11:02:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I am just trying to run a root macro while using a ".._pid.root" and "".._par.root" data which were created with a linux ubuntu based server via "pandaroot-dev" version. That is, i am trying to run this macro on my PC, a Mac which runs "pandaroot-oct19" version and i get this error below. Any help will be appreciated. Thank you.

Processing theAnalysis_1.C...

Error in <TFile::ReadKeys>: reading illegal key, exiting after 1 keys

Warning in <TStreamerInfo::BuildCheck>:

 The StreamerInfo of class PndEvtGenDirect read from file
signal_pp_Zc4430Minus_ee_nophot100000_1_par.root
 has the same version (=1) as the active class but a different checksum.
 You should update the version to ClassDef(PndEvtGenDirect,2).
 Do not try to write objects with the current class definition,
 the files will not be readable.

Warning in <TStreamerInfo::CompareContent>: One base class of the on-file layout version 1 and of the in memory layout version 1 for 'PndEvtGenDirect' is different: 'PndTargetGenerator' vs 'FairGenerator'

Warning in <TClass::Init>: no dictionary for class PndTargetGenerator is available

[WARN] FairRun::SetOutputFile() deprecated. Use FairRootFileSink.

[FATAL] No Branch list in input file
