Subject: Ptolemy II perfomance Posted by Sergey Linev on Mon, 26 Apr 2004 08:13:15 GMT View Forum Message <> Reply to Message

## Hello everybody

I want to discuss here some questions about Ptolemy II and its performance.

runs under Linux without any problem. All examples are perfectly working.

Then I created my own actor to test such possibility. This is also not a big problem. I just use several Ptolemy II classes as template (not in sense of C++) and was able to produce actors like network switch or packets buffer. Finally I create scheme for Barrel shift algorithm with 4 buffers and 4 event builders. It works.

Next my step was to test performance of such setup. From my point of view, the main characteristic of performance should be transaction rate or how many data transfers between different entities (actors) are happened during 1 sec of real time (not a simulated time). With my simple setup 4+4 (4 buffers, 4 event builders) I get transaction rate of about 50000 transactions/sec. But when I increase number of nodes to 100+100, transaction rate degrade to about 3000 transactions/sec. My suspicion that decrease was caused by larger buffer depth, needed for Barrel-shift algorithm in case of 100 nodes.

Therefore I modify my actors in the way that I perform only pure data transfer without any buffering and without any modification of tokens (transferring entities in Ptolemy). In the beginning I just create single token and periodically sends it to all buffers. Each buffer immediately forwards it to switch. And switch distributes uniformly all incoming data to outputs without any address analysis.

I test such data transfer network with different number of nodes. Results are:

2+2: ~70000 trans./sec. 10+10: ~60000 trans./sec. 100+100: ~13000 trans./sec. 1000+1000: ~900 trans./sec 10000+10000: out of memory exception

I test it on GSI installation of Debian 3.0 linux, Athlon 1800+, 512 Mb RAM.

My observation was, that 1000+1000 model consumes about 68 Mbytes of memory while 100+100 model requires only 25 Mbytes. Probably, there is a limitation in Java, which is not allows to allocate so much space in memory and starts to use swapping space.

Therefore I want to know from Ptolemy II users, what is a way to specify bigger memory space to Java? Probably, there are other aspects, which should be taken into account.

If it is interesting, I can provide here all my Ptolemy II code and generated xml files.