
Subject: Re: TGeoManager and TGeoVolume
Posted by [Ralf Kliemt](#) on Tue, 26 Feb 2008 10:17:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

It seems that the geometry volumes are stored but not the medium information. Examining the rootfile contents I see:

The first one is the geomanagter and the second one just the stored top volume (which indeed seems to dive into the subvolumes) when exporting.

Do I need the additional Material, Media and Local transformations directories? Because when I run the simulation with this Mvd_20a_vol.root file it crashes somewhere inside Geant4.

Simulation output:

Toggle Spoiler

root [0]

Processing materialsim.C...

PSaid instance created... access via gSaid->f()

```
- RTDB container factory CbmBaseContFact
- RTDB container factory PndFieldContFact
- RTDB container factory PndPassiveContFact
- RTDB container factory PndTpcContFact
- RTDB container factory PndMvdContFact
PndStringVector for: ../data/mvdTestGeo.root
0: ..
1: data
2: mvdTestGeo.root
-I- CbmRun::SetMaterials() Media file used:
/home/ralfk/Pandaroot/pandaroot/geometry/media_pnd.geo
- I - PndMvdDetector: fListOfSensitives contains:
  Disk-Sensor
  Barrel-Sensor
  StripSensor
  SensorActiveArea
```

```
===== CbmRunSim: Initialising simulation run =====
Info in <TGeoManager::TGeoManager>: Geometry CBMGeom, CBM geometry created
-I- CbmGeoMedia Read media
CbmMCApplication::SetRadiationLengthReg(Bool_t RadLen)0x85454d8
Loading Geant4 granular libraries ...
Loading VGM libraries ...
Loading libraries ... finished
Info in <TGeoManager::SetTopVolume>: Top volume is cave. Master volume is cave
Material silicon is not defined
Create Medium silicon
Material carbon is not defined
Create Medium carbon
Info in <TGeoManager::CheckGeometry>: Fixing runtime shapes...
Info in <TGeoManager::CheckGeometry>: ...Nothing to fix
Info in <TGeoManager::CloseGeometry>: Counting nodes...
```

Info in <TGeoManager::Voxelize>: Voxelizing...
Info in <TGeoManager::CloseGeometry>: Building cache...
Info in <TGeoNavigator::BuildCache>: --- Maximum geometry depth set to 100
Info in <TGeoManager::CloseGeometry>: 3977 nodes/ 71 volume UID's in CBM geometry
Info in <TGeoManager::CloseGeometry>: -----modeler ready-----
Info in <TG4RootNavMgr::SetNavigator>: TG4RootNavigator created and registered to
G4TransportationManager
Running TVirtualMCApplication::ConstructGeometry

Geant4 version Name: geant4-09-00 (29-June-2007)
Copyright : Geant4 Collaboration
Reference : NIM A 506 (2003), 250-303
WWW : <http://cern.ch/geant4>

Info in <TG4RootNavMgr::Initialize>: Creating G4 hierarchy ...
Info in <TGeoManager::ConvertReflections>: Converting reflections in: CBMGeom - CBM
geometry ...
Info in <TGeoManager::ConvertReflections>: Done
==> GEANT4 materials created and mapped to TGeo ones...
==> GEANT4 physical volumes created and mapped to TGeo hierarchy...
INFO: TG4RootDetectorConstruction::Construct() finished
TG4PostDetConstruction::Initialize
G4 Stat: instantiated 71 logical volumes
195 physical volumes
Info in <TG4RootNavMgr::ConnectToG4>: ROOT detector construction class connected to
G4RunManager
Adding HadronPhysicsList QGSP_BERT

<<< Geant4 Physics List engine packaging library: PACK 5.3
<<< Geant4 Physics List simulation engine: QGSP_BERT 3.3

Adding SpecialPhysicsList
Debug mode is switched on.
Visualization Manager instantiating...
Visualization Manager initialising...
Registering graphics systems...

You have successfully registered the following graphics systems.

Current available graphics systems are:

- ASCIITree (ATree)
- DAWNFILE (DAWNFILE)
- G4HepRepFile (HepRepFile)
- G4HepRep (HepRepXML)
- RayTracer (RayTracer)
- VRML1FILE (VRML1FILE)
- VRML2FILE (VRML2FILE)
- OpenGLImmediateX (OGLIX)
- OpenGLStoredX (OGLSX)
- OpenGLImmediateXm (OGLIXm)
- OpenGLStoredXm (OGLSXm)

Registering model factories...

You have successfully registered the following model factories.

Registered model factories:

drawByCharge
drawByParticleID

Registered filter factories:

None

Geant4 has been created.

-I g4Config() using g4conf macro: /home/ralfk/Pandaroot/pandaroot/gconfig/g4config.in

Physics cuts with script

/home/ralfk/Pandaroot/pandaroot/gconfig/SetCuts.C

Adding Neutron tracking cut for neutron

cut value is 10 microseconds

Hadron physics constructed.

Processes mapped to VMC controls ok.

Special Cuts constructed.

Step limiter physics constructed.

User particles physics constructed.

Processes mapped to VMC codes ok.

-I CbmMCApplication -> simulation RunID: 1708913840

GEANT4 Geometry statistics:

71 logical volumes

195 physical volumes

6 materials

6 user limits

71 sensitive detectors

-I CbmMCApplication:: Monte carlo Engine Initialisation with TGeant4

RuntimeDb: write container CbmBaseParSet

*** CbmBaseParSet written to ROOT file version: 3

RuntimeDb: write container PndGeoPassivePar

*** PndGeoPassivePar written to ROOT file version: 3

----- actual containers in runtime database -----

CbmBaseParSet Test class for parameter io
PndGeoPassivePar Passive Geometry Parameters

----- runs, versions -----

run id	container	1st-inp	2nd-inp	output
run: 1708913840	CbmBaseParSet	1708913840	-1	3
	PndGeoPassivePar	1708913840	-1	3

----- input/output -----

Toggle Spoiler

first input: none

second input: none

output:

OBJ: CbmParRootFile ../data/mvdmaterial_partest.root : 0 at: 0xa186408

Root file I/O ../data/mvdmaterial_partest.root is open

detector I/Os: CbmGenericParlo

phot: Total cross sections from Sandia parametrisation.

Sampling according PhotoElectric model

compt: Total cross sections has a good parametrisation from 10 KeV to (100/Z) GeV

Sampling according Klein-Nishina model

tables are built for gamma

Lambda tables from 100 eV to 100 GeV in 90 bins.

conv: Total cross sections has a good parametrisation from 1.5 MeV to 100 GeV for all Z;

sampling secondary e+e- according Bethe-Heitler model

tables are built for gamma

Lambda tables from 1.022 MeV to 100 GeV in 100 bins.

msc: Model variant of multiple scattering for e-

Lambda tables from 100 eV to 100 TeV in 120 bins.

LateralDisplacementFlag= 1 Skin= 0

Boundary/stepping algorithm is active with RangeFactor= 0.02 Step limit type 1

eloni: tables are built for e-

dE/dx and range tables from 100 eV to 100 TeV in 120 bins.

Lambda tables from threshold to 100 TeV in 120 bins.

Delta cross sections and sampling from MollerBhabha model

Good description from 1 KeV to 100 GeV.

Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

eBrem: tables are built for e-

dE/dx and range tables from 100 eV to 100 TeV in 120 bins.

Lambda tables from threshold to 100 TeV in 120 bins.

Total cross sections and sampling from StandBrem model (based on the EEDL data library)

Good description from 1 KeV to 100 GeV, log scale extrapolation above 100 GeV. LPM flag 1

eloni: tables are built for e+

dE/dx and range tables from 100 eV to 100 TeV in 120 bins.

Lambda tables from threshold to 100 TeV in 120 bins.

Delta cross sections and sampling from MollerBhabha model

Good description from 1 KeV to 100 GeV.

Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

eBrem: tables are built for e+

dE/dx and range tables from 100 eV to 100 TeV in 120 bins.

Lambda tables from threshold to 100 TeV in 120 bins.

Total cross sections and sampling from StandBrem model (based on the EEDL data library)

Good description from 1 KeV to 100 GeV, log scale extrapolation above 100 GeV. LPM flag 1

annihil: Sampling according eplus2gg model
tables are built for e+
Lambda tables from 100 eV to 100 TeV in 120 bins.

msc: Model variant of multiple scattering for proton
Lambda tables from 100 eV to 100 TeV in 120 bins.
LateralDisplacementFlag= 1 Skin= 0
Boundary/stepping algorithm is active with RangeFactor= 0.2 Step limit type 0

hloni: tables are built for proton
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Scaling relation is used from proton dE/dx and range.
Delta cross sections and sampling from BetheBloch model for scaled energy > 2 MeV
Parametrisation from Bragg for protons below.
Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

msc: Model variant of multiple scattering for Genericlon
LateralDisplacementFlag= 0 Skin= 0
Boundary/stepping algorithm is active with RangeFactor= 0.2 Step limit type 1

ionloni: tables are built for Genericlon
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Scaling relation is used from proton dE/dx and range.
Delta cross sections and sampling from BetheBloch model for scaled energy > 2 MeV
Parametrisation from Bragg for protons below. NuclearStopping 1

Stopping Power data for 8 ion/material pairs are used.
Step function: finalRange(mm)= 0.1, dRoverRange= 0.1, integral: 1

hloni: tables are built for anti_proton
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Scaling relation is used from proton dE/dx and range.
Delta cross sections and sampling from BetheBloch model for scaled energy > 2 MeV
Parametrisation from Bragg for protons below.
Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

msc: Model variant of multiple scattering for mu+
Lambda tables from 100 eV to 100 TeV in 120 bins.
LateralDisplacementFlag= 1 Skin= 0
Boundary/stepping algorithm is active with RangeFactor= 0.2 Step limit type 0

muloni: tables are built for mu+
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Bether-Bloch model for E > 0.2 MeV, parametrisation of Bragg peak below,
radiative corrections for E > 1 GeV
Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

muBrems: tables are built for mu+
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Parametrised model

muPairProd: tables are built for mu+
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Parametrised model

muloni: tables are built for mu-
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Bether-Bloch model for $E > 0.2$ MeV, parametrisation of Bragg peak below,
radiative corrections for $E > 1$ GeV
Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

muBrems: tables are built for mu-
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Parametrised model

muPairProd: tables are built for mu-
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Parametrised model

G4UHadronElasticProcess for neutron PDGcode= 2112 Elow(MeV)= 19 Elowest(eV)= 0

hloni: tables are built for pi+
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Scaling relation is used from proton dE/dx and range.
Delta cross sections and sampling from BetheBloch model for scaled energy > 0.297504
MeV
Parametrisation from Bragg for protons below.
Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

msc: Model variant of multiple scattering for pi-
Lambda tables from 100 eV to 100 TeV in 120 bins.
LateralDisplacementFlag= 1 Skin= 0
Boundary/stepping algorithm is active with RangeFactor= 0.2 Step limit type 0

hloni: tables are built for pi-
dE/dx and range tables from 100 eV to 100 TeV in 120 bins.
Lambda tables from threshold to 100 TeV in 120 bins.
Scaling relation is used from proton dE/dx and range.
Delta cross sections and sampling from BetheBloch model for scaled energy > 0.297504
MeV
Parametrisation from Bragg for protons below.
Step function: finalRange(mm)= 1, dRoverRange= 0.2, integral: 1

===== Table of registered couples =====

Index : 0 used in the geometry : Yes recalculation needed : No

Material : air

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm

Energy thresholds : gamma 990 eV e- 990 eV e+ 990 eV

Region(s) which use this couple :

DefaultRegionForTheWorld

Index : 1 used in the geometry : Yes recalculation needed : No

Material : vacuum

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm

Energy thresholds : gamma 990 eV e- 990 eV e+ 990 eV

Region(s) which use this couple :

DefaultRegionForTheWorld

Index : 2 used in the geometry : Yes recalculation needed : No

Material : steel

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm

Energy thresholds : gamma 20.8323 keV e- 1.31192 MeV e+ 1.23361 MeV

Region(s) which use this couple :

DefaultRegionForTheWorld

Index : 3 used in the geometry : Yes recalculation needed : No

Material : Al+Be

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm

Energy thresholds : gamma 4.45676 keV e- 496.074 keV e+ 478.087 keV

Region(s) which use this couple :

DefaultRegionForTheWorld

Index : 4 used in the geometry : Yes recalculation needed : No

Material : silicon

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm

Energy thresholds : gamma 6.88731 keV e- 540.718 keV e+ 521.113 keV

Region(s) which use this couple :

DefaultRegionForTheWorld

Index : 5 used in the geometry : Yes recalculation needed : No

Material : carbon

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm

Energy thresholds : gamma 3.29462 keV e- 568.011 keV e+ 554.196 keV

Region(s) which use this couple :

DefaultRegionForTheWorld

=====
Run 0 start.

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 0

>>> End of Event 0

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 1

>>> End of Event 1

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 2

>>> End of Event 2

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 3

>>> End of Event 3

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 4

>>> End of Event 4

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 5

>>> End of Event 5

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 6

>>> End of Event 6

-l CbmPrimaryGenerator: 1 primary tracks from vertex (0, 0, 0)

>>> Event 7

Program received signal SIGSEGV, Segmentation fault.

where the gdb output gives (I marked suspicious things):

Toggle Spoiler

Program received signal SIGSEGV, Segmentation fault.

[Switching to Thread -1225921760 (LWP 15821)]

0xb6af4281 in TGeoVoxelFinder::GetValidExtra (this=0x8865590, array1=0x885a5c4 "A", array2=0x885a5e4 "\001", list=0x88658e8, ncheck=@0xbfe7b3d4)

at geom/src/TGeoVoxelFinder.cxx:590

590 byte = (~fBits1[loc]) & array1[loc] & array2[loc] & (1<<bit);

(gdb) bt

#0 0xb6af4281 in TGeoVoxelFinder::GetValidExtra (this=0x8865590, array1=0x885a5c4 "A", array2=0x885a5e4 "\001", list=0x88658e8, ncheck=@0xbfe7b3d4)

at geom/src/TGeoVoxelFinder.cxx:590

#1 0xb6af8260 in TGeoVoxelFinder::GetNextCandidates (this=0x8865590, point=0xbfe7b408, ncheck=@0xbfe7b3d4) at geom/src/TGeoVoxelFinder.cxx:1109

#2 0xb6af5bd8 in TGeoVoxelFinder::GetNextVoxel (this=0x8865590, point=0xbfe7b408, ncheck=@0xbfe7b3d4) at geom/src/TGeoVoxelFinder.cxx:1426

#3 0xb6ac2e5e in TGeoShapeAssembly::DistFromOutside (this=0x885b1e8, point=0xbfe7b4c0, dir=0xbfe7b4a8, iact=3, step=1516.9575844741444, safe=0x0)

at geom/src/TGeoShapeAssembly.cxx:228

#4 0xb6ac2de6 in TGeoShapeAssembly::DistFromOutside (this=0x885ca98, point=0xbfe7b590, dir=0xbfe7b578, iact=3, step=1516.9575844741444, safe=0x0)

at geom/src/TGeoShapeAssembly.cxx:233

#5 0xb6ac2de6 in TGeoShapeAssembly::DistFromOutside (this=0x879ce18,

point=0xbfe7b660, dir=0xbfe7b648, iact=3, step=1516.9575844741444, safe=0x0)
at geom/src/TGeoShapeAssembly.cxx:233
#6 0xb6ac2de6 in TGeoShapeAssembly::DistFromOutside (this=0x88750b0,
point=0xbfe7b720, dir=0xbfe7b708, iact=3, step=1516.9575844741444, safe=0x0)
at geom/src/TGeoShapeAssembly.cxx:233
#7 0xb6a9175b in TGeoNavigator::FindNextDaughterBoundary (this=0x8538ec8,
point=0xbfe7b850, dir=0xbfe7b838, idaughter=@0xbfe7b834, compmatrix=true)
at geom/src/TGeoNavigator.cxx:833
#8 0xb6a969a9 in TGeoNavigator::FindNextBoundary (this=0x8538ec8,
stepmax=99999.999999999898, path=0xafcc0be8 "", frombdr=true)
at geom/src/TGeoNavigator.cxx:590
#9 0xb6a748dd in TGeoManager::FindNextBoundary (this=0x8520140,
stepmax=-99999.999999999898, path=0xafcc0be8 "", frombdr=true)
at geom/src/TGeoManager.cxx:2305
#10 0xafcb8bf0 in TG4RootNavigator::ComputeStep (this=0x9b90538,
pGlobalPoint=@0xbfe7bf50, pDirection=@0xbfe7ba78,
pCurrentProposedStepLength=999999.99999999988, pNewSafety=@0xbfe7bf00) at
g4root/src/TG4RootNavigator.cxx:143
#11 0xb24adbe6 in G4PropagatorInField::IntersectChord (this=0x9b973a0,
StartPointA=@0xbfe7bf50, EndPointB=@0xbfe7bf38, NewSafety=@0xbfe7bf00,
LinearStepLength=@0xbfe7be78, IntersectionPoint=@0xbfe7be80) at
src/G4PropagatorInField.cc:1140
#12 0xb24b1716 in G4PropagatorInField::ComputeStep (this=0x9b973a0,
pFieldTrack=@0xbfe7c0b8, CurrentProposedStepLength=1000000,
currentSafety=@0xbfe7c358,
pPhysVol=0x9ba8458) at src/G4PropagatorInField.cc:274
#13 0xb2002174 in G4Transportation::AlongStepGetPhysicalInteractionLength
(this=0x9d4d968, track=@0xa524478, currentMinimumStep=1.7976931348623157e+308,
currentSafety=@0xbfe7c358, selection=0x9b97d14) at src/G4Transportation.cc:302
---Type <return> to continue, or q <return> to quit---
#14 0xb0976ac3 in G4VProcess::AlongStepGPIL (this=0x9d4d968, track=@0xa524478,
previousStepSize=1.2641933897456639,
currentMinimumStep=1.7976931348623157e+308, proposedSafety=@0xbfe7c358,
selection=0x9b97d14)
at /data_hilbert/Software/fairroot/cbmssoft_231107/transport/geant4/source/p
rocesses/management/include/G4VProcess.hh:412
#15 0xb09750b1 in G4SteppingManager::DefinePhysicalStepLength (this=0x9b97c10) at
src/G4SteppingManager2.cc:223
#16 0xb0979a76 in G4SteppingManager::Stepping (this=0x9b97c10) at
src/G4SteppingManager.cc:180
#17 0xb0983f1c in G4TrackingManager::ProcessOneTrack (this=0x9b97ba8,
apValueG4Track=0xa524478) at src/G4TrackingManager.cc:126
#18 0xb088b01d in G4EventManager::DoProcessing (this=0x9b97b60, anEvent=0x9ba47f0) at
src/G4EventManager.cc:185
#19 0xb088b7ba in G4EventManager::ProcessOneEvent (this=0x9b97b60,
anEvent=0x9ba47f0) at src/G4EventManager.cc:335
#20 0xb082b45b in G4RunManager::DoEventLoop (this=0x9b97aa0, n_event=100,
macroFile=0x0, n_select=-1) at src/G4RunManager.cc:234
#21 0xb0829ae5 in G4RunManager::BeamOn (this=0x9b97aa0, n_event=100, macroFile=0x0,
n_select=-1) at src/G4RunManager.cc:139
#22 0xafc22dd7 in TG4RunManager::ProcessRun (this=0x8656ba0, nofEvents=100) at
run/src/TG4RunManager.cxx:380

```

#23 0xafc278c7 in TGeant4::ProcessRun (this=0x8651570, nofEvents=100) at
run/src/TGeant4.cxx:1132
#24 0xb30629ef in CbmMCApplication::RunMC (this=0x85431c8, nofEvents=100) at
/home/ralfk/Pandaroot/pandaroot/base/CbmMCApplication.cxx:182
#25 0xb3074685 in CbmRunSim::Run (this=0x84e35b8, NStart=100, NStop=0) at
/home/ralfk/Pandaroot/pandaroot/base/CbmRunSim.cxx:148
#26 0xb30b2ffb in G__CbmDict_530_0_5 (result7=0xbfe8cb5c, funcname=0x84e1e88 "\001",
libp=0xbfe867b8, hash=0)
    at /home/ralfk/Pandaroot/build/base/CbmDict.cxx:9338
#27 0xb723a55b in Cint::G__ExceptionWrapper (funcp=0xb30b2e9a
<G__CbmDict_530_0_5>, result7=0xbfe8cb5c, funcname=0x84e1e88 "\001",
libp=0xbfe867b8, hash=0)
    at cint/src/Api.cxx:364
#28 0xb73498a0 in G__call_cppfunc (result7=0xbfe8cb5c, libp=0xbfe867b8, ifunc=0x84e1e88,
ifn=0) at cint/src/v6_newlink.cxx:512
#29 0xb7310f65 in G__interpret_func (result7=0xbfe8cb5c, funcname=0xbfe8c55c "Run",
libp=0xbfe867b8, hash=309, p_ifunc=0x84e1e88, funcmatch=1,
    memfunc_flag=1) at cint/src/v6_ifunc.cxx:5118
#30 0xb7300554 in G__getfunction (item=0xbfe90fc6 "Run(nEvents)", known3=0xbfe8f58c,
memfunc_flag=1) at cint/src/v6_func.cxx:2511
#31 0xb73d5090 in G__getstructmem (store_var_type=112, varname=0xbfe8ee78 "",
membername=0xbfe90fc6 "Run(nEvents)", tagname=0xbfe8ec78 "fRun",
    known2=0xbfe8f58c, varglobal=0xb747b3a0, objptr=2) at cint/src/v6_var.cxx:6562
#32 0xb73c7ffd in G__getvariable (item=0xbfe90fc0 "fRun->Run(nEvents)",
known2=0xbfe8f58c, varglobal=0xb747b3a0, varlocal=0x0) at cint/src/v6_var.cxx:5206
#33 0xb72ce2b2 in G__getitem (item=0xbfe90fc0 "fRun->Run(nEvents)") at
cint/src/v6_expr.cxx:1884
---Type <return> to continue, or q <return> to quit---
#34 0xb72e1453 in G__getexpr (expression=0xbfe915fc "fRun->Run(nEvents)") at
cint/src/v6_expr.cxx:1470
#35 0xb735bd31 in G__exec_function (statement=0xbfe915fc "fRun->Run(nEvents)",
pc=0xbfe91c98, piout=0xbfe91c94, plargestep=0xbfe91c8c, presult=0xbfe91c48)
    at cint/src/v6_parse.cxx:598
#36 0xb7362d6f in G__exec_statement (mparen=0xbfe98b48) at cint/src/v6_parse.cxx:6923
#37 0xb72b7000 in G__exec_tempfile_core (file=0xbfe9ac3c
"/home/ralfk/Pandaroot/pandaroot/macro/mvd/Ralf/./materialsim.C", fp=0x0)
    at cint/src/v6_debug.cxx:251
#38 0xb72b733d in G__exec_tempfile (file=0xbfe9ac3c
"/home/ralfk/Pandaroot/pandaroot/macro/mvd/Ralf/./materialsim.C") at
cint/src/v6_debug.cxx:798
#39 0xb737515a in G__process_cmd (line=0xb7efe750 "int.RadLen_]", prompt=0x80cc994 "",
more=0x80cc98c, err=0xbfe9baf8, rslt=0xbfe9bac8)
    at cint/src/v6_pause.cxx:3070
#40 0xb79c70f9 in TCint::ProcessLine (this=0x80cc970, line=0xb7efe750 "int.RadLen_]",
error=0xbfe9e304) at meta/src/TCint.cxx:289
#41 0xb79c15bc in TCint::ProcessLineSynch (this=0x80cc970, line=0xb7efe750
"int.RadLen_]", error=0xbfe9e304) at meta/src/TCint.cxx:354
#42 0xb7909532 in TApplication::ExecuteFile (file=0xbfe9c22d "materialsim.C",
error=0xbfe9e304) at base/src/TApplication.cxx:898
#43 0xb7909704 in TApplication::ProcessFile (this=0x80eade0, file=0xbfe9c22d
"materialsim.C", error=0xbfe9e304) at base/src/TApplication.cxx:787
#44 0xb790baeb in TApplication::ProcessLine (this=0x80eade0, line=0xbfe9c22a ".x

```

materialsim.C", sync=false, err=0xbfe9e304)

at base/src/TApplication.cxx:760

#45 0xb71ab9de in TRint::Run (this=0x80eade0, retrn=false) at rint/src/TRint.cxx:336

#46 0x08048e49 in main (argc=1, argv=0xbfe9e414) at main/src/rmain.cxx:29

(gdb)

Ralf.

File Attachments

1) [scr1.jpg](#), downloaded 1845 times

