
Subject: New External packages

Posted by [Mohammad Al-Turany](#) on Thu, 13 Mar 2008 12:17:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hallo,

The new external packages are now available from fairroot.gsi.de, the tar file [fairsoft.tar.gz](#) include:

ROOT 5.18
Geant4 4.9.1
Geant3.21+vmc.1.9
VGM 3.0
Geant4 VMC (r331)
CLHEP 2.0.3.1
ApMon -Application Monitoring API for C++ (v. 2.2.2)
Cmake 2.4.7 (optional)
GSL (GNU Scientific Library)
PLUTO (v.412)
Pythia6
New configuration scripts for linux and Mac OS X

untar [fairsoft.tar.gz](#) and run the `configure.sh` script.

we tested this on the following sysems:

Mac OS X 10.5
Debian Sarge 32 and 64 bit
Debian Etch 32 and 64 bit
Fedora Core 5 (icc 10.0)
Fedora Core 8 (gcc and gfortran)
Open Suse 10.1
Open Suse 10.3

The SVN head of Cbmroot works fine with these packages!

among the new features in fairroot:

1. New Flags for simulation (can be set from macro):

`SetPythiaDecayer(Bool_t decayer)` : switch On/Off external decayer (Pythia)
`SetUserDecay(Bool_t decay)` : switch On/Off user defined decay. If true
`gconfig/UserDecay.C` macro will be called

`SetRadLenRegister(Bool_t value)` : switch on/off the radiation length register module

2. New mode for fast simulation:

`primGen->DoTracking(kFALSE);`

in a simulation macro setting this flag will prevent the transport in Geant3/4 transport is parametrized via tasks (see [pandaroot/fsim](#))

3. New variable GEOMPATH

setting this environment variable, the framework will look for the detector geometry specified in detector ctor first in this path and then in the input directory (pandaroot/input or cbmroot/input)

regards

Mohammad
