## Subject: Ihetrack for global tracking Posted by Jens Sören Lange on Sun, 23 Mar 2008 14:42:00 GMT View Forum Message <> Reply to Message

Dear all,

I checked in a preliminary version of Ihetrack for global tracks (tpc and mvd). As mentioned before, only very small changes were applied to Oleg's code (the trick is that I treat mvd points as tpc points), so the main work was only to find, which few lines had to be changed. In this version there are also no crashes anymore if tpc has zero hits (= forward tracks).

- 1.) macro/lhetrack/run\_sim\_tpcmvd.C
- -> runs Geant for tpc and mvd
- -> write out "points\_tpcmvd.root"
- 2.) macro/lhetrack/run\_track\_tpcmvd.C
- -> runs the track finder
- -> runs the track fitter
- -> writes out "tracks\_tpcmvd.root"
- 3.) macro/lhetrack/plot\_pT.C

loops over all tracks and plots the pT distribution.

4.) if you want to switch off the MVD from the tracking (so that only TPC is used in track finding)

in Ihetrack/PndTpcLheHitsMaker.cxx

in line 27 please comment like this:

//#define MVD

and then

cbuild/make cbuild/make install

The few slides from the last meeting with the results are posted here

http://panda-wiki.gsi.de/pub/Computing/Minutes19March2008/Lange\_PandaRoo t19032008.pdf

P.S. the covariance matrix needs some more time.

cheers, Soeren