
Subject: Re: GEANE: Propagate to Plane not implemented
Posted by [Tobias Stockmanns](#) on Wed, 15 Oct 2008 09:29:02 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Lia,

you are right. I modified the lines with $plo[9] = v0.$, $plo[10] = v0.Y()$, $plo[11].v0.Z()$.

Which is wrong but did not cause any harm, because $v0$ is orthogonal to $v1$ and $v2$.

I corrected it in my code and switched to CbmTrackParP. Now the code runs stable but the results are a puzzling.

I have simulated a 1 GeV proton flying through the MVD. I take Geane to predict the point on the various detector planes from the first point in the MVD. For most of the points the prediction works in the way that the predicted points are close to the MC points from the simulation but some of the points are far outside the detector.

In addition the given errors from Geane are for the x and y coordinate of the points too low and not consistent. For the z coordinate it seems to fit. At least the pull distribution looks reasonable. I have added the two pull distributions to this message. The diagrams are restricted to a range of -10 to 10 otherwise you could not see anything because some pulls get really big.

I hope you have an idea, why this happens.

Cheers

Tobias

File Attachments

- 1) [PullDistributionX.pdf](#), downloaded 347 times
 - 2) [PullDistributionZ.pdf](#), downloaded 351 times
-