

---

Subject: Re: Segmentation Violation when simulating events with run\_sim1.C  
Posted by [Marius Mertens](#) on Wed, 04 Feb 2009 14:01:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Stefano,

I also tried with the CbmBoxGenerator, which gives me the same results.

When I just reran the macro to reproduce the first lines of the output (they were not included in the history buffer of the previous run anymore), it unfortunately crashed even earlier.

Actually I have no idea whether this is related, but I'll just post the output I got and retry after a reboot.

Toggle Spoiler

```
Processing Mrun_sim1_PndFlatGen.C(3600,  
"/home/mertens/pandaroot/myoutput/20090204_flatgen_g4_crashtest.root")...
```

```
- RTDB container factory CbmBaseContFact  
- RTDB container factory PndFieldContFact  
- RTDB container factory PndPassiveContFact
```

```
PSaid instance created... access via gSaid->f()
```

```
- RTDB container factory PndEmcContFact  
- RTDB container factory PndTpcContFact  
- RTDB container factory PndSttContFact  
- RTDB container factory PndMvdContFact  
- RTDB container factory PndTofContFact  
- RTDB container factory PndDrcContFact  
- RTDB container factory PndMdtContFact  
- RTDB container factory PndDchContFact  
- RTDB container factory PndLheContFact  
-l- CbmRun::SetMaterials() Media file used:  
/home/mertens/pandaroot/pandaroot/trunk/geometry/media_pnd.geo
```

```
===== CbmRunSim: Initialising simulation run =====
```

```
Info in <TGeoManager::TGeoManager>: Geometry CBMGeom, CBM geometry created
```

```
-l- CbmGeoMedia Read media
```

```
-l- PndFieldMap: Reading field map from ROOT file
```

```
/home/mertens/pandaroot/pandaroot/trunk/input/TransMap.root
```

```
-l- PndFieldMap: Reading field map from ROOT file
```

```
/home/mertens/pandaroot/pandaroot/trunk/input/DipoleMap.root
```

```
-l- PndFieldMap: Reading field map from ROOT file
```

```
/home/mertens/pandaroot/pandaroot/trunk/input/SolenoidMap.root
```

```
Loading Geant4 granular libraries ...
```

```
Error in <TUnixSystem::DynamicPathName>: libG4OpenGL[.so | .sl | .dl | .a | .dll] does not
```

```
exist in ./usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib:/usr/local
```

```
/panda/fairroot/fairsoft/tools/root_v5.20.00/lib:/usr/lib:/usr/X11R6/lib
```

```
:/home/mertens/pandaroot/cbuild/lib:/home/mertens/pandaroot/cbuild/lib:/
```

```
home/mertens/pandaroot/tools/root/lib:/home/mertens/pandaroot/generators
```

```
/lib:/home/mertens/pandaroot/generators/lib:/home/mertens/pandaroot/trans
```

```
port/geant3/lib/tgt_linux:/home/mertens/pandaroot/transport/geant4/lib/
```

```

Linux-g++:/home/mertens/pandaroot/transport/geant4_vmc/lib/tgt_linux:/home/mertens/pandaroot/transport/vgm/lib:/home/mertens/pandaroot/cern/clhep/lib:/usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/cint/cint/s tl
Loading VGM libraries ...
Loading libraries ... finished
Info in <TGeoManager::SetTopVolume>: Top volume is cave. Master volume is cave
Material aluminium is not defined
Create Medium aluminium
Material iron is not defined
Create Medium iron
--- Building TPC Geometry ---
Material silicon is not defined
Create Medium silicon
Material carbon is not defined
Create Medium carbon

===== EMC:: ConstructASCIIGeometry() =====
=====
PndEmcReader: EMC geometry file ==
/home/mertens/pandaroot/pandaroot/trunk/geometry/emc_module1245.dat
Emc module = 1
*****
Emc module = 2
*****
Emc module = 3
*****
Emc module = 4
*****
Emc module = 5
*****

===== EMC:: ConstructRootGeometry() =====
=====
File name = /home/mertens/pandaroot/pandaroot/trunk/geometry/emc_module3new.root

===== DRC:: ConstructGeometry() =====
=====
Info in <TGeoManager::CheckGeometry>: Fixing runtime shapes...
Info in <TGeoManager::CheckGeometry>: ...Nothing to fix
Info in <TGeoManager::CloseGeometry>: Counting nodes...
Info in <TGeoManager::Voxelize>: Voxelizing...
Info in <TGeoManager::CloseGeometry>: Building cache...
Info in <TGeoNavigator::BuildCache>: --- Maximum geometry depth set to 100
Info in <TGeoManager::CloseGeometry>: 464664 nodes/ 1248 volume UID's in CBM geometry
Info in <TGeoManager::CloseGeometry>: -----modeler ready-----
Material DCHmixture is not defined
Create Medium DCHmixture
Material DCHmixturePassive is not defined
Create Medium DCHmixturePassive
CbmMCApplication::ConstructGeometry() : Now closing the geometry
Warning in <TGeoManager::CloseGeometry>: geometry already closed
Info in <TG4RootNavMgr::SetNavigator>: TG4RootNavigator created and registered to

```

G4TransportationManager  
Running TVirtualMCApplication::ConstructGeometry  
\*\*\*\*\*  
Geant4 version Name: geant4-09-01-patch-02 (9-May-2008)  
Copyright : Geant4 Collaboration  
Reference : NIM A 506 (2003), 250-303  
WWW : <http://cern.ch/geant4>  
\*\*\*\*\*

Info in <TG4RootNavMgr::Initialize>: Creating G4 hierarchy ...  
Info in <TGeoManager::ConvertReflections>: Converting reflections in: CBMGeom - CBM geometry ...  
Info in <TGeoManager::ConvertReflections>: Done  
==> GEANT4 materials created and mapped to TGeo ones...  
==> GEANT4 physical volumes created and mapped to TGeo hierarchy...  
### INFO: TG4RootDetectorConstruction::Construct() finished  
TG4PostDetConstruction::Initialize  
G4 Stat: instantiated 2175 logical volumes  
75673 physical volumes  
The tables for UV photon tracking set for FusedSil  
The tables for UV photon tracking set for NLAK33A  
The tables for UV photon tracking set for Mirror  
The tables for UV photon tracking set for Marcol82  
The tables for UV photon tracking set for DIRCair  
The tables for UV photon tracking set for DIRCairNoSens  
Info in <TG4RootNavMgr::ConnectToG4>: ROOT detector construction class connected to G4RunManager  
Adding HadronPhysicsList QGSP\_BERT\_EMV

<<< Geant4 Physics List engine packaging library: PACK 5.4  
<<< Geant4 Physics List simulation engine: QGSP\_BERT\_EMV 1.0

Adding SpecialPhysicsList stepLimiter+specialCuts+specialControls  
Debug mode is switched on.  
Visualization Manager instantiating...  
Visualization Manager initialising...  
Registering graphics systems...

You have successfully registered the following graphics systems.

Current available graphics systems are:

- ASCIITree (ATree)
- DAWNFILE (DAWNFILE)
- G4HepRepFile (HepRepFile)
- G4HepRep (HepRepXML)
- RayTracer (RayTracer)
- VRML1FILE (VRML1FILE)
- VRML2FILE (VRML2FILE)

Registering model factories...

You have successfully registered the following model factories.

Registered model factories:

drawByCharge  
drawByParticleID

Registered filter factories:  
None

Geant4 has been created.  
-l g4Config() using g4conf macro:  
/home/mertens/pandaroot/pandaroot/trunk/gconfig/g4config.in  
Physics cuts with script  
/home/mertens/pandaroot/pandaroot/trunk/gconfig/SetCuts.C  
SetCuts Macro: Setting Processes..  
SetCuts Macro: Setting cuts..  
SetCuts Macro: Setting Processes..  
SetCuts Macro: Setting cuts..  
### Adding Neutron tracking cut for neutron  
### cut value is 10 microseconds  
### Hadron physics constructed.  
### Processes mapped to VMC controls ok.  
### Step limiter physics constructed.  
### Special Cuts constructed.  
### Special Controls constructed.  
### User particles physics constructed.  
### Processes mapped to VMC codes ok.  
-l- Initializing PndMvdDetector()  
-l- PndDrc: Intialization successfull

\*\*\*\*\*

initialisation for run id 1306213214

\*\*\*\*\*

Error in <CbmBaseParSet::init()>: CbmBaseParSet not initialized  
Error in <PndGeoPassivePar::init()>: PndGeoPassivePar not initialized  
Error in <PndTpcGeoPar::init()>: PndTpcGeoPar not initialized  
Error in <PndGeoTofPar::init()>: PndGeoTofPar not initialized  
Error in <PndGeoDrcPar::init()>: PndGeoDrcPar not initialized  
Error in <CbmRuntimeDb::initContainers()>: Error occured during initialization  
-l- CbmMCApplication -> simulation RunID: 1306213214

\*\*\*\*\*

GEANT4 Geometry statistics:

2175 logical volumes  
75673 physical volumes  
22 materials  
21 user limits  
1259 sensitive detectors

\*\*\*\*\*

-l- CbmMCApplication:: Monte carlo Engine Initialisation with TGeant4  
create PndFieldPar container PndMultiFieldPar  
create PndFieldPar container PndTransPar  
create PndFieldPar container PndDipolePar  
create PndFieldPar container PndSolenoidPar

```

*** Break *** segmentation violation
Using host libthread_db library "/lib/libthread_db.so.1".
Attaching to program: /proc/5660/exe, process 5660
[Thread debugging using libthread_db enabled]
[New Thread -1227651376 (LWP 5660)]
0xb7fb6410 in __kernel_vsyscall ()
#1 0xb6df85c3 in __waitpid_nocancel () from /lib/libc.so.6
#2 0xb6da2d3b in do_system () from /lib/libc.so.6
#3 0xb6ea851d in system () from /lib/libpthread.so.0
#4 0xb7a7724d in TUnixSystem::Exec ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#5 0xb7a7c717 in TUnixSystem::StackTrace ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#6 0xb7a7b71e in TUnixSystem::DispatchSignals ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#7 0xb7a7b7ed in SigHandler ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#8 0xb7a74734 in sighandler ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#9 <signal handler called>
#10 0xb6dd7d8b in strlen () from /lib/libc.so.6
#11 0xb79b19ac in TDirectory::cd1 ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#12 0xb79b1a44 in TDirectory::cd ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#13 0xb6b4dbd9 in TDirectoryFile::cd ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libRIO.so
#14 0xb6b5bafc in TFile::GetStreamerInfoList ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libRIO.so
#15 0xb6b59f62 in TFile::ReadStreamInfo ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libRIO.so
#16 0xb6b5d7bd in TFile::Init ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libRIO.so
#17 0xb6b5eb61 in TFile::TFile ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libRIO.so
#18 0xb435dc52 in CbmParRootFile (this=0xd41ba50, fname=0xd412e0c "testparams.root",
    option=0xb439da4f "UPDATE", ftitle=0xb439e5cc "", compress=1)
    at /home/mertens/pandaroot/pandaroot/trunk/parbase/CbmParRootFile.cxx:46
#19 0xb435ddad in CbmParRootFile::open (this=0xd41b668, fname=0xd412e0c
"testparams.root",
    option=0xb439da4f "UPDATE", ftitle=0xb439e5cc "", compress=1)
    at /home/mertens/pandaroot/pandaroot/trunk/parbase/CbmParRootFile.cxx:114
#20 0xb438f174 in G__ParBaseDict_153_0_3 (result7=0xbfe228a0, funcname=0xd412f00
"\001",
    libp=0xbfe1c434, hash=0) at
/home/mertens/pandaroot/cbuild/parbase/ParBaseDict.cxx:5167
#21 0xb71b674a in Cint::G__ExceptionWrapper ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#22 0xb7272cf8 in G__execute_call ()
    from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#23 0xb7273d4d in G__call_cppfunc ()

```

```

from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#24 0xb724bde7 in G__interpret_func ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#25 0xb723add3 in G__getfunction ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#26 0xb7327c22 in G__getstructmem ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#27 0xb731da80 in G__getvariable ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#28 0xb720d751 in G__getitem ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#29 0xb7214df2 in G__getexpr ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#30 0xb72a5e9d in G__exec_statement ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#31 0xb724dd9c in G__interpret_func ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#32 0xb723ae36 in G__getfunction ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#33 0xb720d841 in G__getitem ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#34 0xb7214df2 in G__getexpr ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#35 0xb7221600 in G__calc_internal ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#36 0xb72aef8a in G__process_cmd ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCint.so.5. 20
#37 0xb7a69d65 in TCint::ProcessLine ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#38 0xb7a69a1f in TCint::ProcessLineSynch ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#39 0xb799e8e8 in TApplication::ExecuteFile ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#40 0xb799ec24 in TApplication::ProcessFile ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#41 0xb799bd6b in TApplication::ProcessLine ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libCore.so.5. 20
#42 0xb70042b9 in TRint::Run ()
from /usr/local/panda/fairroot/fairsoft/tools/root_v5.20.00/lib/libRint.so.5. 20
#43 0x08048e23 in main ()
Root > Function Mrun_sim1_PndFlatGen() busy flag cleared

```

My system is a Suse Linux 10.2 running kernel 2.6.18.8-0.13-default #1 SMP on an Intel Core2 6600.

Best regards,

Marius