
Subject: Bug in cluster angles

Posted by [StefanoSpataro](#) on Fri, 22 Jun 2007 12:49:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

as already mentioned some meeting ago there is a bug in the calculation of cluster angles, coming from the shift of 37 mm of the barrel EMC.

Moreover, introducing the reflection instead of the rotation for the endcups, this introduced another bias even for phi.

Today I did some modifications on the Emc code and now (hopefully) the bugs should be far away...

Here you are some distributions for 2000 photons uniform in $\theta/\phi/p[0,3][\text{GeV}/c]$

$\theta(\text{MC}) - \theta(\text{EMC})$ vs $\theta(\text{MC})$

$\phi(\text{MC}) - \phi(\text{EMC})$ vs $\phi(\text{MC})$


Hopefully now it should work.

I had no time to check the FSC part, which had the same problem. I hope it does work also, but further checks are needed.


So, EMC people, please update your code. This is a temporary solution, before using the information from the TGeoManager

File Attachments

- 1) [em_emc_dthetatheta_new.gif](#), downloaded 1318 times



2) [em_emc_dphiphi_new.gif](#), downloaded 1258 times



Subject: Re: Bug in cluster angles

Posted by [StefanoSpataro](#) on Thu, 05 Jul 2007 08:18:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

in svn you can find the most updated version of the emc code.

The hole between module 1 and 2 in clusterization was solved; module2 was inversely mapped with respect to iTheta, so module 1 and 2 were separated.

Further checks from others are well accepted.
