


```

from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4tracking .so
#15 0x4657dfff in G4SteppingManager::InvokePostStepDoItProcs ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4tracking .so
#16 0x4657f9ca in G4SteppingManager::Stepping ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4tracking .so
#17 0x46585da3 in G4TrackingManager::ProcessOneTrack ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4tracking .so
#18 0x465ea138 in G4EventManager::DoProcessing ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4event.so
#19 0x465eac6d in G4EventManager::ProcessOneEvent ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4event.so
#20 0x46678195 in G4RunManager::DoEventLoop ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4run.so
#21 0x46677861 in G4RunManager::BeamOn ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4/lib/Linux-g++/libG4run.so
#22 0x470985fe in TG4RunManager::ProcessRun ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4_vmc/lib/tgt_linux/libgeant4_vmc.so
#23 0x4709c867 in TGeant4::ProcessRun ()
from /misc/cbmsoft/Debian3.1/new/transport/geant4_vmc/lib/tgt_linux/libgeant4_vmc.so
#24 0x44949b34 in CbmMCApplication::RunMC (this=0x8c90638, nofEvents=19)
at /u/asanchez/fairroot_prueba/pandaroot/base/CbmMCApplication.cxx:229
#25 0x4495aed5 in CbmRunSim::Run (this=0x8b9e7b8, NStart=19, NStop=0)
at /u/asanchez/fairroot_prueba/pandaroot/base/CbmRunSim.cxx:129
#26 0x4498aac2 in G__CbmDict_777_0_7 (result7=0xbf72560, funcname=0x8b98f80 "\001",
libp=0xbf6efb0,
hash=0) at /u/asanchez/fairroot_prueba/build/base/CbmDict.cxx:9497
#27 0x40927d5d in Cint::G__ExceptionWrapper ()
from /misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#28 0x409eb809 in G__call_cppfunc () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#29 0x409d8371 in G__interpret_func () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#30 0x409bd57f in G__getfunction () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#31 0x40a5e994 in G__getstructmem () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#32 0x40a55e85 in G__getvariable () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#33 0x409b2544 in G__getitem () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#34 0x409b0876 in G__getexpr () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#35 0x40a06b40 in G__exec_function () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#36 0x40a0ed99 in G__exec_statement () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#37 0x40991416 in G__exec_tempfile_core () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#38 0x40991743 in G__exec_tempfile () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14
#39 0x40a17d1d in G__process_cmd () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCint.so.5.14

```

```
#40 0x40222b9d in TCint::ProcessLine () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCore.so.5.14
#41 0x40222d3b in TCint::ProcessLineSynch () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libCore.so.5.14
#42 0x4014c117 in TApplication::ProcessFile ()
  from /misc/cbmsoft/Debian3.1/new/tools/root/lib/libCore.so.5.14
#43 0x4014b6bf in TApplication::ProcessLine ()
  from /misc/cbmsoft/Debian3.1/new/tools/root/lib/libCore.so.5.14
#44 0x417af33b in TRint::Run () from
/misc/cbmsoft/Debian3.1/new/tools/root/lib/libRint.so.5.14
#45 0x08048e64 in main ()
Root >
```

Subject: Re: running error

Posted by [Florian Uhlig](#) on Mon, 09 Jul 2007 11:23:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Alicia

This has to do with our cmake generated libraries compared to automake generated libraries. If there is a mathematical not defined operation like $\sqrt{-1}$ or a division by zero with cmake generated libraries you get a floating point exception. With automake generated libraries the result of such an operation is NaN (Not a Number). With this all mathematical operation can work and the result is again a NaN. But going on like that you don't know what's going on in your program.

In my opinion the better way is that the program crashes when there is an error.

The problem in this case is that the error don't occur in our code. I' am on a conference this week, but i will try to locate the error in GEANT4 and try to correct it as fast as possible.

Ciao

Florian
