
Subject: CBMROOT Release AUG07

Posted by [Volker Frieze](#) on Wed, 12 Sep 2007 17:05:38 GMT

[View Forum Message](#) <> [Reply to Message](#)

This topic is devoted to the release AUG07 of cbmroot. Please report any problems during installation and running, as well as wishes for improvements.

The release corresponds to the SVN revision 1394 with minor fixes. For more information, see the release's Wiki page <http://cbm-wiki.gsi.de/cgi-bin/view/CbmRoot/CbmrootReleaseAug07>.

Subject: Correction: Still "old" TOF hit producer in the release

Posted by [Volker Frieze](#) on Mon, 17 Sep 2007 14:24:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Contrary to the announcement, the new TOF hit producer is not yet in the repository, thus it is not part of the AUG07 release. See Diego's mail below.

Sorry for the misunderstanding.

Dear Volker,

I have to apologize because the latest version of the HitProducer is not yet in subversion. There are three reasons for it, while the main one is my lack of time in the last months, in view of our incoming HADES-RPC commissioning (strictly speaking, 'half commissioning'):

1) I wanted to implement before-hand your classes for providing random access to my CBMTofPoint. The previous version of the HitProducer (done in 'my way') I could have been included in subversion, but I do not expect any significant change for most of the simulations currently ongoing, and I did not have the time to optimize the cuts for secondary production. Only simulations that strongly rely on the shape of the Tof response could suffer (prominently, fluctuation studies, I think). Moreover, the secondary production is highly dependent on the detector structure and chosen energy cuts and engines... that are by no means optimized taking this very effect into account, so first results could also be highly misleading.

2) Even if it is hard to believe, the new TofHitProducer provides just the structure for properly dealing with secondaries. The second part of the algorithm (as mentioned above) is related to the production of secondaries themselves. Of those, according to the current studies we did, delta-ray production and hadronic interactions are the dominant (and probably the only relevant) secondary processes. Optimization of the corresponding cuts/engines must be done.

3) I could not compare my results with FOPI data yet, due to some problems they had up to now.

Subject: MC data production report

Posted by [Volker Fries](#) on Wed, 19 Sep 2007 10:32:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Short report on MC data production with AUG07:

CBMROOT release AUG07 under Debian3.1

Setup: Standard geometry with RICH and fast ECAL (run macro attached)

Input: UrQMD, central Au+Au, 25 AGeV

Jobs: 200 with 500 events each

Finished successfully: 125 (62.5 %)

Terminated with floating point exception: 64 (32 %)

Terminated with hardware problems: 11 (5.5%)

The FPE problem as discussed in this forum is unfortunately still present.

Hardware problems were:

4 Jobs entered the status UNKNWN (lxb113)

3 Jobs did not terminate at all (lxb038)

4 Jobs terminated due to lack of disc space on the local /tmp (lxb031)

File Attachments

1) [run_sim.C](#), downloaded 396 times

Subject: MC data productions

Posted by [Volker Fries](#) on Sun, 23 Sep 2007 20:36:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Three batches of MC data with cbmroot release AUG07 were produced.

1. Debian3.1, cbmroot built with cmake

Location: /d/cbm04/mc/AUG07/urqmd/auau/25gev/centr

127 files, 500 events/file, 63,500 events

2. Debian3.1, abmroot built with autotools

Location: /d/cbm04/mc/AUG07_auto/urqmd/auau/25gev/centr

134 files, 500 events/file, 67,000 events

3. Debian64, cbmroot built with cmake

Location: /d/cbm04/mc/AUG07_d64/urqmd/auau/25gev/centr

200 files, 500 events/file, 100,000 events

Please check and compare the files. While we do not expect changes between autotools and cmake, we have to verify that the results obtained on a 64 bit architecture are consistent with those on the standard Linux. One difference is already obvious: The output file size under Debian3.1 is 1.1 GB, while under Debian64 it is only 788 MB.

Thre reason why the productions with Debian3.1 are incomplete is the FPE problem in GEANT3 as discussed in another topic of this forum.

Subject: Re: MC data productions

Posted by [Claudia Höhne](#) on Mon, 01 Oct 2007 15:13:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear colleagues,

first results of a test of the AUG07 MC data production concerning RICH, see also <http://cbm-wiki.gsi.de/cgi-bin/view/CbmRoot/CbmSoft071004>:

* RICH data in AUG07 MC data production

- o data from MC production "AUG07" (Debian3.1, cbmroot built with cmake) and "AUG07_auto" (Debian3.1, cbmroot built with autotools) look normal, see result of test macro CbmRichTestSim:

- + urqmd.auau.25gev.cent_1000ev_AUG07.ps
 - + urqmd.auau.25gev.cent_1000ev_AUG07_auto.ps

- o data from MC production "AUG07_d64" (Debian64, cbmroot built with cmake) look strange, something is going wrong with the Cherenkov photons:

- + urqmd.auau.25gev.cent_1000ev_AUG07_d64.ps
 - + their number per electron is reduced by a factor 5-6
 - + rings are not well projected onto the photodetector plane but points scatter wildly

Best regards,
Claudia

File Attachments

- 1) [urqmd.auau.25gev.cent_1000ev_AUG07.ps](#), downloaded 401 times
 - 2) [urqmd.auau.25gev.cent_1000ev_AUG07_auto.ps](#), downloaded 376 times
 - 3) [urqmd.auau.25gev.cent_1000ev_AUG07_d64.ps](#), downloaded 370 times
-

Subject: Re: MC data productions

Posted by [Radoslaw Karabowicz](#) on Wed, 03 Oct 2007 10:31:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

I checked the STS and MVD and no difference is seen between AUG07 and AUG07_auto at all. AUG07_d64 shows slightly smaller number of points (less than 0.5% difference), but reconstruction works very good for all the three productions.

I have however loaded the files to root and simply did cbmsim->Print().

Part of the printout for AUG07:

```
* .....*
*Br 33 :STSPoint : cbmroot.STS.STSPoint_ *
*Entries : 500 : Total Size= 244881 bytes One basket in memory *
*Baskets : 0 : Basket Size= 32000 bytes Compression= 1.00 *
* .....*
```

and for AUG07_d64:

```
* .....*
*Br 33 :STSPoint : cbmroot.STS.STSPoint_ *
*Entries : 500 : Total Size= 244881 bytes One basket in memory *
*Baskets : 0 : Basket Size= 32000 bytes Compression= 1.00 *
* .....*
```

No difference whatsoever is seen for all of the detectors, EXCEPT.....

.....

.....

.....

.....

(is it next page yet?)

.....

.....

.....

.....

R I C H, where all branches differ significantly,

and for example show for AUG07:

```
* .....*
*Br 54 :RichPoint.fUniqueID : fUniqueID[cbmroot.Rich.RichPoint_] *
*Entries : 500 : Total Size= 31814552 bytes File Size = 202784 *
*Baskets : 500 : Basket Size= 32000 bytes Compression= 156.83 *
* .....*
```

and for AUG07_d64:

```
* .....*
*Br 54 :RichPoint.fUniqueID : fUniqueID[cbmroot.Rich.RichPoint_] *
*Entries : 500 : Total Size= 7168952 bytes File Size = 67954 *
*Baskets : 277 : Basket Size= 32000 bytes Compression= 105.18 *
* .....*
```

I don't know what the difference might be, as I am not the expert.
All the branches however show decrease of Total Size by about 70%.

Subject: MC data production AUG07
Posted by [Volker Friese](#) on Thu, 18 Oct 2007 13:29:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Production of MC data (UrQMD input) for AUG07 is now completed. For each of the three beam momenta 15 AGeV, 25 AGeV and 35 AGeV, 100,00 central Au+Au events and 200,000 minimum bias Au+Au events have been transported through the standard electron setup MVD + STS + RICH + TRD + TOF + ECAL (fastMC).

The production has been done with Debian3.1 (Sarge) on 32 bit.

In addition, 10,000 central Au+Au events at 25 AGeV have been transported with the full ECAL MC.

Please find more details on the data production in the Wiki pages for the standard simulation and the simulation with full ECAL .

Subject: Re: MC data productions
Posted by [Florian Uhlig](#) on Wed, 24 Oct 2007 10:00:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

I looked into the problem with the cherenkov photons on 64bit machines.
As reported in the Software Meeting on 18.10.07 with the newest version of TGeant3 the problem disappeared and the control spectra look normal (see test.mc.RichTestSim.newgeant3.ps)

Checking the changes in the Geant3 code between the two versions there was only no change in the code which could explain the difference between the two Geant3 versions, but there was also a

change in the Makefile for x86_64. In the new Makefile there is a new compiler option "-fno-f2c".

Compiling the old Geant3 code with this additional option also for the old code the Rich control spectra look normal (see test.mc.RichTestSim.oldgeant3.newflag.ps)

According to the information of the g77 manpage normally all code generated by g77 is compatible with code generated with f2c. using "-fno-f2c" the generated code is not compatible with code generated by f2c but uses the GNU calling conventions instead. This mainly effects the return values

>>The f2c calling conventions require functions that return
>>type "REAL(KIND=1)" to actually return the C type "double",
>>and functions that return type "COMPLEX" to return the
>>values via an extra argument in the calling sequence that
>>points to where to store the return value.

>>Under the GNU calling conventions, such functions simply
>>return their results as they would in GNU C---"REAL(KIND=1)"
>>functions return the C type "float", and "COMPLEX" functions
>>return the GNU C type "complex" (or its "struct" equivalent).

>>Caution: If -fno-f2c is used when compiling any source file
>>used in a program, it must be used when compiling all
>>Fortran source files used in that program.

Since TGeant3 is mostly an interface from C++ to the old fortran routines this differences can explain the observed effect. Why this effect is only seen with cherenkov photons i don't know.

As a summary i would say the problem is solved and partly understood.

On /misc/cbmsoft/Debian64/new i will use the old Geant3 version with the new compiler flag, to have consistent versions of the different libraries on 32 and 64bit.

File Attachments

- 1) [test.mc.RichTestSim.oldgeant3.newflag.ps](#), downloaded 388 times
 - 2) [test.mc.RichTestSim.newgeant3.ps](#), downloaded 413 times
-

Subject: Bug fix

Posted by [Volker Friese](#) on Fri, 02 Nov 2007 14:58:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

There was an inconsistency in the simulation macro used for the MC production, which E. Litvinenko discovered. The magnetic field map FieldMuonMagnet was used, but for the magnet geometry, magnet_active.geo was loaded.

The bug was fixed; now magnet_muon.geo is used in run_sim.C. The production of all data sets was redone. If you already used the data before October 27 for analysis, it would be better

to rerun.
