

---

Subject: Problem with low momentum Pion

Posted by [Vanniarajan Suyam Jothi](#) on Thu, 03 Apr 2008 15:53:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello Andrea,

I was Implementing a tracking mu- of 1 Gev Momenta by taking the momenta and position from the Tpc track to the volume in Emc using the PropagatoVolume call of Geane. The tracking has failed for the small momenta below 0.5 Mev of  $q/p < -2.0$ . As you see here it fails at TRPROP call. Can you tell me where is the problem in this case?

Is it possible to pass a flag for propagation failure instead of such a failure?

fEnd =

0xb107c60

Position : (-57., -3.2, -22.)

Angles : Lambda = -0.37, Phi = -2.9

$q/p = -1.0$

fCovMatrix[0] = 0xb107c60 7.6e-05

fCovMatrix[1] = 0xb107c60 2.4e-05

fCovMatrix[2] = 0xb107c60 -3.3e-06

fCovMatrix[3] = 0xb107c60 -0.00013

fCovMatrix[4] = 0xb107c60 0.00042

fCovMatrix[5] = 0xb107c60 2.2e-05

fCovMatrix[6] = 0xb107c60 -1.8e-06

fCovMatrix[7] = 0xb107c60 -5.8e-05

fCovMatrix[8] = 0xb107c60 0.00038

fCovMatrix[9] = 0xb107c60 2.2e-06

fCovMatrix[10] = 0xb107c60 3.9e-05

fCovMatrix[11] = 0xb107c60 -3.1e-05

fCovMatrix[12] = 0xb107c60 0.00076

fCovMatrix[13] = 0xb107c60 -0.00099

fCovMatrix[14] = 0xb107c60 0.0067

exec CbmGeaneTrLheTpcEmc : 1/29

exec1/29

exec1/29

exec1/29

fStart =

0xb107af0

Position : (5.2, -17., -6.6)

Angles : Lambda = -0.36, Phi = -1.2

$q/p = -2.2$

fCovMatrix[0] = 0xb107af0 0.00027

fCovMatrix[1] = 0xb107af0 3.7e-05

fCovMatrix[2] = 0xb107af0 -4.7e-05

fCovMatrix[3] = 0xb107af0 0.0

fCovMatrix[4] = 0xb107af0 0.0

fCovMatrix[5] = 0xb107af0 1.8e-05

fCovMatrix[6] = 0xb107af0 -8.1e-06

fCovMatrix[7] = 0xb107af0 3.5e-13

```
fCovMatrix[8] = 0xb107af0 5.4e-14
fCovMatrix[9] = 0xb107af0 2.7e-05
fCovMatrix[10] = 0xb107af0 4.6e-09
fCovMatrix[11] = 0xb107af0 7.0e-10
fCovMatrix[12] = 0xb107af0 1.6e-07
fCovMatrix[13] = 0xb107af0 -1.3e-07
fCovMatrix[14] = 0xb107af0 9.8e-07
Propagate Helix to Volume
```

\*\*\* Error in subr. TRPROP 3 called by subr. ERPROP

```
*** Break *** floating point exception
Using host libthread_db library "/lib/tls/i686/cmov/libthread_db.so.1".
Attaching to program: /proc/22782/exe, process 22782
[Thread debugging using libthread_db enabled]
[New Thread -1223530816 (LWP 22782)]
0xffffe410 in __kernel_vsyscall ()
error detected on stdin
The program is running. Quit anyway (and detach it)? (y or n) [answered Y; input not from
terminal]
Detaching from program: /proc/22782/exe, process 22782
Root >
root [1] .q
```

Cheers,  
Vanni

---

Subject: Re: Problem with low momentum Pion  
Posted by [Andrea Fontana](#) on Fri, 04 Apr 2008 07:51:32 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Vanni,

this problem is generated in one of the internal routines of GEANE  
called TRPROP. I include the comment of this routine:

```
SUBROUTINE TRPROP(X1,P1,H1,X2,P2,H2,CH,XL,R,MVAR,IFLAG,ITRAN,IERR)
C
C *** ERROR PROPAGATION ALONG A PARTICLE TRAJECTORY IN A MAGNETIC FIELD
C ROUTINE ASSUMES THAT IN THE INTERVAL (X1,X2) THE QUANTITIES 1/P
```

```

C   AND (HX,HY,HZ) ARE RATHER CONSTANT. DELTA(PHI) MUST NOT BE TOO LARGE
C
C   Authors: A. Haas and W. Wittek
C
C *** IFLAG = -1  INITIALIZATION, TRANSFORMATION OF ERROR MATRIX FROM
C                 EXTERNAL TO SC VARIABLES
C   = 0  ERROR PROPAGATION FROM X1 TO X2
C   = 1  TRANSFORMATION OF ERROR MATRIX FROM SC TO
C        EXTERNAL VARIABLES
C
C   ITRAN      USED FOR IFLAG = 0 OR 1 ONLY
C   = 0  TRANSFORMATION MATRIX IS UPDATED ,BUT ERROR MATRIX IS NOT
C        TRANSFORMED
C   = 1  TRANSF. MATRIX IS UPDATED  AND ERROR MATRIX IS TRANSFORMED
C
C   MVAR      SPECIFIES TYPE OF EXTERNAL VARIABLES
C   = 0  ( 1/P,LAMBDA,PHI,YT, ZT ;  SC  )
C   = 1  ( 1/P, Y', Z', Y, Z ; SPLINE )
C
C *** X1, P1, H1  X,Y,Z COMPONENTS OF POSITION, MOMENTUM AND MAGNETIC
C                 INPUT
C                 FIELD VECTOR/GRADIENT AT STARTING POINT OF INTERVAL
C   X2, P2, H2  ..... AT END POINT OF INTERVAL          INPUT
C   CH          CHARGE OF PARTICLE                      INPUT
C   XL          PATHLENGTH FROM X1 TO X2 ( NEGATIVE IF OPPOSITE
C                 TO ACTUAL MOVEMENT OF PARTICLE )      INPUT
C   R           ERROR MATRIX (TRIANGLE)                  INPUT/OUTPUT
C   B           5 * 5 TRANSFORMATION MATRIX FOR ERRORS IN
C                 SC VARIABLES                          OUTPUT
C
C *** IERR  = 1  ILLEGAL VALUE OF MVAR                  OUTPUT
C           2  MOMENTUM IS ZERO
C           3  H*ALFA/P AT X1 AND X2 DIFFER TOO MUCH
C               OR DELTA PHI IS TOO LARGE
C           4  PARTICLE MOVES IN Z - DIRECTION
C

```

This routine as an exit flag called IERR that can have 4 states: in this case the error TRPROP 3 means that the IERR = 3. In my experience this condition is due to a stepping problem when you have a too high curvature in the track. My first suggestion is to try to reduce the steps size: I was usually able to overcome this error by reducing the steps. This means that you have to rerun the MC, since the stepping definition is in the medium parameters. As we discussed with Mohammad this is the only option now. So you can try to define an AUTONULL medium with small steps and put AUTO=0 in the g3Config.C file and do the tracking in this way. Some tests and tuning is required, I think, to find the optimal conditions.

Second idea which we are thinking about is to extract this IERR flag from the inner fortran routines and to bring it to the C++ interface, so that we can deal properly with these situations. We are thinking about this just now.

I hope this helps you for the moment. Let me know if you succeed with the manual stepping.

Ciao,  
Andrea

---

---

Subject: Re: Problem with low momentum Pion  
Posted by [Vanniarajan Suyam Jothi](#) on Tue, 08 Apr 2008 07:06:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thank you Andrea,

It is working fine after reducing the maximum step size, I have reduced the maximum step size to 0.05.

---