
Subject: external packages on Ubuntu

Posted by [Felix Boehmer](#) on Thu, 19 Feb 2009 10:33:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

just a short remark for all who want to use pandaroot on Ubuntu (like me) and have problems installing the external packages:

since the g77 is no longer in the standard repositories and the set_compiler.sh script fails to extract the correct version of gfortran, the following lines should be added to the script:

```
elif [ $(gfortran -dumpversion | grep 'Ubuntu' | cut -c 1-3) ];
then
  gfortran_major_version=$(gfortran -dumpversion | grep 'Ubuntu' | cut -c 21)
  gfortran_minor_version=$(gfortran -dumpversion | grep 'Ubuntu' | cut -c 23)
```

Maybe this would be a nice change for the next version.

Cheers,

Felix

Subject: Re: external packages on Ubuntu

Posted by [Florian Uhlig](#) on Thu, 19 Feb 2009 10:46:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Felix

Quote:

since the g77 is no longer in the standard repositories and the set_compiler.sh script fails to extract the correct version of gfortran, the following lines should be added to the script:

Maybe this would be a nice change for the next version.

The problem with your suggestion is that for each new system (Ubuntu, WhateverFlavor) which comes with changed output of the dumpversion we have to add another lines. Sometimes they change the ouptup string even from one version of the compiler to the next.

There is a better and hopefully unique way to get the required information which will be in the next release of the external packages.

Ciao

Florian
