

---

Subject: Digitization or Tracking in STT class.  
Posted by [donghee](#) on Tue, 14 Apr 2009 14:17:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear all,

Does anybody knows the meaning of segmentation fault with human word?

```
=====
DemoPatternRecoTask::Exec
0 tracks created
DemoKalmanTask::Exec Event 0
  DIGI EXECUTION *****
Hit array contains 107 hits
Event Number 0
caution: wrong drift time
caution: wrong drift time
caution: wrong drift time
caution: wrong drift time
Nr of Points: 4
```

\*\*\* Break \*\*\* segmentation violation

```
=====
```

At a rough guess, DemoPattern and DemoKalmanTask couldn't find events, or digitization of emc, mvd, or stt have been wrong.  
I'm following a simple example runReco.C in pandaroot/macro/fsim/  
Simply, suggested sentences are introduced to perform the pattern recognition and kalman fit in my reconstruction script.  
There are some EMC modules and few Tracking devices, which are delivered from other scripts for example in pandaroot/macro/run/reco\_complete.C  
The full script for this reconstruction purpose is also attached

```
=====
DemoPatternRecoTask* DemoPR = new DemoPatternRecoTask();
DemoPR->AddHitBranch(2,"PndTpcPoint");
// DemoPR->AddHitBranch(3,"MVDPoint");
DemoPR->SetPersistence();
// DemoPR->UseGeane();
fRun->AddTask(DemoPR);
```

```
DemoKalmanTask* DemoKalman = new DemoKalmanTask();
DemoKalman->AddHitBranch(2,"PndTpcPoint");
// DemoKalman->AddHitBranch(3,"MVDPoint");
DemoKalman->SetPersistence();
// DemoKalman->SetSmooth(true);
fRun->AddTask(DemoKalman);
```

```
.....
DemoToolsTask* DemoTools = new DemoToolsTask();
fRun->AddTask(DemoTools);
=====
```

Thank you for your cooperation!!!  
Best wishes,  
Donghee Kang in Mainz

---

## File Attachments

1) [My\\_dvcs\\_full\\_reco.C](#), downloaded 503 times

---

---

**Subject:** Re: Tracking  
**Posted by** [Ralf Kliemt](#) on Tue, 14 Apr 2009 14:58:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello,

How does the whole output look like? I could imagine that a file was not loaded properly in the beginning or not written correctly in a step before.

For better bug reporting (esp. SegFaults) I suggest to use gdb. The trick is to take the root.exe executable which is called anyway when you run your macros. Just like that:

```
gdb --args root.exe My_dvcs_full_reco.C
```

You may want to use the spoiler tags for the tons of output.

Kind Regards, Ralf.

---

---

**Subject:** Re: Tracking  
**Posted by** [asanchez](#) on Tue, 14 Apr 2009 15:04:27 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi  
are you sure that your input file is  
called like that

Panda\_event\_1.full.mc.root ?

regards  
alicia.

---

---

**Subject:** Re: Tracking  
**Posted by** [donghee](#) on Wed, 15 Apr 2009 12:18:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Alicia,

The accessing of input data was definitely no problem!

What a beautiful day!  
Donghee

---

---

Subject: Re: Tracking  
Posted by [StefanoSpataro](#) on Thu, 16 Apr 2009 10:00:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,  
first of all I have a comment. The line:

```
Geane->SetField(fRun->GetField());
```

is repeated two times. Only the last one after fRun->Init(); should be kept, the other should be removed.

I have the feeling that the problems comes not from STT but from the Demo\* stuff before, that maybe is deleting somewhere some object and then stt has problems.  
Have you tried to move all the Demo part just at the end of the task list? Just to be sure.

Regards

---

---

Subject: Re: Tracking  
Posted by [asanchez](#) on Thu, 16 Apr 2009 10:31:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi only to be sure  
please substitute the geo file for the tof detector  
by tofbarrel.geo and not

```
PndTof *Tof = new PndTof("TOF",kTRUE);  
58  Tof->SetGeometryFileName("tofSciF.geo");  
59  fRun->AddModule(Tof);
```

cheers ALicia.

---

---

Subject: Re: Tracking  
Posted by [donghee](#) on Thu, 16 Apr 2009 11:21:53 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Alicia,

I try to run the geometry file with tofbarrel.geo  
topSciF.geo is fine but topbarrel.geo doesn't work!

Could you check for that!

---

---

Subject: Re: Tracking  
Posted by [asanchez](#) on Thu, 16 Apr 2009 11:50:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi again,  
the geo file is tofbarrel.geo

look into geometry directory,

for me it is working without problems.

---

---

Subject: Re: Tracking  
Posted by [donghee](#) on Thu, 16 Apr 2009 12:09:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Alicia

With tofbarrel.geo the run goes to the event number 9 without error.  
At event number 9, run come to a death stop!

\*\*\* Break \*\*\* floating point exception

Is this related overlap of detector loading?  
I have introduced following tracking devices in current runMC.

```
FairDetector *Mvd = new PndMvdDetector("MVD", kTRUE);  
Mvd->SetGeometryFileName("MVD14.root");  
fRun->AddModule(Mvd);
```

```
PndStt *Stt= new PndStt("STT",kTRUE);  
//Stt->SetGeometryFileName("straws_skewed_blocks.geo");  
Stt->SetGeometryFileName("straws_skewed_blocks_35cm_pipe.geo");  
fRun->AddModule(Stt);
```

```
PndTof *Tof = new PndTof("TOF",kTRUE);  
//Tof->SetGeometryFileName("tofSciF.geo");  
Tof->SetGeometryFileName("tofbarrel.geo");  
fRun->AddModule(Tof);
```

```
PndDrc *Drc = new PndDrc("DIRC",kTRUE);  
Drc->SetGeometryFileName("dirc.geo");  
//fRun->AddModule(Drc);
```

```
PndDchDetector *Dch = new PndDchDetector("DCH",kTRUE);  
Dch->SetGeometryFileName("dch.root");  
fRun->AddModule(Dch);
```

```
PndMdt *Mdt = new PndMdt("MDT",kTRUE);
```

```
Mdt->SetGeometryFileName("muopars.root");  
Mdt->SetMdtVersion("torino");  
fRun->AddModule(Mdt);
```

---