
Subject: Bug in GenfitTrack2PndTrack
Posted by [StefanoSpataro](#) on Mon, 31 Aug 2009 12:19:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,
playing with kalman I have found there is a small bug in the converter from genfit Track to PndTrack. I am converting Track to PndTrack with the following code in PndLheKalmanTask:

```
Track *trk;  
...  
...  
cout << "Trk fin:" << endl;  
trk->getMom().Print();  
PndTrack *fitTrack = (PndTrack*)GenfitTrack2PndTrack(trk);  
cout << "pndtrk fin:" << endl;  
fitTrack->GetParamFirst().GetMomentum().Print();
```

Once I plot the momentum value before and after the conversion, I have (for different events):

Toggle Spoiler

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(1.373069,0.210701,1.478064)
(rho,theta,phi)=(2.028395,43.223627,8.724142)
pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(1.373069,0.210701,1.478064)
(rho,theta,phi)=(2.028395,43.223627,8.724142)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(-0.780230,1.078801,1.491037)
(rho,theta,phi)=(1.998940,41.762353,125.875875)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(0.780230,-1.078801,-1.491037)
(rho,theta,phi)=(1.998940,138.237647,-54.124125)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(-1.743418,-0.130269,1.215589)
(rho,theta,phi)=(2.129350,55.188850,-175.726788)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(1.743418,0.130269,-1.215589)
(rho,theta,phi)=(2.129350,124.811150,4.273212)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(1.259328,-1.327701,0.748083)
(rho,theta,phi)=(1.976948,67.765194,-46.513927)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(1.259328,-1.327701,0.748083)
(rho,theta,phi)=(1.976948,67.765194,-46.513927)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(-0.233548,-1.536000,1.323097)
(rho,theta,phi)=(2.040693,49.582170,-98.645565)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(0.233548,1.536000,-1.323097)
(rho,theta,phi)=(2.040693,130.417830,81.354435)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(1.221191,1.319585,-0.811028)
(rho,theta,phi)=(1.972404,114.279440,47.217711)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(1.221191,1.319585,-0.811028)
(rho,theta,phi)=(1.972404,114.279440,47.217711)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(-1.651799,0.864065,0.744961)
(rho,theta,phi)=(2.007490,68.217108,152.385683)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(1.651799,-0.864065,-0.744961)
(rho,theta,phi)=(2.007490,111.782892,-27.614317)

Trk fin:

TVector3 A 3D physics vector (x,y,z)=(1.753957,0.354045,0.912949)
(rho,theta,phi)=(2.008778,62.968538,11.412095)

pndtrk fin:

TVector3 A 3D physics vector (x,y,z)=(1.753957,0.354045,0.912949)
(rho,theta,phi)=(2.008778,62.968538,11.412095)

(the numbers taken from muons at 2 GeV, $5^\circ < \theta < 140^\circ$).

You can see in red that during the conversion, for some tracks, $\theta \rightarrow 180^\circ - \theta$, $\phi \rightarrow -(180^\circ - \phi)$.

It seems that during the conversion the direction of the track is somehow inverted, and this screws up the outgoing momentum (I have not checked the other parameters).

Would it be possible to fix it? Of course even the correlation to the other detectors is completely screwed up.

Subject: Re: Bug in GenfitTrack2PndTrack
Posted by [StefanoSpataro](#) on Tue, 01 Sep 2009 13:20:13 GMT
[View Forum Message](#) <> [Reply to Message](#)


In this plot (2000 muons at 2 GeV, $\theta [5^\circ, 20^\circ]$) I show on y axis the theta angle before the genfit conversion (the theta), and on x the theta after genfit conversion:

The same for phi:


Here the problem is clearly visible, with all the double structures.

File Attachments

1) [bug_thetacomp.gif](#), downloaded 1085 times



2) [bug_phicomp.gif](#), downloaded 1126 times



Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Lia Lavezzi](#) on Wed, 02 Sep 2009 10:11:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Stefano,

I had a look to the problem and I think the "spu" information is missing in the conversion.

If you add in GeaneTrackRep.h a function:

```
double getSPU() {return _spu;}
```

to retrieve it, and in PndGenfitAdapter.cxx you add:

```
double spu = gtr->getSPU();
```

and use:

```
FairTrackParP first(firstState[3][0],firstState[4][0],firstState[1][0],firstState[2][0]
],firstState[0][0],firstCova,firstPlane.getO(),firstPlane.getU(),firstPlane.getV(),spu);
```

```
FairTrackParP last(lastState[3][0],lastState[4][0],lastState[1][0],lastState[2][0],las
tState[0][0],lastCova,lastPlane.getO(),lastPlane.getU(),lastPlane.getV(),spu);
```

instead of using just:

```
FairTrackParP first(firstState[3][0],firstState[4][0],firstState[1][0],firstState[2][0]
],firstState[0][0],firstCova,firstPlane.getO(),firstPlane.getU(),firstPlane.getV());
```

```
FairTrackParP last(lastState[3][0],lastState[4][0],lastState[1][0],lastState[2][0],las
tState[0][0],lastCova,lastPlane.getO(),lastPlane.getU(),lastPlane.getV());
```

to use spu during the conversion, the problem should be fixed.

Can you please test it and tell me if it is ok?

Ciao,
Lia.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Anonymous Poster](#) on Wed, 02 Sep 2009 12:45:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

sorry for not replying until now. I was on vacation. Lia, I think that your idea is exactly right. Could I suggest that you maybe do the fix? If this is a problem, just let me know and I will do it. But it is nice if other people get there hand in the code and the svn log....

Cheers, Christian

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [StefanoSpataro](#) on Wed, 02 Sep 2009 12:48:10 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have done your changes,
and I attach the new plots for theta:

and phi:


It seems the situation is much better, there are still some structures but negligible (hopefully).

Should I commit the changes in svn?

File Attachments


1) [new_theta.gif](#), downloaded 1104 times

```
LheTrack.GetParamFirst(); GetMomentum(); Theta((LheGenTrack.GetRefIndex())*TMath::RadToDeg()); LheGenTrack.GetParamFirst(); GetMomentum(); Theta)*TMath::RadToDeg(); (LheGenTrack.GetRefIndex())-1)
```



2) [new_phi.gif](#), downloaded 1130 times

```
LheTrack.GetParamFirst(); GetMomentum(); Phi((LheGenTrack.GetRefIndex())*TMath::RadToDeg()); LheGenTrack.GetParamFirst(); GetMomentum(); Phi)*TMath::RadToDeg(); (LheGenTrack.GetRefIndex())-1)
```



Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Lia Lavezzi](#) on Wed, 02 Sep 2009 13:00:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

Nice to see you get good results

Quote:Should I commit the changes in svn?

Ok for me (and as I can see from its message I guess also for Christian)

Ciao,

Lia.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [StefanoSpataro](#) on Wed, 02 Sep 2009 13:05:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

Done!

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [StefanoSpataro](#) on Thu, 03 Sep 2009 09:38:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

For the community:

The conversion problem for the parameters of the first hit is solved. Unfortunately it still persists for the last hit, even adding the SPU variable.

A buf fix is still needed.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Lia Lavezzi](#) on Thu, 03 Sep 2009 11:11:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I just uploaded some last changes. The SPU is no more obtained via getSPU, but it is calculated by hand in the first and last point of the track. Previously, using getSPU, the same SPU value was used in the two cases and this was the main reason why the first point was ok, while the second one not.

There is still a problem, however, with the last point: the signs of the momentum components are correct, but there is a very small difference in their value before and after the conversion.

Consider this case as an example:

first hit before conversion: (-0.279309, 0.949132, -0.098875)

first hit after conversion: (-0.279309, 0.949132, -0.098875)

last hit before conversion: (-0.428044, 0.887351, -0.098413)

last hit after conversion: (-0.427660, 0.892086, -0.100010)

You can see that for the first hit everything is ok, while for the last the small difference is still there (though the signs are correct).

I am still studying the problem.

Stefano, can you please make your tests on theta and phi with this last change to see if there is an improvement with respect to the last results?

Thanks, ciao,
Lia.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [StefanoSpataro](#) on Thu, 03 Sep 2009 13:28:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I am not so sure if theta and phi are fine...

BUT

now I have the following error which stops the analysis, after some events:

```
*** Event # 427
===== PndLheHitsMaker =====
Total number of hits for tracking: 82
Total number of tracks in TPC: 1
    Good tracks in TPC: 1
Working with 82 hits
found 2 tracks
finder : Real Time = 119.42 seconds Cpu Time = 98.89 seconds
===== PndLheTrackFitter =====
Number of tracks for fitting 2
Error: Symbol G__exception is not defined in current scope run_reco_tpccombi.C:79:
Error: type G__exception not defined
FILE:/home/spataro/july09/pandaroot/macro/pid./run_reco_tpccombi.C LINE:79
```

This come from the following line:

```
double last_pro = gtr->getMom(lastPlane).Dot(lastPlane.getNormal());
```

In particular from:

```
gtr->getMom(lastPlane)
```

(gtr->getMom(lastPlane).Print() gave me the same message).

I have done a lastPlane.Print(), this is the output:

```
DetPlane: O(-4.400,3.217,7.140) u(0.000,1.000,0.000) v(1.000,-0.000,0.000)
n(0.000,0.000,-1.000)
```

and gtr->Print():

++++++

AbsTrackRep::Parameters at reference plane DetPlane: O(-2.430,-0.5800,2.370)

u(0.000,-1.000,0.000) v(-1.000,0.000,0.000) n(-0.000,-0.000,-1.000)

AbsTrackRep::State

5x1 matrix is as follows

	0
0	10.19
1	0.2318
2	-0.5959
3	-1.219
4	-0.9614

AbsTrackRep::Covariances

5x5 matrix is as follows

	0	1	2	3	4
0	1.427	-0.004631	-0.003401	-0.001314	-0.000963
1	-0.004631	0.0001002	-2.511e-06	1.756e-05	2.866e-06
2	-0.003401	-2.511e-06	0.0001009	3.542e-06	1.546e-05
3	-0.001314	1.756e-05	3.542e-06	2.398e-05	6.665e-07
4	-0.000963	2.866e-06	1.546e-05	6.665e-07	2.353e-05

AbsTrackRep::chi^2

230.8

Any clues?

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Lia Lavezzi](#) on Thu, 03 Sep 2009 14:05:35 GMT

[View Forum Message](#) <> [Reply to Message](#)

It could be due to the protection for the low momenta in the extrapolate function of GeaneTrackRep:

```
// protect against low momentum:  
if(fabs(state[0][0])>10){  
    FitterException exc("GeaneTrackRep: PROTECT AGAINST LOW  
    MOMENTA",__LINE__,__FILE__);  
    exc.setFatal();  
    throw exc;  
}
```

Since when you call gtr->getMom(lastPlane) you perform an extrapolation and in this case q/p = 10.19 the extrapolation could fail.

You could try to comment out the lines of the protection against low momentum to see if the

problems disappears.

Ciao,
Lia.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [StefanoSpataro](#) on Thu, 03 Sep 2009 14:18:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, now it seems to work, and the correlation theta/ph seems fine.

Thanks.

Maybe the exception should be catched somehow, I am wondering if commenting out those lines could give problems to the analysis later.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Lia Lavezzi](#) on Thu, 03 Sep 2009 14:48:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Actually the lines were added because there were problems with low momentum tracks in GEANE (I didn't check it recently whether they are still there) and this protection works fine for the usual propagation within the Kalman procedure... maybe it just has to be handled somehow here in getMom but I am not so expert in exceptions so I'd ask Christian if he could please have a look to this

Ciao,
Lia.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Lia Lavezzi](#) on Thu, 03 Sep 2009 14:51:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I think the reason of the strange behaviour for the last point is the following: we have two different results depending on how we retrieve the momentum on the last plane:

(i) the first way is:

gtr->getMom(lastPlane).Print();

(ii) the second one is to calculate the momentum starting from lastState and lastPlane, by:

```
TVector3 mom_cal = last_spu*lastPlane.getNormal()
    + last_spu*lastState[1][0]*lastPlane.getU()
    + last_spu*lastState[2][0]*lastPlane.getV();
```

```
mom_cal.SetMag(1./fabs(lastState[0][0]));
```

```
mom_cal.Print();
```

When doing the conversion Track -> PndTrack, the output PndTrack is constructed starting from lastPlane, lastState and lastCov, so the momentum is equal (exactly equal) to the one calculated in (ii), and not (i).

The difference between the results in (i) and (ii) is that in (i) the momentum on the last plane is obtained starting from the information on the first plane (after the whole Kalman), extrapolating the track to the last one in order to obtain a statePred and calculating the momentum from it; in case (ii) the momentum is calculated, without extrapolation, directly from lastState (the state on last plane which has been saved during the Kalman procedure, before the last backtracking (right?)): these two states are in general different.

I'd like to ask for some opinion about this: wouldn't it be better to fill the last point state or covariance with the value of the track extrapolated to the last plane after the whole Kalman procedure has ended? In this way the momentum calculated in both (i) and (ii) would be the same.

Ciao,
Lia.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Stefano Spataro](#) on Thu, 03 Sep 2009 14:55:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

That would be a great idea, I think.

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Anonymous Poster](#) on Thu, 03 Sep 2009 15:08:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

sorry, but where is the getMom call we are talking about? If you put it into a try catch block you can handle this problem however you like.

Cheers, Christian

Subject: Re: Bug in GenfitTrack2PndTrack

Posted by [Johannes Rauch](#) on Wed, 13 Jul 2011 16:13:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

I just put a try catch block around getMom().

If an exception occurs, retVal->SetFlag(-1); is called. Is that correct?

regards,

Johannes
