
Subject: Geant4: problem with set seed and cuts
Posted by [Jerome Boucher](#) on Tue, 06 Oct 2009 11:52:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I would like to run the same simulation using different seeds. In case of Geant3, the function `gRandom->SetSeed(seed)` works fine. Concerning Geant4, this function has no effect.

The following method has been also tried. In the file `gconfig/g4config.in`, a line has been added:

```
/random/resetEngineFrom full_path/seed.rnd
```

The file `seed.rnd` contains the seed value.

If I put 200345, I obtain:

Geant4 has been created.

```
-l g4Config() using g4conf macro: /vol0/jerome/soft/pandaroot/trunk/gconfig/g4config.in
```

```
----- HepJamesRandom engine status -----
```

```
Initial seed = 200345
```

```
u[] = 0.174685 0.883674 0.958512 0.690013 0.0250537 0.142294 0.783649 0.356081  
0.214774 0.69287 0.700302 0.465109 0.22215 0.768752 0.461089 0.397602 0.522215  
0.121546 0.960227 0.510892 0.0116568 0.0286447 0.238777 0.585219 0.780612 0.709182  
0.082106 0.828601 0.61446 0.0798209 0.688002 0.00978529 0.370831 0.376435 0.710184  
0.864017 0.167338 0.21114 0.349235 0.522479 0.943713 0.0702708 0.778742 0.639458  
0.506555 0.151751 0.990123 0.564688 0.430497 0.889832 0.995398 0.725368 0.710512  
0.0550886 0.0540335 0.0159176 0.728379 0.947141 0.34922 0.20551 0.351029 0.672539  
0.118976 0.655784 0.195375 0.0380308 0.293556 0.237497 0.79723 0.158375 0.029761  
0.602215 0.616657 0.995638 0.734827 0.943425 0.130007 0.277064 0.306344 0.973337  
0.183926 0.547536 0.914344 0.666572 0.210074 0.300351 0.83602 0.267525 0.248549  
0.533332 0.1754 0.299529 0.538308 0.555472 0.283894 0.485254 0.222273
```

```
c = 0.0216029, cd = 0.456233, cm = 1
```

```
i97 = 96, u[i97] = 0.222273
```

```
j97 = 32, u[j97] = 0.370831
```

So the seed seems to be loaded. But, doing two simulations using different seeds, results are identical.

Concerning the cuts, I tried to modify the cut (`gconfig/SetCut.C` file) from 1 MeV to 100 KeV. But this new value is not taken into account.

Someone has an idea where I'm wrong?

best regards

Jerome

Subject: Re: Geant4: problem with set seed and cuts
Posted by [Mohammad Al-Turany](#) on Wed, 07 Oct 2009 14:58:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Can you try to use:

```
/random/setSeeds myseed myseed ((G4 setSeeds requires at least two long values))
```

where myseed is the seed number you like.

the other method is normally used to restore the status of the random generator and need an input file which should contain the about 98 numbers presenting the HepJamesRandom engine status (it is a CLHEP package).

With the cuts, did you change anything in the g4Config.C? because the cuts will be used if your configuration has the option "stepLimiter+specialCuts+specialControls" setted in the TG4RunConfiguration. I tested the trunk version and using the macro/qa/QAmacro_sim_G4.C and get the following:

as it is:

```
-I- PndStack: Number of primaries      = 23  
          Total number of particles   = 11514  
          Number of tracks in output  = 1938
```

now set the cutb in SetCuts.C to 1.0E-5

```
-I- PndStack: Number of primaries      = 23  
          Total number of particles   = 22269  
          Number of tracks in output  = 3967
```

so it seems to work! can you please control your g4Config.C ?

regards

Mohammad

Subject: Re: Geant4: problem with set seed and cuts
Posted by [Jerome Boucher](#) on Thu, 08 Oct 2009 08:54:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello!

I've tried the setSeeds method and it works

I checked the g4Config.C , the option "stepLimiter+specialCuts+specialControls" is setted. If I looked to:-l- PndStack: the Total number of particles is changing according to my cut.

But if I look to the output it's always the same.

Index : 0 used in the geometry : Yes recalculation needed : No
Material : air
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 990 eV e- 990 eV e+ 990 eV
Region(s) which use this couple :
 DefaultRegionForTheWorld

Index : 1 used in the geometry : Yes recalculation needed : No
Material : aluminium
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 6.88731 keV e- 596.68 keV e+ 568.011 keV
Region(s) which use this couple :
 DefaultRegionForTheWorld

Index : 2 used in the geometry : Yes recalculation needed : No
Material : iron
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 20.8323 keV e- 1.28002 MeV e+ 1.21851 MeV
Region(s) which use this couple :
 DefaultRegionForTheWorld

Index : 3 used in the geometry : Yes recalculation needed : No
Material : copper
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 24.6072 keV e- 1.39521 MeV e+ 1.31192 MeV
Region(s) which use this couple :
 DefaultRegionForTheWorld

Index : 4 used in the geometry : Yes recalculation needed : No
Material : steel

Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 20.8323 keV e- 1.31192 MeV e+ 1.23361 MeV
Region(s) which use this couple :
DefaultRegionForTheWorld

Index : 5 used in the geometry : Yes recalculation needed : No
Material : vacuum
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 990 eV e- 990 eV e+ 990 eV
Region(s) which use this couple :
DefaultRegionForTheWorld

Index : 6 used in the geometry : Yes recalculation needed : No
Material : Al+Be
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 4.45676 keV e- 496.074 keV e+ 478.087 keV
Region(s) which use this couple :
DefaultRegionForTheWorld

Index : 7 used in the geometry : Yes recalculation needed : No
Material : TPCmixture
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 990 eV e- 990 eV e+ 990 eV
Region(s) which use this couple :
DefaultRegionForTheWorld

Index : 8 used in the geometry : Yes recalculation needed : No
Material : silicon
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 6.88731 keV e- 540.718 keV e+ 521.113 keV
Region(s) which use this couple :
DefaultRegionForTheWorld

Index : 9 used in the geometry : Yes recalculation needed : No
Material : carbon
Range cuts : gamma 1 mm e- 1 mm e+ 1 mm
Energy thresholds : gamma 3.29462 keV e- 568.011 keV e+ 554.196 keV
Region(s) which use this couple :
DefaultRegionForTheWorld

...

Could you explain me why?

best regards

jeorme

Subject: Re: Geant4: problem with set seed and cuts
Posted by [Mohammad Al-Turany](#) on Thu, 08 Oct 2009 09:15:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

This comes because the concept of cuts in G3/G4 is different, in VMC these cuts are tracking cuts, they are there to make it possible to compare the results of G3/G4.

In the new release of VMC you can also apply them to G4 and they can behave more or less like the G3 one and then you will see also the difference in the output.

regards

Mohammad

Subject: Re: Geant4: problem with set seed and cuts
Posted by [Mohammad Al-Turany](#) on Thu, 08 Oct 2009 15:22:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hallo,

I just modified the g4Config.C in a way that G4 use by default the values you set in gRandom in your simulation macro. (svn r 6707) so from this release it is not needed any more to change the g4config.in or use the previous way described in this forum. G4/G3 use the same seed from gRandom.

regards

Mohammad

Subject: Re: Geant4: problem with set seed and cuts
Posted by [Dmitry Khaneft](#) on Fri, 09 Oct 2009 11:47:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks a lot!

Subject: Re: Geant4: problem with set seed and cuts
Posted by [Jerome Boucher](#) on Mon, 19 Oct 2009 10:29:24 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi!

Sorry for the late answer, I was fighting with my laptop...

I tried the `gRandom->SetSeed(seed)` with the revision you specified but it seems that there is no effect.

I added a line in the `g4Config.C` to print out the buffer and it is correctly filled.

best regards
jerome