

---

Subject: Panda Magnet Field Map

Posted by [donghee](#) on Fri, 27 Nov 2009 12:03:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear all,

I have very academic question about Magnet Field used in Pandaroot.

In the MC simulation I can see three main pieces to allow Magnet Field.

First of all, some geometry are defined by Geant or by some special program like CAD(?) in advance.

What is the standard tool for designing of magnet structure?

Quote:

```
FairModule *Magnet= new PndMagnet("MAGNET");
Magnet->SetGeometryFileName("FullSolenoid.root");
fRun->AddModule(Magnet);
```

```
FairModule *Dipole= new PndMagnet("MAGNET");
Dipole->SetGeometryFileName("dipole.geo");
fRun->AddModule(Dipole);
```

Next question is for multi-field definition.

At below multiple magnet field is defined by two PANDA Magents, namely Dipole and Solenoid, in addition Transition map is defined. What is the purpose and meaning of this components?

And are all those different Maps predefined in somewhere or is there some accessing process to get the field intensity via FullSolenoid.root and dipole.geo in the panda/field/\*.

How is this worked?

Quote:

```
PndMultiField *fField= new PndMultiField();
PndTransMap *map= new PndTransMap("TransMap", "R");
PndDipoleMap *map1= new PndDipoleMap("DipoleMap", "R");
PndSolenoidMap *map2= new PndSolenoidMap("SolenoidMap", "R");
fField->AddField(map);
fField->AddField(map1);
fField->AddField(map2);
fRun->SetField(fField);
```

The defined multifield is now going to save into the database by means of field parametrization in rtdb.

Quote:

```
PndMultiFieldPar* Par = (PndMultiFieldPar*) rtdb->getContainer("PndMultiFieldPar");
if (fField) { Par->SetParameters(fField); }
Par->setInputVersion(fRun->GetRunId(),1);
Par->setChanged();
```

I assumed that solenoid field and dipole field in present setup doesn't overlap because they are located at some distance, or there is a duplication between them, and can be described by TransMap.

Let's imagine, if dipole magnet move into very close to the solenoid magnet, then the magnet would be overlapped. In this case, independent definition of field map from solenoid and dipole could not described overlapping region. How can I handle it?

Best wishes,  
Donghee Kang

---

Subject: Re: Panda Magnet Field Map  
Posted by [Mohammad Al-Turany](#) on Fri, 27 Nov 2009 13:29:26 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Quote:What is the standard tool for designing of magnet structure?

It is called TOSCA

Quote:And are all those different Maps predefined in somewhere or is there some accessing process to get the field intensity via FullSolenoid.root and dipole.geo in the panda/field/\*. How is this worked?

These two files are the geometry definition of the magnet, the field maps are defined in the DipoleMap, TransMap and SolenoidMap (in your example, and by the way this is the old stuff look to the new macros there is more regions, and for different beam energies ).

see

[http://forum.gsi.de/index.php?t=msg&goto=7949&rid=93&S=8a415fbc32c8b125305ad77d67d51b4e&srch=beammom#msg\\_7949](http://forum.gsi.de/index.php?t=msg&goto=7949&rid=93&S=8a415fbc32c8b125305ad77d67d51b4e&srch=beammom#msg_7949)

for more info.

Quote:I assumed that solenoid field and dipole field in present setup doesn't overlap because they are located at some distance, or there is a duplication between them, and can be described by TransMap.

I do not understand what you mean with this! any way below I try to explain you how it is done.

Quote:Let's imagine, if dipole magnet move into very close to the solenoid magnet, then the magnet would be overlapped. In this case, independent definition of field map from solenoid and dipole could not described overlapping region. How can I handle it?

you can handle this if you re-simulate the whole magnet in TOSCA again. The maps we have here where simulated using TOSCA and the whole magnets where done at once to account for the overlap region between the two iron yokes (Done by Jost Luehning). from this simulation we export the different regions according t the change in the maps to optimize for performance (i.e step size is dependent on the variation of the field). Any way Why do you need to change the position of the dipole? what should this be good for?

In the macro/run directory there is a macro "PandaField.C" which show you how to read the fields, and get field value somewhere at a some point.

regards

Mohammad

---

Subject: Re: Panda Magnet Field Map  
Posted by [donghee](#) on Fri, 27 Nov 2009 14:55:59 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear Mohammed,

I'm not still clear for few small things.

If I use 7.5 GeV beam energy by fRun->SetBeamMom(7.5);, then I should do

```
PndDipoleMap *map_d1= new PndDipoleMap("DipoleMap1.0809", "R");  
PndDipoleMap *map_d2= new PndDipoleMap("DipoleMap2.0809", "R");
```

or Can the dipole field be automatically set up by beamenergy? then I can write down still.

```
PndDipoleMap *map_d1= new PndDipoleMap("DipoleMap1", "R");  
PndDipoleMap *map_d2= new PndDipoleMap("DipoleMap2", "R");
```

Where are corresponding map file \*.root hidden in pandaroot? If I see them, I can clear for it.  
Could you give me the location?

Concerning solenoid field, so, how are 4 different regions defined?

Quote:

Any way Why do you need to change the position of the dipole? what should this be good for?

I just want to know exactly how all stuff are worked.

Thank you so much,  
Best regards,  
Donghee Kang

---

Subject: Re: Panda Magnet Field Map

Posted by [donghee](#) on Fri, 27 Nov 2009 14:59:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear colleague,

If I want to download TOSCA program, wher do I have to visit?  
With googling, I found only beautiful landscape of TOSCANA....  
I hope the software is free....

Thank you for giving easy way to find it.  
Best wishes,  
Donghee

---

---

Subject: Re: Panda Magnet Field Map

Posted by [Mohammad Al-Turany](#) on Fri, 27 Nov 2009 15:21:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Quote:If I use 7.5 GeV beam energy by fRun->SetBeamMom(7.5);, then I should do  
`PndDipoleMap *map_d1= new PndDipoleMap("DipoleMap1.0809", "R");`  
`PndDipoleMap *map_d2= new PndDipoleMap("DipoleMap2.0809", "R");`

or Can the dipole field be automatically set up by beamenergy? then I can write down still.  
`PndDipoleMap *map_d1= new PndDipoleMap("DipoleMap1", "R");`  
`PndDipoleMap *map_d2= new PndDipoleMap("DipoleMap2", "R");`

No, it is clarified in the link I posted, you just use DipoleMap1 and then the framework decide according to the beam momentum which file he takes.

Quote:  
Concerning solenoid field, so, how are 4 different regions defined?

if you call the print of any map you get all information about it.

Mohammad

---

---

Subject: Re: Panda Magnet Field Map

Posted by [Mohammad Al-Turany](#) on Fri, 27 Nov 2009 15:26:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi again,

it is becoming a very long thread here!

Quote:

If I want to download TOSCA program, wher do I have to visit?  
With googling, I found only beautiful landscape of TOSCANA....  
I hope the software is free....

You cannot download TOSCA for free, this is one of the most expensive software tools, used for accelerators, industry , etc TOSCA is the part used from Opera3D for simulating magnets. Anyway if you have a alot of time and money you can redo the whole thing in TOSCA, see <http://www.vectorfields.com/>

have a nice weekend.

Mohammad

---

---

Subject: Re: Panda Magnet Field Map  
Posted by [donghee](#) on Sat, 28 Nov 2009 09:37:12 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Time yes, money no

---