
Subject: error in installing panda rootsoftware

Posted by [manoj.jadhav](#) on Thu, 04 Feb 2010 10:07:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

hello colleagues,

while installing external packages I face some error pasted below. Please help me giving related suggestions to resolve the problem.

```
make[1]: Entering directory `/home/wasa/fairroot/fairsoft/tools/ml-gsoapclient-2.7.10/src'
source='testWS.cxx' object='testWS.o' libtool=no \
  depfile='.deps/testWS.Po' tmpdepfile='.deps/testWS.TPo' \
  depmode=gcc3 /bin/bash ../depcomp \
  g++ -DPACKAGE_NAME=\"ml\ gsoapclient\" -DPACKAGE_TARNAME=\"ml-gsoapclient\"
-DPACKAGE_VERSION=\"2.7.10\" -DPACKAGE_STRING=\"ml\ gsoapclient\ 2.7.10\"
-DPACKAGE_BUGREPORT=\"\" -DPACKAGE=\"ml-gsoapclient\" -DVERSION=\"2.7.10\"
-DSTDC_HEADERS=1 -DHAVE_SYS_TYPES_H=1 -DHAVE_SYS_STAT_H=1
-DHAVE_STDLIB_H=1 -DHAVE_STRING_H=1 -DHAVE_MEMORY_H=1
-DHAVE_STRINGS_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_STDINT_H=1
-DHAVE_UNISTD_H=1 -DHAVE_DLFCN_H=1 -DSTDC_HEADERS=1
-DHAVE_SYS_WAIT_H=1 -DHAVE_ARPA_INET_H=1 -DHAVE_FCNTL_H=1
-DHAVE_FLOAT_H=1 -DHAVE_LIMITS_H=1 -DHAVE_NETDB_H=1
-DHAVE_NETINET_IN_H=1 -DHAVE_STDLIB_H=1 -DHAVE_STRING_H=1
-DHAVE_STRINGS_H=1 -DHAVE_SYS_SOCKET_H=1 -DHAVE_SYS_TIME_H=1
-DHAVE_SYS_TIMEB_H=1 -DHAVE_UNISTD_H=1 -DTIME_WITH_SYS_TIME=1
-DHAVE_FORK=1 -DHAVE_VFORK=1 -DHAVE_WORKING_VFORK=1
-DHAVE_WORKING_FORK=1 -DHAVE_STDLIB_H=1 -DHAVE_MALLOC=1
-DHAVE_STDLIB_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_UNISTD_H=1
-DHAVE_ALARM=1 -DHAVE_STRFTIME=1 -I. -I. -D_GNU_SOURCE -g -O0 -c -o
testWS.o `test -f 'testWS.cxx' || echo './`testWS.cxx
testWS.cxx: In function 'int main(int, char**)':
testWS.cxx:7: error: unknown escape sequence '\*'
make[1]: *** [testWS.o] Error 1
make[1]: Leaving directory `/home/wasa/fairroot/fairsoft/tools/ml-gsoapclient-2.7.10/src'
make: *** [all-recursive] Error 1
Making install in src
make[1]: Entering directory `/home/wasa/fairroot/fairsoft/tools/ml-gsoapclient-2.7.10/src'
source='testWS.cxx' object='testWS.o' libtool=no \
  depfile='.deps/testWS.Po' tmpdepfile='.deps/testWS.TPo' \
  depmode=gcc3 /bin/bash ../depcomp \
  g++ -DPACKAGE_NAME=\"ml\ gsoapclient\" -DPACKAGE_TARNAME=\"ml-gsoapclient\"
-DPACKAGE_VERSION=\"2.7.10\" -DPACKAGE_STRING=\"ml\ gsoapclient\ 2.7.10\"
-DPACKAGE_BUGREPORT=\"\" -DPACKAGE=\"ml-gsoapclient\" -DVERSION=\"2.7.10\"
-DSTDC_HEADERS=1 -DHAVE_SYS_TYPES_H=1 -DHAVE_SYS_STAT_H=1
-DHAVE_STDLIB_H=1 -DHAVE_STRING_H=1 -DHAVE_MEMORY_H=1
-DHAVE_STRINGS_H=1 -DHAVE_INTTYPES_H=1 -DHAVE_STDINT_H=1
-DHAVE_UNISTD_H=1 -DHAVE_DLFCN_H=1 -DSTDC_HEADERS=1
-DHAVE_SYS_WAIT_H=1 -DHAVE_ARPA_INET_H=1 -DHAVE_FCNTL_H=1
-DHAVE_FLOAT_H=1 -DHAVE_LIMITS_H=1 -DHAVE_NETDB_H=1
-DHAVE_NETINET_IN_H=1 -DHAVE_STDLIB_H=1 -DHAVE_STRING_H=1
-DHAVE_STRINGS_H=1 -DHAVE_SYS_SOCKET_H=1 -DHAVE_SYS_TIME_H=1
```

```
-DHAVE_SYS_TIMEB_H=1 -DHAVE_UNISTD_H=1 -DTIME_WITH_SYS_TIME=1
-DHAVE_FORK=1 -DHAVE_VFORK=1 -DHAVE_WORKING_VFORK=1
-DHAVE_WORKING_FORK=1 -DHAVE_STDLIB_H=1 -DHAVE_MALLOC=1
-DHAVE_STDLIB_H=1 -DHAVE_SYS_TIME_H=1 -DHAVE_UNISTD_H=1
-DHAVE_ALARM=1 -DHAVE_STRFTIME=1 -I. -I. -D_GNU_SOURCE -g -O0 -c -o
testWS.o `test -f 'testWS.cxx' || echo './`testWS.cxx
testWS.cxx: In function 'int main(int, char**)':
testWS.cxx:7: error: unknown escape sequence '\*'
make[1]: *** [testWS.o] Error 1
make[1]: Leaving directory `/home/wasa/fairroot/fairsoft/tools/ml-gsoapclient-2.7.10/src'
make: *** [install-recursive] Error 1
**** Checking libraries in /home/wasa/fairroot/fairsoft/tools/monalisa/lib/ ****
*** ERROR: ml-gsoapclient could not be created.
*** End installation of external packages with Errors****
```

Subject: Re: error in installing panda rootsoftware
Posted by [Mohammad Al-Turany](#) on Thu, 04 Feb 2010 10:10:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Which linux you use and which version of the external packages.

regards

Mohammad
