
Subject: negative masses in geometry (TG3)

Posted by [Olaf Hartmann](#) on Wed, 20 Apr 2011 12:36:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all,

when calculating the masses of the volumes in PandaRoot, I observed i.a. several masses with negative values, which actually comes from a negative volume size (!). Example:

Calculating the physical volume (which for a TGeoXtru is [length]³):

```
root [43] gGeoManager->GetVolume("Supporto2")->Capacity()  
(const Double_t)(-4.86071999981845693e+03)
```

These are the geo parameters of this object:

```
root [42] gGeoManager->GetVolume("Supporto2")->InspectShape()  
*** Shape Supporto2: TGeoXtru ***  
  Nz   = 2  
  List of (x,y) of polygon vertices:  
  x = 134.00000 y = 184.00000  
  x = 130.51000 y = 184.00000  
  x = 130.51000 y = 176.00000  
  x = 134.00000 y = 176.00000  
  x = 134.00000 y = 178.00000  
  x = 156.70000 y = 178.00000  
  x = 156.70000 y = 176.00000  
  x = 159.20000 y = 176.00000  
  x = 159.20000 y = 184.00000  
  x = 156.70000 y = 184.00000  
  x = 156.70000 y = 182.00000  
  x = 134.00000 y = 182.00000  
  plane 0: z= -0.00000 x0= 0.00000 y0= 0.00000 scale= 1.00000  
  plane 1: z= 2.00000 x0= 0.00000 y0= 0.00000 scale= 1.00000  
  Bounding box:  
*** Shape Supporto2: TGeoBBox ***  
  dX = 14.34500  
  dY = 4.00000  
  dZ = 1.00000  
  origin: x= 144.85500 y= 180.00000 z= 1.00000
```

Shouldn't it be that values like volume and mass always come out with positive values?
Of course I can ask for the abs value in the code to avoid negative values.

Cheers
Olaf.

Subject: Re: negative masses in geometry (TG3)
Posted by [Mohammad Al-Turany](#) on Wed, 20 Apr 2011 13:19:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Olaf,

it could be a bug in TGeoXtru::Capacity:

Quote:

```
Double_t TGeoXtru::Capacity() const
{
// Compute capacity [length^3] of this shape.
  Int_t iz;
  Double_t capacity = 0;
  Double_t area, dz, sc1, sc2;
  TGeoXtru *xtru = (TGeoXtru*)this;
  xtru->SetCurrentVertices(0.,0.,1.);
  area = fPoly->Area();
  for (iz=0; iz<fNz-1; iz++) {
    dz = fZ[iz+1]-fZ[iz];
    if (TGeoShape::IsSameWithinTolerance(dz,0)) continue;
    sc1 = fScale[iz];
    sc2 = fScale[iz+1];
    capacity += (area*dz/3.)*(sc1*sc1+sc1*sc2+sc2*sc2);
  }
  return capacity;
}
```

in the line `dz = fZ[iz+1]-fZ[iz]`; if `fZ[iz+1]` is smaller than `fZ[iz]` then you get a negative value. Anyway I did not find the volume "Supporto2" in the geometry. can you please tell me where to find it or post a root file with a TGeoManager having this problem.

regards

Mohammad

Subject: Re: negative masses in geometry (TG3)
Posted by [Olaf Hartmann](#) on Wed, 20 Apr 2011 14:10:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Mohammad,

I'm speaking about

```
FairModule *Magnet= new PndMagnet("MAGNET");  
Magnet->SetGeometryFileName("FullSuperconductingSolenoid_v831.root");  
fRun->AddModule(Magnet);
```

in trunk/geometry/
(svn revision 10849)

Cheers
Olaf.

Subject: Re: negative masses in geometry (TG3)
Posted by [Mohammad Al-Turany](#) on Wed, 20 Apr 2011 20:56:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Olaf,

I am not able to reproduce this negative values! which macros you use? I tried the sim_complete_stt.C (using FullSuperconductingSolenoid_v831.root and switching off the MDT magnet). but I get the following:

```
Quote:root [7] gGeoManager->GetVolume("Supporto2")->Capacity()  
(const Double_t)2.77439999997116217e+02
```

However, checking the overlaps it looks very bad:

```
Quote: root [3] gGeoManager->CheckOverlaps()
```

```
Info in <TGeoNodeMatrix::CheckOverlaps>: Checking overlaps for cave and daughters within 0.1
```

```
Warning in <TGeoChecker::CheckOverlaps>: Volume SuperconductingSolenoidov831 with 3 daughters but not voxelized
```

```
Warning in <TGeoChecker::CheckOverlaps>: Volume Cryostatov830o2 with 12 daughters but not voxelized
```

```
Warning in <TGeoChecker::CheckOverlaps>: Volume SuperconductingCoilov831 with 3 daughters but not voxelized
```

```
Check overlaps: [=====] 477699 [100.00 %] TIME 00:18:20
```

```
Info in <TGeoNodeMatrix::CheckOverlaps>: Number of illegal overlaps/extrusions : 391
```

regards

Mohammad

Subject: Re: negative masses in geometry (TG3)

Posted by [Stefano Spataro](#) on Thu, 21 Apr 2011 06:00:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

The overlaps are already known, Tobias could not fix them.

Subject: Re: negative masses in geometry (TG3)

Posted by [Olaf Hartmann](#) on Thu, 21 Apr 2011 06:35:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Mohammad,

I'm still using the jan10 external packages (to avoid the problem with the huge memory usage), so maybe the problem has been fixed in the new Root version. I'll check it.

My geometry is built in the sim_radmap.C macro.

Cheers

Olaf.

Subject: Re: negative masses in geometry (TG3)

Posted by [Olaf Hartmann](#) on Thu, 21 Apr 2011 08:26:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Mohammad,

Olaf Hartmann wrote on Thu, 21 April 2011 08:35

I'm still using the jan10 external packages (to avoid the problem with the huge memory usage), so maybe the problem has been fixed in the new Root version. I'll check it.

It was indeed the case. With the feb11 the negative values vanished.

I withdraw my objection.

Cheers

Olaf.
