

---

Subject: test of submit script at gridka  
Posted by [donghee](#) on Fri, 17 Jun 2011 11:26:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear panda specially gridka family,

Recently I have got gridka account, of course I want to use it effectively.

Now I'm testing analysis scripts with tdr11 data (psi3770=r202).  
In attachment, I put my trial jdl, macro code, bin.sh scripts  
and a validation code.

I tried already submitting with 10 subjobs, but I couldn't find output error message in my output directory.

Quote:

```
[pgdb2.gla.ac.uk:3307] /panda/user/d/dkang/ > masterJob 1168153 -printsite
```

```
Jun 17 13:07:35 info Checking the masterjob of 1168153
```

```
Jun 17 13:07:36 info The job 1168153 is in status: DONE
```

It has the following subjobs:

Subjobs in ERROR\_V (ikp642.ikp.kfa-juelich.de): 1

Subjobs in ERROR\_V (kvit14.KVI.nl): 7

Subjobs in ERROR\_V (smigrid02.smi.oeaw.ac.at): 2

In total, there are 10 subjobs

Probably, I made some bug in my submit scripts, or macro code when define the input files and strings etc...

Could you teach me where I care and fix to do correctly.

Thank you in advance,  
Donghee

---

### File Attachments

---

- 1) [submit\\_gridka\\_bin.sh](#), downloaded 643 times
  - 2) [submit\\_gridka.jdl](#), downloaded 668 times
  - 3) [run\\_his\\_gridka.C](#), downloaded 761 times
  - 4) [submit\\_gridka\\_val.sh](#), downloaded 648 times
- 

---

Subject: Re: test of submit script at gridka  
Posted by [StefanoSpataro](#) on Fri, 17 Jun 2011 11:35:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,  
if the jobs are failing, it is not storing the output on the SE.  
You can put the output in some folder typing:

registerOutput #jobid

and you can get the #jobid of the subjobs typing:

masterJob 1168153 -printid

---

---

Subject: Re: test of submit script at gridka  
Posted by [donghee](#) on Fri, 17 Jun 2011 12:21:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thank you stefano,

I can read output error!

So problem is that I have to give input file name separately for each splitting file using jdl and bin.sh

You can simply imagine that if you want to access points.root and pid.root files according produced and given individual name, which are produced by pbarprod, then can prepare all corresponding name or string by means of combining jdl with bin.sh.

I think that I define correct name in my two scripts but I cannot read it.

Quote:

Error in <TFile::TFile>: file  
/panda/user/p/pbarprod/tdr11/output/sig/run202/10/evt\_points\_stt\_r202\_10 .root does not exist  
[/QUOTE]

I'm login to gridka as a personal user.  
Do you have any other idea?

Best wishes,  
Donghee

---

---

Subject: Re: test of submit script at gridka  
Posted by [donghee](#) on Fri, 17 Jun 2011 12:23:54 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Why allows only 60 subjobs for personal user in gridka?

---

---

Subject: Re: test of submit script at gridka  
Posted by [donghee](#) on Wed, 22 Jun 2011 10:10:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear all gridka user,

If I analyze gridka, for instance, the data on  
/panda/user/p/pbarprod/tdr11/output/sig/run701/1/...

Can I use data collection list still at analysis level?

Quote:

```
find -c output-run701 /panda/user/p/pbarprod/tdr11/output/sig/run701/ evt_p*.root
```

After preparing list,

then in the jdl and bin script one need to indicate which files belong to which submit job. For output I can do that, but the name of input files are differ and at least two input file(points.root and pid.root) are needed in the analysis script.

How machine can handle different name of input file name?

Please teach me how it works?

Best wishes,  
Donghee

---

Subject: Re: test of submit script at gridka  
Posted by [StefanoSpataro](#) on Wed, 22 Jun 2011 10:26:37 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi,  
first of all, gridka is "Grid Computing Centre Karlsruhe"... maybe you mean "grid".  
The way could be, in your shell script, to move the filename in something you can use, i.e.:

```
mv evt_points_*.root evt_points_stt_evt.root
```

I am using this for my analysis.

---

Subject: Re: test of submit script at gridka  
Posted by [donghee](#) on Wed, 22 Jun 2011 11:04:55 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi all,

Definitely, I cannot do such way in gridka (Grid Computing Centre Karlsruhe) in my mind.

Quote:

```
mv evt_points_*.root evt_points_stt_evt.root
```

Because points file and pid files belongs to user for "pbarprod".  
and I think that I don't have a great privilege or super power.

If I change the name of file, doesn't affect to next other users?

Probably in gridka with Logical File system one can do safely without worrying about it. Because

the file is not really change of physical name.  
If that is really true... it really strange, but really interesting feature.

Thank you for your teaching!

Donghee

---

---

Subject: Re: test of submit script at gridka  
Posted by [Stefano Spataro](#) on Wed, 22 Jun 2011 11:51:38 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

When you are analysing a collection, the system is copying the files from the collection into some temp directory, therefore you can modify them as you wish.. the original names will persist on the original place.  
However, you can use %alien\_counter to propagate such number also into your analysis macros. If you look at the scripts we are sending you can see how this works... you have only to use it as input parameter of your analysis macro.

---