
Subject: [done] Changing t distribution slopes
Posted by [Michael Kunkel](#) on Thu, 04 Aug 2011 02:20:25 GMT
[View Forum Message](#) <> [Reply to Message](#)

Greetings

I am attempting to use PLUTO as a simulator for photoproduction.

I would like to test this by first using a well know cross-section

$\gamma; p \rightarrow p \text{ } \rho; [\pi^+; \pi^-]$ with photon beam eneries 1.1 ->5.7 GeV

However when I simulate this reaction in PLUTO I get a t slope of -0.5 which contradicts the know slope of 7.1 -> 7.9 for these beam energies.

Is there a way to change the slope of this reaction?

I notice PDalitzDistribution can change slopes, can other reactions slopes be changed as well?

Thanks and BR

Michael

Subject: Re: Changing t distribution slopes
Posted by [Ingo Fröhlich](#) on Thu, 04 Aug 2011 07:52:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Michael,

do you want to change the m_t -Spektrum of the ρ , is this correct? Could you give me a reference for the data you mentioned?

The production of the ρ in your reaction has (beside its mass sampling) only one degree of freedom, which is the polar angle. Did you consider that an anisotropy of the ρ also changes the other distributions?

Greetings, Ingo

Subject: Re: Changing t distribution slopes
Posted by [Michael Kunkel](#) on Thu, 04 Aug 2011 15:20:08 GMT
[View Forum Message](#) <> [Reply to Message](#)

Greetings Ingo,

if m_t -spectrum is defined as the mandelstram variable t distribution, then yes this is what I would like to change.

In photoproduction ρ is produced via pion and/or pomeron exchange therefore is a t dependance.

I have also uploaded the paper called rho.pdf, it's a paper from Physics Letters B Volume 39, Issue 5, 29 May 1972, Pages 659-662
Where rho is produced in photoproduction.
Page 2 figure 1 depicts the slope parameter as a function of p_{pi} mass.

In answering your last question, I did not consider that an anisotropy of the rho also changes the other distributions because of pion/pomeron exchange processes.

Thanks for your help, I greatly appreciate it

Michael

File Attachments

1) [rho.pdf](#), downloaded 1083 times

Subject: Re: Changing t distribution slopes
Posted by [Ingo Fröhlich](#) on Fri, 05 Aug 2011 21:02:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Michael,

OK now I understand. A dependence of the polar angle on ds/dt has been used for the Delta production. But also here, we sample the polar angle. A direct sampling of more hidden values, like t, is difficult, because these distributions are non-flat, which needs some thinking, otherwise I produce only artifacts.

Such samplings have been, however, also requested by other people (in this case a rapidity distribution). My idea would be that one should be able to add a user-defined distribution for self-defined variables, and this changes then the direct observables, like angles and masses. I think this goes in the same direction.

But this is not yet implemented, and some idea for the next version. I will keep you informed.

What is possible of course right now is to add a calculation of the polar angle, if you have a relation between ds/dtheta <-> ds/dt

Greetings, Ingo

Subject: Re: Changing t distribution slopes
Posted by [Michael Kunkel](#) on Mon, 08 Aug 2011 16:15:18 GMT
[View Forum Message](#) <> [Reply to Message](#)

Greetings Ingo,

Your idea for future version is exactly what I think would work for my requests.

On another note, I do not think it is possible to add a calculation of the polar angle even if I

had the relation $ds/d\theta \leftrightarrow ds/dt$ without sampling a normalized function of the t mandelstam implemented, which seems not yet achievable in PLUTO.

However the chance I am incorrect on this are high and I would like further insight to your idea if possible.

Thanks
Michael

Subject: Re: Changing t distribution slopes
Posted by [Ingo Fröhlich](#) on Sun, 14 Aug 2011 20:34:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

OK, I played a little bit with a new source code, which I uploaded here:

http://www-linux.gsi.de/~hadeshyp/pluto/v5.38.1/pluto_v5.38.1.tar.gz

It is a test version, not yet finalized, and without warranty, because I had to change some parts in the scripting class, which needs some severe testing from my side. But for a first test it should be fine.

Below I attached a macro for your purpose with some comments (it works only with the new patched version):

Toggle Spoiler

```
//First, we create the general purpose distribution
//model:
PAnyDistribution* decay =
    new PAnyDistribution("t_slope",
        "A function to add a new t-slope");
decay->Add("q, parent");
decay->Add("p, daughter");
decay->Add("rho0, daughter");
//This is the cache for the undistorted data
//It is needed because the mandelstam t is a non-uniform
//distribution. The size and binning of the cache must
//be chosen such, that during runtime (better: during Preheating) the statistic
//is sufficiently filled
TH1F * cache = new TH1F ("cache","Rho0 t cache",400,-4.0,.0);

//For the following we we have to know that all particles (but the daughters) are in the parent
rest frame
//the daughters are in their rest frame (i.e. the parent)
//therefore we have to boost into the parent frame
//the parent is indicated by "_parent"
//N.B.: "t" is reserved in TFormula, do NOT use it
decay->AddEquation(cache,"beam = _parent->GetBeam(); beam->Boost(_parent) ; t1 =
```

```

(beam - [rho0])->Mag2(); _x = t1;");

//This is the final equation. The distribution (the probability function)
//must be stored in "_f"
decay->AddEquation("_f = exp( 8*t1 );");

//Remember, AnyDistribution is a rejection method. Therefore
//it can happen, that parts of the phase space, where _f has a
//large probability, is not well populated by the generated events
//In this case, the event loop will run forever, as Pluto tries
//to match the shape defined by _f.
//The following factor is the maximum enhancement factor to avoid such
//deadlocks.
//N.B.: It directly scales with the computing time!!!
decay->SetMaxEnhancementFactor(10);
//Hint: in this configuration, the sampling of 100kEvent takes ~30min

//Add this model to the Pluto data base:
makeDistributionManager()->Add(decay);

//Construct the reaction, as usual:
PReaction my_reaction("_T1 = 2.2","g","p","p rho0 [pi+ pi-]");

TH1F * histo1 = new TH1F ("histo1","rho0 t",100,-4,0);
TH1F * histo3 = new TH1F ("histo3","cos theta of rho0",50,-1.,1.);

my_reaction.Do(histo1,"beam = [g+p]->GetBeam(); t1 = (beam - [rho0])->Mag2(); _x = t1;");
my_reaction.Do(histo3,"_rho=[rho0]; _rho->Boost([g+p]); _x= cos(_rho->Theta())");

my_reaction.Print(); //The "Print()" statement is optional

//Make a dummy loop to fill the AnyDistribution with some statistics:
my_reaction.Preheating(100);

my_reaction.Loop(1000);

```

So the basic idea is that one is able to add an individual equation.

Before I move on, I would like to know your opinion.

Greetings, Ingo

Subject: Re: Changing t distribution slopes

Posted by [Michael Kunkel](#) on Tue, 16 Aug 2011 13:10:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

Greetings Ingo

I am analyzing the package. I added a bear smearing function to the macro to simulate a bremsstrahlung beam along with the t distribution and the max factor increased to about 10^7 and it took 19 hours to get through 60%.

I am trying to implement PLUTO on our farm so this wont use my local CPU.

However as far as I can understand, adding this t equation and sampling the slope was the goal and it seems you have solved it.

Thanks and I will keep you posted on the package.

BR
Michael

Subject: Re: Changing t distribution slopes

Posted by [Ingo Fröhlich](#) on Tue, 16 Aug 2011 14:14:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

did you tested if the result is reasonable also with a lower max factor?

Greetings, Ingo

Subject: Re: Changing t distribution slopes

Posted by [Michael Kunkel](#) on Sun, 21 Aug 2011 07:20:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Greetings,

I have tried a lower max factor (factor =2) and I see these warnings when running the macro. I am not sure how relevant they are, however the t-distribution is inconclusive at 100 events, and I am trying to find a way to submit to our farm because 30 minutes is all the interactive time I am allotted.

I will keep you updated, but I am overseas right now and have limited internet access.

Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.000000)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.000938)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.001448)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.001791)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.054316)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.078526)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.160738)

Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.220539)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.250873)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.360583)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.679442)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (0.965800)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (1.841059)
Info in <PReaction::Loop()>: Preheating done
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (2.177904)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (7.907200)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (9.592476)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (25.328512)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (47.852180)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (77.276515)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (2103.552221)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (6169.930473)
20% done in 7.650407 sec
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (30675.678831)
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (54993.179564)
40% done in 78.678375 sec
60% done in 376.921989 sec
Warning in <PAnyDistribution::IsValid>: Factor > max, increased (65084.205350)
80% done in 695.505551 sec
100% done in 1056.177333 sec
CPU time 1054.600000 sec
1084217 aborted events were repeated, error codes:
10=1084217

Thanks
Michael

Subject: Re: Changing t distribution slopes
Posted by [Ingo Fröhlich](#) on Sun, 21 Aug 2011 08:35:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

the method is based on sampling (but with phase space only) and rejection (pure Monte-Carlo). For this one needs a ceiling value. The rejected events are those, for which a random number between 0 and the ceiling value is higher as the function. If the value is larger as the ceiling, the ceiling is adjusted. If this happens during the first events, it does not play a big role. But in your case this is too much.

Maybe it would be helpful if you could attach your macro. It could be that it depends on the beam energy. I tested it at $T_{\text{kin}}=2.2$ GeV only. There the slope was OK over some kEvents.

Subject: Re: Changing t distribution slopes

Posted by [Michael Kunkel](#) on Sun, 21 Aug 2011 09:34:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

Attached is my macro.

Thanks
Michael

File Attachments

1) [Try_T_Rho.C](#), downloaded 505 times

Subject: Re: Changing t distribution slopes

Posted by [Ingo Fröhlich](#) on Tue, 23 Aug 2011 10:38:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

testing this I also get incredible large ceiling values (almost going to infinity). So I don't wonder that it takes endless.

The problem is, I think, the beam smearing. After disabling it the macro produces reasonable results (10000kE in ~1min).

To understand this, we must look a little bit deeper. As explained, the event loop produces phase space events, and rejects all events which are disturbed by the t-function, by comparing it to the cache. But the basic observable is the angular distribution which is changed dramatically:

And it could be (this is only a first guess) that the shape of the angular distribution is different for the various beam energies, whereas the macro tries to match always the same shape as a function of t. (Btw., is it really true that this function is the same for all energies?)

Nevertheless, I don't have a quick solution. The best would be to write the macro in such a way, that it loop over the different energies, or I could try to change the class PAnyDistribution such, the the ceiling value is not fixed but is binned into pieces. In any case, one has to be aware that one needs more events, because each of the bins must have sufficient statistics.

The most simple solution is of course to run the macro many times, with different energies, and merge the events at a later stage.

What do you think?

Greetings, Ingo


PS: I tested always 10kEvents with some values between 1.0 and 5.7GeV. At lower energies it

took longer, and more events have been rejected.

PS2: Sorry for the trouble, but this application is something really new for Pluto


File Attachments

1) [t_rho.png](#), downloaded 1088 times



2) [cos_rho.png](#), downloaded 1189 times

cos theta of rho0



Subject: Re: Changing t distribution slopes

Posted by [Michael Kunkel](#) on Tue, 23 Aug 2011 15:51:54 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote: And it could be (this is only a first guess) that the shape of the angular distribution is different for the various beam energies, whereas the macro tries to match always the same shape as a function of t. (Btw., is it really true that this function is the same for all energies?)

I'm going to go out on the limb here and say yes this is true, the t-dependence is independent of beam energy, however the t-dependence is dependent on M(pi+pi-) mass. Using this assumption I researched some papers on rho photoproduction for various beam energies and found this true. There are other models (Sodel model and Drell model) in which this assumption is not true.

I am going to write a macro that samples a normalized beam smearing function, incorporates the number of events the user wants and in what binning the user wants, and produces several macros for the desired result. The user then will have to hadd the output together to get the full distribution, but this avoids the cumbersome lag of using the current method.

What do you think?

Regards

Michael

Subject: Re: Changing t distribution slopes

Posted by [Ingo Fröhlich](#) on Wed, 24 Aug 2011 14:09:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

I tried it (roughly) with 100MeV binning, this seems to work. At 1GeV I see already problems at very low $|t|$. The truth is maybe somewhere in the middle.

Subject: Re: Changing t distribution slopes

Posted by [Michael Kunkel](#) on Wed, 21 Sep 2011 18:32:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Greetings Ingo,

I want to thank you for the addition of the anydistribution function. I have found out that the beam smearing function for 1k events with anydistribution will take longer then 24 hours to complete. However, I used a "poor mans" beam smear and generate 5 million events took 2 hours.

I have tested any distribution for photo-produced gamma $p \rightarrow p \rho(\pi^+\pi^-)$ with the appropriate t distribution and everything looks good on the simulation end.

Thank you
Michael
