

---

Subject: G4 simulation: No MCPPoint where one should be...  
Posted by [Simone Esch](#) on Thu, 11 Apr 2013 09:07:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Dear PandaRoot Users,

in my simulation I found a problem with the creation of MCPoints.  
I am simulating the decay  $p\bar{p}$  ->  $\Lambda$   $\bar{\Lambda}$  ->  $\pi^-$   $\pi^+$   $p$   $\bar{p}$ .  
Looking into the MC data I found a few cases, where a particle path crosses a sensitive material, but no MC Point was created (see pictures below).

We saw this in ~6 events.  
I appeared something like in one event among 20 events and just for pions (plus and minus).  
The output from the simulation is (Verbose=2):

```
>>> Event 7
-I- PndSdsDetector: Adding Point at (-1.26017, -9.74078, 39.485) cm, (-1.26333, -9.74761,
39.515) cm, detector
/cave_1/CombinedLambdaDisks_0/LambdaDisk_1/LargeRing_0/StripSensorActiveLargeTrap_
6 0, track 2, energy loss 561.051 keV
-I- PndSdsDetector: Adding Point at (-1.31324, -9.85647, 39.985) cm, (-1.31648, -9.86339,
40.015) cm, detector
/cave_1/CombinedLambdaDisks_0/LambdaDisk_1/LargeRing_1/StripSensorActiveLargeTrap_
5 0, track 2, energy loss 459.511 keV
-I- PndSdsDetector: Adding Point at (5.38529, -0.204025, 38.985) cm, (5.38924, -0.205889,
39.015) cm, detector
/cave_1/CombinedLambdaDisks_0/LambdaDisk_1/SmallRing_0/StripSensorActiveSmallTrap_
21 0, track 1, energy loss 113.605 keV
-I- PndSdsDetector: Adding Point at (7.74768, -1.98032, 59.985) cm, (7.75052, -1.98347,
60.015) cm, detector
/cave_1/CombinedLambdaDisks_0/LambdaDisk_2/LargeRing_1/StripSensorActiveLargeTrap_
8 0, track 1, energy loss 225.731 keV
```

```
----- WWWWW ----- G4Exception-START ----- WWWWW -----
*** G4Exception : GeomNav1002
    issued by : G4PropagatorInField::ComputeStep()
Particle is stuck; it will be killed.
    Zero progress for 51 attempted steps.
    Proposed Step is 1.56268e-05 but Step Taken is 1.56268e-05
    For Particle with Charge = 1 Momentum = 253.548 Mass = 139.57
    in volume DipolePip
*** This is just a warning message. ***
----- WWWWW ----- G4Exception-END ----- WWWWW -----
```

```
-I- PndSdsDetector: Adding Point at (3.06891, 9.56976, 59.985) cm, (3.06929, 9.57481,
60.015) cm, detector
/cave_1/CombinedLambdaDisks_0/LambdaDisk_2/LargeRing_1/StripSensorActiveLargeTrap_
11 0, track 0, energy loss 192.765 keV
DIGI EXECUTION *****
-I- PndSdsDetector: 0 points registered in this event.
[INFO ] FairPrimaryGenerator: (Event 9) 4 primary tracks from vertex (0.000000, 0.000000,
```

0.000000 ) Event Time = 0.000000 (ns)

So nothing is reported about this point.

My system is:  
openSUSE 12.2 Mantis - Kernel  
external packages sep12  
pandaroot rev 18841


Thanks

Simone


---

### File Attachments

1) [eventDisplay\\_Screenshot\\_Event7.png](#), downloaded 1472 times



2) [eventDisplay\\_Screenshot\\_Event7\\_zoom.png](#), downloaded 1477 times



Subject: Re: G4 simulation: No MCPPoint where one should be...

Posted by [Stefano Spataro](#) on Thu, 11 Apr 2013 14:07:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Can you try with verbose level 3?

From the ProcessHits I can see that particles are stored in points only if the energy loss is different from 0, and maybe this is the case.

Still I do not understand the geant4 warning, since "DipolePip" I suppose is far from MVD. Can you check where this volume is exactly? I think the two things are different, the stopped particle and the missed point.

---

Subject: Re: G4 simulation: No MCPPoint where one should be...

Posted by [Simone Esch](#) on Thu, 18 Apr 2013 09:12:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hello stefano,

Tobias thought about this also, and inserted an output to check this.

Unfortunately something with the seed-setting is wrong, so we could not simulate the exactly the same events. But we saw the not existing MCPPoint on other events where we are sure that energy was deposited.

But I can post another event with a higher verbose level.

Concerning the geant4 warning, the track goes further downstream and stops then at some point far away from the MVD, this are really two different things.

Greetings

Simone

---