

---

Subject: [FIXED] crash in run/reco\_complete.C

Posted by [Maria Patsyuk](#) on Wed, 15 Jan 2014 08:47:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear all,

after successful run of sim\_complete.C with Geant3, and digi\_complete.C with commented out GEM task I'm getting a crash with reco\_complete.C. To remind you, I don't use all the detectors, there are no magnet, GEM, EMC, SciTil, MDT, FTS, FTOF, RICH in my simulation. The error looks like this:

```
root -l reco_complete.C
root [0]
Processing reco_complete.C...
FairRootManager::OpenOutFile("reco_complete_new.root")
Info in (PndGeoHandling::Instance): Making a new instance using the framework.
fRun->Init()
[INFO ] The input consists out of the following trees and files:
[INFO ] - cbmsim
[INFO ]   - sim_complete_new.root
[INFO ] - FriendTree_1
[INFO ]   - digi_complete_new.root
[INFO ] Parameter and input file are available, Assure that basic info is there for the run!
[INFO ] The number of entries in chain is 100000
```

---

\*\*\*\*\*  
initialisation for run id 1389607814  
\*\*\*\*\*

```
-I- FairRunTimeDB::InitContainer() FairBaseParSet
[ERROR ] init() FairBaseParSet not initialized
Error in <FairRuntimeDb::initContainers():> Error occurred during initialization
-I container name PndGeoSttPar
Fatal in <PndGeoHandling::PndGeoHandling>: No gGeoManager found.
aborting
#0 0x00007fb8625b583e in __libc_waitpid (pid=<optimized out>, stat_loc=0x7fff5b07941c,
options=<optimized out>) at ../sysdeps/unix/sysv/linux/waitpid.c:32
#1 0x00007fb8625532c9 in do_system (line=<optimized out>) at
../sysdeps/posix/system.c:149
#2 0x00007fb863548f06 in TUnixSystem::Exec (this=0x23c7430, shellcmd=0xa9696d0
"/d/panda01/mpatsyuk/apr13/apr13/etc/gdb-backtrace.sh 14212 1>&2") at
/d/panda01/mpatsyuk/apr13/tools/root/core/unix/src/TUnixSystem.cxx:2088
#3 0x00007fb8635497d4 in TUnixSystem::StackTrace (this=0x23c7430) at
/d/panda01/mpatsyuk/apr13/tools/root/core/unix/src/TUnixSystem.cxx:2336
#4 0x00007fb86343951e in DefaultErrorHandler (level=6000, abort_bool=true,
location=0x7fb863d18216 "PndGeoHandling::PndGeoHandling", msg=0xa967ca0 "No
gGeoManager found.") at /d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TError.cxx:188
#5 0x00007fb86343982a in ErrorHandler(Int_t, const char *, const char *, typedef
__va_list_tag __va_list_tag *) (level=6000, location=0x7fb863d18216
"PndGeoHandling::PndGeoHandling", fmt=0x7fb85788abce "No gGeoManager found.",
ap=0x7fff5b07b8c0) at /d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TError.cxx:244
#6 0x00007fb863453e03 in TObject::DoError (this=0x34a11c0, level=6000,
location=0x7fb85788ab17 "PndGeoHandling", fmt=0x7fb85788abce "No gGeoManager
```

found.", va=0x7fff5b07b8c0) at  
/d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TObject.cxx:861  
#7 0x00007fb863454317 in TObject::Fatal (this=0x34a11c0, location=0x7fb85788ab17  
"PndGeoHandling", fmt=0x7fb85788abce "No gGeoManager found.") at  
/d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TObject.cxx:926  
#8 0x00007fb857858865 in PndGeoHandling::SetParContainers (this=0x34a11c0) at  
/u/mpatsyuk/PANDA/new\_trunk/PndTools/generalTools/PndGeoHandling.cxx:74  
#9 0x00007fb8584dfcf2 in FairTask::SetParTask (this=0x34a11c0) at  
/u/mpatsyuk/PANDA/new\_trunk/base/steer/FairTask.cxx:78  
#10 0x00007fb8584dfffc in FairTask::SetParTasks (this=0x2f3f900) at  
/u/mpatsyuk/PANDA/new\_trunk/base/steer/FairTask.cxx:142  
#11 0x00007fb8584dfcfe in FairTask::SetParTask (this=0x2f3f900) at  
/u/mpatsyuk/PANDA/new\_trunk/base/steer/FairTask.cxx:79  
#12 0x00007fb8584d6279 in FairRunAna::Init (this=0x2f3f700) at  
/u/mpatsyuk/PANDA/new\_trunk/base/steer/FairRunAna.cxx:230  
#13 0x00007fb85854041a in G\_\_G\_\_BaseDict\_618\_0\_5 (result7=0x7fff5b087660,  
funcname=0x2f1a210 "", libp=0x7fff5b07cc50, hash=0) at  
/u/mpatsyuk/PANDA/build\_Squeeze64\_Apr2013/base/G\_\_BaseDict.cxx:8410  
#14 0x00007fb861948ecc in Cint::G\_\_ExceptionWrapper (funcp=0x7fb8585403ec  
<G\_\_G\_\_BaseDict\_618\_0\_5(G\_\_value\*, char const\*, G\_\_param\*, int>,  
result7=0x7fff5b087660, funcname=0x2f1a210 "", libp=0x7fff5b07cc50, hash=0) at  
cint/cint/src/Api.cxx:393  
#15 0x00007fb861a256e5 in G\_\_execute\_call (result7=0x7fff5b087660, libp=0x7fff5b07cc50,  
ifunc=0x2f1a210, ifn=0) at cint/cint/src/newlink.cxx:2408  
#16 0x00007fb861a26098 in G\_\_call\_cppfunc (result7=0x7fff5b087660, libp=0x7fff5b07cc50,  
ifunc=0x2f1a210, ifn=0) at cint/cint/src/newlink.cxx:2612  
#17 0x00007fb8619fea6b in G\_\_interpret\_func (result7=0x7fff5b087660,  
funcname=0x2b12e80 "Init", libp=0x7fff5b07cc50, hash=404, p\_ifunc=0x2f1a210,  
funcmatch=1, memfunc\_flag=1) at cint/cint/src/ifunc.cxx:5791  
#18 0x00007fb8619d7a79 in G\_\_getfunction (item=0x23e7ac6 "Init()",  
known3=0x7fff5b088908, memfunc\_flag=1) at cint/cint/src/func.cxx:2660  
#19 0x00007fb861b168fd in G\_\_getstructmem (store\_var\_type=112, varname=...,  
membername=0x23e7ac6 "Init()", memnamesize=2147483647, tagname=0x2b12250 "fRun",  
known2=0x7fff5b088908, varglobal=0x7fb861de1160, objptr=2) at cint/cint/src/var.cxx:6818  
#20 0x00007fb861b061db in G\_\_getvariable (item=0x23e7ac0 "fRun->Init()",  
known=0x7fff5b088908, varglobal=0x7fb861de1160, varlocal=0x7fff5b08bba0) at  
cint/cint/src/var.cxx:5404  
#21 0x00007fb8619c6788 in G\_\_getitem (item=0x23e7ac0 "fRun->Init()") at  
cint/cint/src/expr.cxx:1906  
#22 0x00007fb8619c3f37 in G\_\_getexpr (expression=0x24029f0 "fRun->Init()") at  
cint/cint/src/expr.cxx:1488  
#23 0x00007fb861a592ab in G\_\_exec\_function (statement=..., pc=0x7fff5b08b27c,  
piout=0x7fff5b08b278, plargestep=0x7fff5b08b270, presult=0x7fff5b08b1a0) at  
cint/cint/src/parse.cxx:645  
#24 0x00007fb861a6a28c in G\_\_exec\_statement (mparen=0x7fff5b08beac) at  
cint/cint/src/parse.cxx:7371  
#25 0x00007fb861a0211d in G\_\_interpret\_func (result7=0x7fff5b096c90,  
funcname=0x23da050 "reco\_complete", libp=0x7fff5b08c280, hash=1377,  
p\_ifunc=0x2ae5d50, funcmatch=1, memfunc\_flag=0) at cint/cint/src/ifunc.cxx:6710  
#26 0x00007fb8619d883d in G\_\_getfunction (item=0x23d9830 "reco\_complete()",  
known3=0x7fff5b096f58, memfunc\_flag=0) at cint/cint/src/func.cxx:2901  
#27 0x00007fb8619c68a8 in G\_\_getitem (item=0x23d9830 "reco\_complete()") at

```
cint/cint/src/expr.cxx:1918
#28 0x00007fb8619c3f37 in G__getexpr (expression=0x2bcc340 "reco_complete()") at
cint/cint/src/expr.cxx:1488
#29 0x00007fb8619b073b in G__calc_internal (exprwithspace=0x23db8a0 "reco_complete()") at
cint/cint/src/expr.cxx:1071
#30 0x00007fb861a752a9 in G__process_cmd (line=0x2bcb710 ".X
/SAT/lustre/panda/mpatsyuk/pandaroot/trunk/macro/run1./reco_complete.C",
prompt=0x23cb0b8 "", more=0x23cb0b0, err=0x7fff5b09a96c, rslt=0x7fff5b09a900) at
cint/cint/src/pause.cxx:2333
#31 0x00007fb8634f03f2 in TCint::ProcessLine (this=0x23cb070, line=0x2bcb710 ".X
/SAT/lustre/panda/mpatsyuk/pandaroot/trunk/macro/run1./reco_complete.C",
error=0x7fff5b09d794) at /d/panda01/mpatsyuk/apr13/tools/root/core/meta/src/TCint.cxx:545
#32 0x00007fb8634f0a84 in TCint::ProcessLineSynch (this=0x23cb070, line=0x2bcb710 ".X
/SAT/lustre/panda/mpatsyuk/pandaroot/trunk/macro/run1./reco_complete.C",
error=0x7fff5b09d794) at /d/panda01/mpatsyuk/apr13/tools/root/core/meta/src/TCint.cxx:624
#33 0x00007fb863414fe1 in TApplication::ExecuteFile (file=0x7fff5b09b733
"reco_complete.C", error=0x7fff5b09d794, keep=false) at
/d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TApplication.cxx:1028
#34 0x00007fb863414856 in TApplication::ProcessFile (this=0x2513580, file=0x7fff5b09b733
"reco_complete.C", error=0x7fff5b09d794, keep=false) at
/d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TApplication.cxx:904
#35 0x00007fb863414773 in TApplication::ProcessLine (this=0x2513580, line=0x7fff5b09b730
".x reco_complete.C", sync=false, err=0x7fff5b09d794) at
/d/panda01/mpatsyuk/apr13/tools/root/core/base/src/TApplication.cxx:877
#36 0x00007fb862fd248c in TRint::Run (this=0x2513580, retrn=false) at
/d/panda01/mpatsyuk/apr13/tools/root/core/rint/src/TRint.cxx:418
#37 0x00000000000401322 in main (argc=1, argv=0x7fff5b09d948) at
/d/panda01/mpatsyuk/apr13/tools/root/main/src/rmain.cxx:29
```

Could you please help me about it?

Best regards,  
Maria

---

Subject: Re: crash in run/reco\_complete.C  
Posted by [StefanoSpataro](#) on Thu, 16 Jan 2014 09:29:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Strange that the gGeoManager is not found, have you properly set the parameter root file? It should be stored there.

Can you upload your sim/digi/reco macros?

---

---

Subject: Re: crash in run/reco\_complete.C  
Posted by [Jifeng Hu](#) on Thu, 16 Jan 2014 10:40:22 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

no crash for me.

So please report your sub-version of panda root, and more related information in your testing.

---

---

---

Subject: Re: crash in run/reco\_complete.C

Posted by [Stefan Pflueger](#) on Thu, 16 Jan 2014 13:21:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Same here. Worked fine. Maybe rerun everything from scratch and check that nothing additional is changed.

Stefan

---