
Subject: (SOLVED)Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Mamen](#) on Tue, 15 Apr 2014 16:12:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi, everybody!

Finally after so many years of delay I'm learning how to use PandaRoot.

I got some macro from Dmitry Khaneft and I am trying to reproduce his analysis to start learning a bit the code.

By now I have already encountered some problems. The Class TCandList has been changed to RhoCandList, and some of the methods seem not to be available anymore.

For instance I was trying to get some EMC information:

```
for (Int_t j=0;j<negative.GetLength();++j){
    if(negative[j].GetMicroCandidate().GetEmcIndex(>-1){
        // *** Fill momentum vs E/p
        hEPvsP-> Fill(negative[j].GetMicroCandidate().GetMomentum().Mag(),negative[j].GetMicroCandidate().GetEmcCalEnergy()/negative[j].GetMicroCandidate().GetMomentum().Mag());
        // *** Fill number of crystals hit in the EMC
        hNCrystalsEMC->Fill(negative[j].GetMicroCandidate().GetEmcNumberOfCrystals());
    }
}
```

the object 'negative' is defined as follows:

RhoCandList negative;

and it refers to the negative tracks.

The method GetMicroCandidate() doesn't exist anymore in the class RhoCandList.

I was trying to find out how to do this using the new RhoCandList, instead of the old TCandList, but I could not manage to find any documentation ...

Could somebody help me? Please!

Thanks a lot in advance!

Cheers!

Mamen

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [StefanoSpataro](#) on Tue, 15 Apr 2014 16:17:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

Now it is called GetRecoCandidate.

A nice documentation can be found non only here but also with more details here.

Good luck!

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Klaus Götzen](#) on Tue, 15 Apr 2014 16:21:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Mamen,

you can access the PndPidCandidate (previously called PndMicroCandidate) with

```
PndPidCandidate *pidCand = (PndPidCandidate*) negative[jj]->GetRecoCandidate();
```

Best,
Klaus

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Mamen](#) on Tue, 15 Apr 2014 16:42:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks Stefano and Klaus,

GetRecoCandidate somehow works, however, there is still something which is not really working.

Although i can see the method GetEmcIndex() defined in the code here:

[https://subversion.gsi.de/trac/fairroot/browser/pandaroot/trunk/pnddata/](https://subversion.gsi.de/trac/fairroot/browser/pandaroot/trunk/pnddata/PidData/PndPidCandidate.h)

[PidData/PndPidCandidate.h](https://subversion.gsi.de/trac/fairroot/browser/pandaroot/trunk/pnddata/PidData/PndPidCandidate.h)

I get errors when I run the analysis:

Test code:

```
cout<< "GetEmcIndex() -> "<< negative[jj].GetRecoCandidate().GetEmcIndex() <<endl;
```

Error:

Warning: wrong member access operator '.' ana_complete.C:157:

Warning: wrong member access operator '.' ana_complete.C:157:

Error: Can't call FairRecoCandidate::GetEmcIndex() in current scope ana_complete.C:157:

Possible candidates are...

(in FairRecoCandidate)

(in FairMultiLinkedData)

Error: non class,struct,union object GetRecoCandidate() used with . or -> ana_complete.C:157:

GetEmcIndex() -> (class G__CINT_ENDL)26133456

*** Interpreter error recovered ***

And it breaks...

Other methods, like for example:

```
negative[jj].GetRecoCandidate().GetMomentum().Mag()
```

work instead:

Code, commenting out the other line:

```
cout<< "GetMomentum() -> "<< negative[j].GetRecoCandidate().GetMomentum().Mag()  
<<endl;
```

some of the outputs inside the loop:

....

```
GetMomentum() -> 0.883354  
GetMomentum() -> 0.976688  
GetMomentum() -> 1.15377  
evt 500
```

....

(of course I'm just printing it out on screen as a control sequence)

Somehow it looks to me like some kind of bug(?), or am I still doing something wrong?

Thanks again!
Cheers,

Mamen

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Klaus Götzen](#) on Tue, 15 Apr 2014 17:50:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Mamen,

as I wrote (and as it is written in the docu Stefano linked to), you have to cast the FairRecoCandidate (= base class) to the PndPidCandidate to access the full functionality. I.e. to access the EMC specific stuff, you need the cast, since the FairRecoCandidate knows about momentum etc, but not about detector specific information.

Therefore it might be more clear to create first a proper pointer to the PndPidCandidate and use it afterwards. You could also try a construction like

```
cout<< "GetEmcIndex() -> "<<  
((PndPidCandidate*)negative[j]->GetRecoCandidate()->GetEmcIndex() <<endl;
```

but actually, I don't know whether it works, and it looks quite ugly...

Best,
Klaus

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Stefano Spataro](#) on Tue, 15 Apr 2014 17:55:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Just one comment: this only works with full reco. In fast sim you cannot access to PID detectors information such as EMC cal energy, I believe.

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Klaus Götzen](#) on Tue, 15 Apr 2014 18:07:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

that's not completely true. Some of the values which are created by e.g. PID detectors are actually filled. Which values are available can be seen in PndFastSim.cxx, line 441 ff.

```
441 pidCand->SetMclIndex(iTrack);
442 pidCand->SetMvdDEDX( ft->detResponse()->MvddEdx() );
443 //pidCand->SetMvdDEdxErr( ft->detResponse()->MvddEdxErr() );
444 pidCand->SetSttMeanDEDX( ft->detResponse()->SttdEdx() );
445 //pidCand->SetSttDEdxErr( ft->detResponse()->SttdEdxErr() );
446 pidCand->SetTofM2( ft->detResponse()->m2() );
447 //pidCand->SetTofM2Err( ft->detResponse()->m2Err() );
448 pidCand->SetDrcThetaC( ft->detResponse()->DrcBarrelThtc() );
449 pidCand->SetDrcThetaCErr( ft->detResponse()->DrcBarrelThtcErr() );
450 pidCand->SetDrcNumberOfPhotons(0);
451 pidCand->SetDiscThetaC( ft->detResponse()->DrcDiscThtc() );
452 pidCand->SetDiscThetaCErr( ft->detResponse()->DrcDiscThtcErr() );
453 pidCand->SetDiscNumberOfPhotons(0);
454 pidCand->SetRichThetaC( ft->detResponse()->RichThtc() );
455 pidCand->SetRichThetaCErr( ft->detResponse()->RichThtcErr() );
456 pidCand->SetRichNumberOfPhotons(0);
457 pidCand->SetEmcCalEnergy(ft->detResponse()->EmcEcal() );
458 pidCand->SetMuolIron(ft->detResponse()->MuolIron() );
```

Best,
Klaus

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Stefano Spataro](#) on Tue, 15 Apr 2014 18:24:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ok but the GetEmcIndex, which gives crashes to Mamen, is not filled

Subject: Re: Obtain Raw Info from Calorimeter (old GetMicroCandidate from TCandList class)

Posted by [Mamen](#) on Wed, 16 Apr 2014 08:49:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

Thanks a lot to both of you!

I finally could access the information I wanted

Cheers!

Mamen
