

---

Subject: LYCCA - w-DSSSD Time Gated  
Posted by [thuyuk](#) on Wed, 13 Aug 2014 10:48:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi all,

I would like to make use of LYCCA.DSSSDTimeGated processor but I have some information missing: I couldn't locate the time signals of the p-side of the silicons in Crates.config. Would you be so kind to help me to update my config files?

Thank you very much in advance!

Tayfun

---

---

Subject: Re: LYCCA - w-DSSSD Time Gated  
Posted by [miree](#) on Wed, 13 Aug 2014 12:01:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Here is the layout of the Target and ToF crate as it was used in the 2014 campaign. I believe it was the same in 2012

```
crate LyccaTargetToFcrate
  procid 90
  module adc0 LYCCA.v785 # Target DSSSD p-side amplitudes
  module adc1 LYCCA.v785 # Target DSSSD n-side amplitudes
  module tdc LYCCA.v775 # Target DSSSD times (I don't know if p- or n-side times)
  module mhtdc0 LYCCA.v1290TMM # ToF scintillators
  module mhtdc1 LYCCA.v1290TMM # ToF scintillators
  module mhtdc2 LYCCA.v1290TMM # ToF scintillators
end
```

---

Subject: Re: LYCCA - w-DSSSD Time Gated  
Posted by [thuyuk](#) on Wed, 13 Aug 2014 12:06:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Michael,

Thank you very much for your reply.

I seems that I have the same layout. I'm a little bit confused: Do we have the time signals from one of the sides of the wall-DSSSD detectors?

Thank you!

---

---

Subject: Re: LYCCA - w-DSSSD Time Gated

---

Posted by [miree](#) on Wed, 13 Aug 2014 12:27:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

yes... the TargetDSSSD times were not always present in the 2014 campaign. I don't remember if there were similar problems in 2012. It could be that this module didn't read the TargetDSSSD time signals.

Here are the WallDSSSD unpackers. The Wall DSSSD times are read by the CAENv767 multihit TDCs. They have 128 channels, which is enough for one side of all DSSSD modules in each crate. Again I'm not sure if p- or n-side times are read. As far as I remember, these were always present.

While analyzing commissioning data, I never used these time signals. Perhaps someone in the LYCCA collaboration has experience in how this information can be used.

```
crate LyccaWallCrate1
  procid 70
  module adc01 LYCCA.v785
  module adc02 LYCCA.v785
  module adc05 LYCCA.v785
  module adc06 LYCCA.v785
  module adc07 LYCCA.v785
  module adc08 LYCCA.v785
  module adc11 LYCCA.v785
  module adc12 LYCCA.v785
  module mhtdc LYCCA.v767
end
```

```
crate LyccaWallCrate2
  procid 80
  module adc13 LYCCA.v785
  module adc14 LYCCA.v785
  module adc17 LYCCA.v785
  module adc18 LYCCA.v785
  module adc19 LYCCA.v785
  module adc20 LYCCA.v785
  module adc23 LYCCA.v785
  module adc24 LYCCA.v785
  module mhtdc LYCCA.v767
end
```

---

Subject: Re: LYCCA - w-DSSSD Time Gated

Posted by [thuyuk](#) on Wed, 13 Aug 2014 12:30:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

All right! Thanks a lot for the crate entries for the time signals of w-DSSSD!

Cheers,

---

---

Subject: Re: LYCCA - w-DSSSD Time Gated  
Posted by [Damian Ralet](#) on Wed, 13 Aug 2014 12:33:47 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Tayfun,

I did not look at it myself, but I know that Pico was looking at the timing of the target DSSD, and he was having time information for the Pb experiment. He presented a few slides on his analysis during the EGAN meeting this year.

Cheers,  
Damian

---

---

Subject: Re: LYCCA - w-DSSSD Time Gated  
Posted by [thuyuk](#) on Wed, 13 Aug 2014 12:37:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Damian,

Thanks a lot for the information.

I made use of the time of Target-DSSSD, but my intention was to make use of the Wall-DSSSD. We are suspecting possible pile-ups due to the high counting rate. We thought it might be useful to use a condition on time of the detector itself to suppress artificial effects. Maybe we are wrong but we would like to try it anyway

Cheers

---

---

Subject: Re: LYCCA - w-DSSSD Time Gated  
Posted by [mlcortes](#) on Wed, 13 Aug 2014 13:24:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Tayfun,

We looked at the times of the WallDssd for the Pb data of 2012. As Michael mentioned, the times of the wall (only the p-side) are read by Multihit modules. What we did, and seems to work quite fine, is to select the first hit of this modules and use it as the input for the Dssd processor. By doing this I can see nice time-energy spectra for all the modules. This selection (for my data) removes the need of a time-energy gate, so you can keep using the normal DSSD processor. I think there you can see if you need an additional gate for your case. Actually we see a double time structure that seems to come from the different electronic chain of the modules 19,20,23 and 24. If you see the same, let us know! We are still not sure about the origin of it.

The code I am using goes like this:  
Before the DSSD processors I select the hit

```
processor Lycca/WallDssdPreproc UTILS.HitPick  
  input_array[0:127] <- LyccaWallCrate1.tdc[0:127]
```

```

# display out_first
end
processor Lycca/WallDssdPreproc1 UTILS.HitPick
  input_array[0:127] <- LyccaWallCrate2.tdc[0:127]
# display out_first
end

```

And after that I put the time input if the DSSD processor. Here i copy just an example of the module 01 with all the inputs and visualization

```

processor Lycca/WallDssd01 LYCCA.DSSSD
  #triggers 8 9 10
  amplitude_p[0:15] <- LyccaWallCrate1.adc01[0:15]
  amplitude_n[0:15] <- LyccaWallCrate1.adc01[16:31]
  time_p[0:15] <- Lycca/WallDssdPreproc.out_first[0:15]
  display time_p      in WallDssd/Module01/time_p
    display amplitude_p 2048,0,4096      in WallDssd/Module01/amplitude_p
    display amplitude_n 2048,0,4096      in WallDssd/Module01/amplitude_n
    display multiplicity_p 32,0,32      in WallDssd/Module01/multiplicity
    display multiplicity_n 32,0,32      in WallDssd/Module01/multiplicity
    display multiplicity_t 32,0,32      in WallDssd/Module01/multiplicity
  display multiplicity_p:multiplicity_t  in WallDssd/Module01/multiplicity 32,0,32: 32,0,32
  display cluster_multiplicity_p 32,0,32  in WallDssd/Module01/cluster_multiplicity
    display cluster_multiplicity_n 32,0,32  in WallDssd/Module01/cluster_multiplicity
    display cal_amplitude_p:cal_amplitude_n  in WallDssd/Module01
    display amplitude_p:amplitude_n      in WallDssd/Module01
    display dE                          in WallDssd/Module01
    display cal_time_p      in WallDssd/Module01/cal_times
    display cal_time_p:cal_amplitude_p  in WallDssd/Module01
    display time_p_sum:dE_p  500,0,10000:500,300,4000 in WallDssd/Module01
end

```

The last spectra should show you a nice energy time plot. Hope this is useful for you and let us know if you have any problem

---

Subject: Re: LYCCA - w-DSSSD Time Gated  
 Posted by [thuyuk](#) on Wed, 13 Aug 2014 16:57:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Liliana,

Many thanks for sharing the related part of the config file.

One question: In the DSSD module 12, the cable assignment doesn't follow the trend, e.g.:

```

amplitude_p[0:13] <- LyccaWallCrate1.adc12[0:13]

```

```
amplitude_p[15] <- LyccaWallCrate1.adc12[15]  
amplitude_n[0:15] <- LyccaWallCrate1.adc12[16:31]
```

do you know if the same applies for the time signals?

Thanks!  
Tayfun

edit: Sorry! I just saw that only strip #14 is missing. I certainly can handle this! Please ignore this message.

---