Subject: FTF generator

Posted by Aida Galoyan on Wed, 04 Mar 2015 15:27:37 GMT

View Forum Message <> Reply to Message

Hi Ralf,

why do you replace files with "c" extension (Test30Materials.c, Test30HadronProduction.c and so on) on the files \*.cxx .

After your changing, FTFmake is not working. It crashes.

If I return \*.c, FTFmake works and FTFGen exe-file is created.

Aida

Subject: Re: FTF generator

Posted by Ralf Kliemt on Wed, 04 Mar 2015 16:09:26 GMT

View Forum Message <> Reply to Message

Hello Aida.

The issue is, that with the \*.c extension our CMake based compilation fails. When modifying the standard\_FORTRAN.mk to read the \*.cxx files, it will try to compile PndFtfDirect, which is not desirable as all settings from CMake are not available in the standalone version.

What I did now (please update): There is the executable <build>/bin/FTFGen in the standard CMake compilation.

Another solution will be to manually specify the relevant .cxx files in the standard\_FORTRAN.mk. I'm not sure how to do that correctly.

Kind regards.

Ralf

Subject: Re: FTF generator

Posted by Aida Galoyan on Wed, 04 Mar 2015 16:52:08 GMT

View Forum Message <> Reply to Message

Hello Ralf,

CMake based compilation can work with file.cc.

So, I assume, if you replace PndFtfDirect.cxx on PndFtfDirect.cc CMAke will compile.

In this case, I will perform corresponding changes (\*.c on \*.cxx) in \*.mk files, to work FTFmake.

I think, it is solution for work of both: standalone FTFmake and FTFdirect.

Subject: Re: FTF generator

Posted by Stefano Spataro on Wed, 04 Mar 2015 18:47:14 GMT

View Forum Message <> Reply to Message

The last change break the build, please fix it.

In any case PndFtfDirect should have the priority over the compiled version. If the bin does not compile with .cxx it means that the makefile needs some changed, most probably by substituting .c with .cxx.

Subject: Re: FTF generator

Posted by Ralf Kliemt on Thu, 05 Mar 2015 10:09:08 GMT

View Forum Message <> Reply to Message

StefanoSpataro wrote on Wed, 04 March 2015 19:47The last change break the build, please fix it.

It's OK for me - both old and new fairsoft. Freshly checked out.

StefanoSpataro wrote on Wed, 04 March 2015 19:47If the bin does not compile with .cxx it means that the makefile needs some changed, most probably by substituting .c with .cxx. Exactly, however there is the issue that it then tries to compile also FtfDirect (also a.cxx). I'll play around with positioning FtfDirect.

Ralf

Subject: Re: FTF generator

Posted by Aida Galoyan on Thu, 05 Mar 2015 10:26:36 GMT

View Forum Message <> Reply to Message

Hello Ralf and Stefano,

I don't understand, why PndFtfDirect.cxx

is directly implemented in /FtfEvtGen directory.

I created this directory for standalone FTF calculations.

For example, earlier, PndDpmDirect.cxx is implemented in /pgenerators directory.

How I understand, when we run FTFmake,

PndFtfDirect.cxx is conflicted with other files in the directory,

for example, with main.cc.

I think, the solution will be following.

If you move PndFtfDirect.cxx to /pgenerators directory,

similar PndDpmDirect.cxx, I will perform corresponding changes:

to remove \*.c on \*.cxx in needed makefiles.

If you have better solution, I will be glad. In any case, it is needed to have normal working FTFmake.

Aida

Subject: Re: FTF generator

Posted by StefanoSpataro on Thu, 05 Mar 2015 11:26:05 GMT

View Forum Message <> Reply to Message

This could make sense, and since it worked for dpm it should work also for ftf.

Subject: Re: FTF generator

Posted by Ralf Kliemt on Thu, 05 Mar 2015 12:19:32 GMT

View Forum Message <> Reply to Message

Hello.

The binary (FTFGen) is automatically compiled by Pandaroot and is installed in your build/bin directory, next to DPMGen.

I am able to put FtfDirect into the PGen library (now that I sorted out some lib issues).

However, I have trouble to compile with the standalone makefile. The Problem is that the include files are not found. Which environment setup should one have (e.g. Geant4?) to compile Ftf?

Lastly: Is it really necessary to have the standalone compilation? I would agree for a package \_outside\_ of our svn repository.

Cheers! Ralf

Subject: Re: FTF generator

Posted by Ralf Kliemt on Thu, 05 Mar 2015 13:32:18 GMT

View Forum Message <> Reply to Message

Hello Aida,

it should be OK for you now.

Ralf

Subject: Re: FTF generator

Posted by StefanoSpataro on Thu, 05 Mar 2015 15:52:53 GMT

View Forum Message <> Reply to Message

```
Subject: Re: FTF generator
Posted by StefanoSpataro on Fri, 06 Mar 2015 14:05:11 GMT
View Forum Message <> Reply to Message
Now maybe it is fixed in Linux, but in Mac I can see the following:
Linking CXX executable ../../bin/FTFGen
Undefined symbols for architecture x86_64:
 "G4Evaporation::SetGEMChannel()", referenced from:
   main in main.cc.o
 "G4Evaporation::SetDefaultChannel()", referenced from:
   main in main.cc.o
 "G4Evaporation::SetCombinedChannel()", referenced from:
   main in main.cc.o
 "G4Evaporation::G4Evaporation()", referenced from:
    main in main.cc.o
 "G4ProductionCuts::G4ProductionCuts()", referenced from:
   main in main.cc.o
 "G4BGGPionElasticXS::G4BGGPionElasticXS(G4ParticleDefinition const*)", referenced from:
    main in main.cc.o
 "G4ChipsComponentXS::G4ChipsComponentXS()", referenced from:
   main in main.cc.o
 "G4PreCompoundModel::UseNGB()", referenced from:
   main in main.cc.o
 "G4PreCompoundModel::UseSCO()", referenced from:
   main in main.cc.o
 "G4PreCompoundModel::UseSICB()", referenced from:
   main in main.cc.o
 "G4PreCompoundModel::SetOPTxs(int)", referenced from:
    main in main.cc.o
 "G4PreCompoundModel::UseCEMtr()", referenced from:
   main in main.cc.o
 "G4PreCompoundModel::G4PreCompoundModel(G4ExcitationHandler*)", referenced from:
   main in main.cc.o
 "G4ExcitationHandler::SetParameters()", referenced from:
   G4ExcitationHandler::SetOPTxs(int) in main.cc.o
   G4ExcitationHandler::UseSICB() in main.cc.o
 "G4ExcitationHandler::SetEvaporation(G4VEvaporation*)", referenced from:
   _main in main.cc.o
 "G4ExcitationHandler::SetMinEForMultiFrag(double)", referenced from:
    main in main.cc.o
 "G4ExcitationHandler::SetMaxAandZForFermiBreakUp(int, int)", referenced from:
    main in main.cc.o
 "G4ExcitationHandler::G4ExcitationHandler()", referenced from:
   main in main.cc.o
 "G4BGGPionInelasticXS::G4BGGPionInelasticXS(G4ParticleDefinition const*)", referenced
```

main in main.cc.o

```
"G4MaterialCutsCouple::G4MaterialCutsCouple(G4Material const*, G4ProductionCuts*)",
referenced from:
    main in main.cc.o
 "G4BGGNucleonElasticXS::G4BGGNucleonElasticXS(G4ParticleDefinition const*)",
referenced from:
   main in main.cc.o
 "G4HadronCrossSections::GetInelasticCrossSection(G4DynamicParticle const*, int, int)",
referenced from:
    main in main.cc.o
 "G4HadronCrossSections::Instance()", referenced from:
    main in main.cc.o
 "G4ProductionCutsTable::GetProductionCutsTable()", referenced from:
    main in main.cc.o
 "G4HadronElasticDataSet::G4HadronElasticDataSet(G4String const&)", referenced from:
    main in main.cc.o
 "G4lonsShenCrossSection::G4lonsShenCrossSection()", referenced from:
   main in main.cc.o
 "G4TripathiCrossSection::G4TripathiCrossSection()", referenced from:
    main in main.cc.o
 "G4VCrossSectionDataSet::ComputeCrossSection(G4DynamicParticle const*, G4Element
const*, G4Material const*)", referenced from:
   G4VCrossSectionDataSet::GetCrossSection(G4DynamicParticle const*, G4Element
const*, G4Material const*) in main.cc.o
 "G4BGGNucleonInelasticXS::G4BGGNucleonInelasticXS(G4ParticleDefinition const*)",
referenced from:
    main in main.cc.o
 "G4PiNuclearCrossSection::G4PiNuclearCrossSection()", referenced from:
   main in main.cc.o
 "G4HadronInelasticDataSet::G4HadronInelasticDataSet(G4String const&)", referenced from:
   main in main.cc.o
 "G4TripathiLightCrossSection::G4TripathiLightCrossSection()", referenced from:
    main in main.cc.o
 "G4ComponentAntiNuclNuclearXS::G4ComponentAntiNuclNuclearXS()", referenced from:
   main in main.cc.o
 "G4ProtonInelasticCrossSection::G4ProtonInelasticCrossSection()", referenced from:
   main in main.cc.o
 "G4NeutronInelasticCrossSection::G4NeutronInelasticCrossSection()", referenced from:
   _main in main.cc.o
ld: symbol(s) not found for architecture x86 64
clang: error: linker command failed with exit code 1 (use -v to see invocation)
make[2]: *** [bin/FTFGen] Error 1
make[1]: *** [pgenerators/FtfEvtGen/CMakeFiles/FtfEvtGen exe.dir/all] Error 2
make: *** [all] Error 2
```

There is still something missing, since before (27139) it was compiling.

Subject: Re: FTF generator

Posted by Ralf Kliemt on Mon, 09 Mar 2015 10:22:39 GMT

View Forum Message <> Reply to Message

Hi Stefano,

I have no access to a mac with a running pandaroot. My first guess is missing lib dependencies, so I added some in Pgen. Maybe, stefano, you could provide me a sandbox account to look at the issue?

Cheers Ralf

Subject: Re: FTF generator

Posted by Aida Galoyan on Mon, 09 Mar 2015 15:52:27 GMT

View Forum Message <> Reply to Message

Hi Stefano,

In GSI Linux, FTF works in new version of PandaRoot. Just now, I have installed and checked.

In Mac, to overcome errors

please, add in /FtfEvtGen/common.mk

in line

LDLIBS += \$(PANDALIBS) -L\$(GEANT4\_LIBRARY\_DIR) -IG4clhep -IG4global -IG4geometry -IG4physicslists \$(GLIBS)

-IG4processes

before \$(GLIBS)

Good luck Aida

Subject: Re: FTF generator

Posted by Stefano Spataro on Tue, 10 Mar 2015 01:18:49 GMT

View Forum Message <> Reply to Message

Dear all,

a G4processes was missing in the CMakeLists.txt, in target\_link\_libraries for "Darwin". Now it is fixed.