
Subject: Day1 master macros

Posted by [StefanoSpataro](#) on Mon, 25 Jul 2016 12:09:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all,

from svn release 29337 you can start to use macros with day1 settings, which means:

Cluster Jet Target No GEM planes No Disc FTS planes 1234 No RICH

You can find the macros in macros/qa/day1. You need only to add one line:

```
fRun->SetOptions("day1");
```

Please start to test them, so that a release can be created.

Subject: Re: Day1 master macros

Posted by [StefanoSpataro](#) on Fri, 29 Jul 2016 09:10:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Just to add something more about SetOptions().

From doxygen:

```
/**
 * @brief Setter of the simulation options
 * @detail This string can be:
 * "" -> default settings full setup
 * "day1" -> Setup for day1 experiment: no GEM, FTS1234, NO DISC, NO RICH
 * "gem" (added to "day1") -> Setup for day1 experiment with 3 GEM planes
 * "fts1256" (added to "day1") -> Setup for day1 experiment with FTS1256 insted of FTS1234
 * Example: "day1+gem+fts1256" means day1 setup + GEM planes + fst1256
 */
```

Subject: Re: Day1 master macros

Posted by [Dmitry Khaneft](#) on Wed, 24 Aug 2016 11:47:49 GMT

[View Forum Message](#) <> [Reply to Message](#)

What version of FairSoft and FairRoot should we use? Root5 or root6?

Subject: Re: Day1 master macros

Posted by [StefanoSpataro](#) on Wed, 24 Aug 2016 15:34:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

You can check the code development suggested versions. I tried also with FairSoft may16 and FairRoot v-16.06 and they seem to work fine. Root5 to be safe.

Subject: Re: Day1 master macros
Posted by [Dmitry Khanef](#) on Fri, 25 Nov 2016 16:01:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

We try to install fairsoft_may16p1 on our local cluster in Mainz (HIMster) using the following options:

```
compiler=gcc
debug=no
optimize=no
geant4_download_install_data_automatic=yes
geant4_install_data_from_dir=no
build_root6=no
build_python=no
install_sim=yes
platform=linux
```

During the compilation we encountered the following message:

```
[ 50%] Built target gitcommit
[ 50%] Built target BaseTROOT
[ 50%] Built target G__Thread
[ 51%] Built target ThreadObjs
[ 51%] Built target LZMALIBS
[ 51%] Built target Core
[ 51%] Built target Thread
[ 51%] Built target RIO
[ 51%] Built target MetaLLVM
[ 52%] Built target Cling
[ 52%] Linking CXX executable ../../bin/rootcling
In: creating hard link `rootcint' => `rootcling': Operation not permitted
make[2]: *** [bin/rootcling] Error 1
make[2]: *** Deleting file `bin/rootcling'
make[1]: *** [core/utils/CMakeFiles/rootcling.dir/all] Error 2
make: *** [all] Error 2
**** Checking libraries in
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_build/lib ****
*** ERROR: root could not be created.
  create a symbolic linking for Vc library ....
libVc.a not found in lib directory
*** End installation of external packages with Errors***
```

Installation of fairsoft_may16p1 on my personal PC doesn't create such a link as far as I can tell. HIMster administrator confirmed that hard links are not allowed on the cluster. What and why makes root to create such link?

Cheers,
Dmitry/Alaa

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Mon, 28 Nov 2016 10:38:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

something is wrong here. According to your settings you try to install Root5 whereas rootcling is a tool only compiled and installed if you use Root6.

Could you please check which version of root you use.

When you do

git log

you should see the last revision.

Ciao

Florian

Subject: Re: Day1 master macros
Posted by [Dmitry Khaneft](#) on Mon, 28 Nov 2016 15:59:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Florian,

below are last lines of the git log output:

```
commit bc8f9c5f999cede56c8e790976559ecda6390034
Author: Florian Uhlig <f.uhlig@gsi.de>
Date: Wed Jun 8 15:04:55 2016 +0200
```

Update Readme file.

```
commit 5469c7e79808dd85d08a0628c86e344c53393397
Author: Florian Uhlig <f.uhlig@gsi.de>
Date: Wed Jun 8 14:53:42 2016 +0200
```

Correct changes which came in after rebase from master.

```
commit 7f9bd0c9f23bc487cb46540d322b648f686a64c7
Author: Florian Uhlig <f.uhlig@gsi.de>
Date: Wed Jun 8 14:38:20 2016 +0200
```

Update dependencies.

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Mon, 28 Nov 2016 17:20:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Dmitry,

sorry but I was not precise in my description. Please execute the "git log" command in the tools/root subdirectory.

Ciao

Florian

Subject: Re: Day1 master macros

Posted by [Dmitry Khaneft](#) on Tue, 29 Nov 2016 08:38:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi Florian,

here it is:

```
[khaneftd@himster root]$ git log
commit c0e50470156f75d3d87c7a538cd8d8a185092ece
Author: Enric Tejedor Saavedra <enric.tejedor.saavedra@cern.ch>
Date: Fri Oct 21 10:39:03 2016 +0200
```

Subject: Re: Day1 master macros

Posted by [Jarok](#) on Sun, 04 Dec 2016 20:20:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello.

I have exactly the same problem:

Quote:

```
*** ERROR: root could not be created.
  create a symbolic linking for Vc library ....
libVc.a not found in lib dirctory
*** End installation of external packages with Errors***
```

I'm trying to compile the external packages in a Debian testing amd64 machine; using gcc-4.9.2 (there are problems between gcc-5 or gcc-6 and root6) If I run git log in /tools/root I get:

```
commit 86108d5adde6979551fcbf3d95012f72653dd102
Author: Pere Mato <pere.mato@cern.ch>
Date: Thu Mar 3 10:36:03 2016 +0100
```

Update ROOT version files to v6.06/02.

Subject: Re: Day1 master macros

Posted by [StefanoSpataro](#) on Mon, 05 Dec 2016 10:33:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Jarok,

the installation was tested on Ubuntu 16.04, which mounts gcc 5.4.0. Then it is not a problem of gcc 5, maybe a problem of the Debian distribution. If you go to a too old version of gcc you could have such problems.

Did you try by yourself to install with the "native" gcc? Which errors did you get?

Subject: Re: Day1 master macros

Posted by [Jarok](#) on Mon, 05 Dec 2016 10:46:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hallo.

I tested it in Fedora, Ubuntu and Scientific Linux and I always had to use gcc-4.9.2 (in SL comes with this version) Now in Debian I tried with both gcc-6 and gcc-4.9.2 getting the same error posted before. I used the new FairSoft release and the nov15 version.

Thanks for the answer!

Jose

Subject: Re: Day1 master macros

Posted by [StefanoSpataro](#) on Mon, 05 Dec 2016 10:50:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

Exactly, which FairSoft, FairRoot and PandaRoot version are you installing?

Subject: Re: Day1 master macros

Posted by [Jarok](#) on Mon, 05 Dec 2016 10:56:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

I try to compile the FairSoft master branch; using gcc-6 and gcc-4. Since I had compilations problems I tried the nov15.

Jose

Subject: Re: Day1 master macros
Posted by [Stefano Spataro](#) on Mon, 05 Dec 2016 10:59:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

You should not use master, you should use the suggested versions:

[https://panda-wiki.gsi.de/foswiki/bin/view/Computing/PandaRoot#Suggested
_version_of_the_code](https://panda-wiki.gsi.de/foswiki/bin/view/Computing/PandaRoot#Suggested_version_of_the_code)

Currently (but they could change in the next days):

Quote:For ANALYSIS

FairSoft mar15p6
FairRoot v-15.11c
PandaRoot release jan16
(updated on 08/06/2016)
For CODE DEVELOPMENT NEW

FairSoft may16p1
FairRoot v-16.06
PandaRoot trunk 29475
(updated on 07/09/2016)

These are tested, for sure master is not meant for users and it is not maintained by us. Please use the wiki instructions.

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Tue, 06 Dec 2016 08:39:05 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Dmitry,

Quote:
[khaneftd@himster root]\$ git log
commit c0e50470156f75d3d87c7a538cd8d8a185092ece
Author: Enric Tejedor Saavedra <enric.tejedor.saavedra@cern.ch>
Date: Fri Oct 21 10:39:03 2016 +0200
[/quote]

I am not sure which ROOT version you use, but for me it looks like you are in the master branch. The correct result should be the same as shown in the message from Jose. The version is from 03. Mar. 2016, your version is from end of October.

Please remove the complete tools/root directory and rerun the configure.sh script.

Ciao

Florian

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Tue, 06 Dec 2016 08:45:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Jose,

Jarok wrote on Sun, 04 December 2016 21:20Hello.

I have exactly the same problem:

Quote:

```
*** ERROR: root could not be created.  
  create a symbolic linking for Vc library ....  
libVc.a not found in lib directory  
*** End installation of external packages with Errors***
```

I'm trying to compile the external packages in a Debian testing amd64 machine; using gcc-4.9.2 (there are problems between gcc-5 or gcc-6 and root6) If I run git log in /tools/root I get:

```
commit 86108d5adde6979551fcbf3d95012f72653dd102  
Author: Pere Mato <pere.mato@cern.ch>  
Date: Thu Mar 3 10:36:03 2016 +0100
```

Update ROOT version files to v6.06/02.

in your case you have the correct version of ROOT, so I wonder why the compilation fails. Could you please attach the output of the ROOT compilation such that the compilation error is shown.

The compilation on Debian Jessie with gcc-4.9.2 is definitely working, since this is the default OS at GSI.

Ciao

Florian

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Tue, 06 Dec 2016 08:50:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Stefano,

StefanoSpataro wrote on Mon, 05 December 2016 11:59You should not use master, you should use the suggested versions:

[https://panda-wiki.gsi.de/foswiki/bin/view/Computing/PandaRoot#Suggested
_version_of_the_code](https://panda-wiki.gsi.de/foswiki/bin/view/Computing/PandaRoot#Suggested_version_of_the_code)

Currently (but they could change in the next days):

Quote:For ANALYSIS

FairSoft mar15p6
FairRoot v-15.11c
PandaRoot release jan16
(updated on 08/06/2016)
For CODE DEVELOPMENT NEW

FairSoft may16p1
FairRoot v-16.06
PandaRoot trunk 29475
(updated on 07/09/2016)

These are tested, for sure master is not meant for users and it is not maintained by us. Please use the wiki instructions.

if you move to new compilers there is often a problem that ROOT5 can't be compiled with an older ROOT version. So if you use gcc-4.9.2 and newer I am not sure if you still can compile the FairSoft mar15 release. If you use gcc6 you will not be able to compile ROOT5 such that you have to use ROOT6. Since I haven't test yet if the ROOT6 version in FairSoft may16 can be compiled using gcc6 it can be that this compilation will fail. On all my test systems the default compiler is below gcc6.

Ciao

Florian

Subject: Re: Day1 master macros
Posted by [Dmitry Khaneft](#) on Wed, 07 Dec 2016 08:38:21 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Florian,

Now, I'm not very familiar with git and I followed the instructions given at the PandaRoot Wiki.

After executing (today)

```
git clone https://github.com/FairRootGroup/FairSoft fairsoft_may16p1
cd fairsoft_may16p1
git checkout -b may16p1 may16p1
```

Executing git branch in the fairsoft_may16p1 I get

```
[khaneftd@himster fairsoft_may16p1]$ git branch
  master
* may16p1
```

While in the fairsoft_may16p1/tools/root I get

```
[khaneftd@himster root]$ git branch
* master
```

Also, the git log in fairsoft_may16p1/tools/root gives
commit 349cf7f1602eb5ceb0a63e0c84bcf9acde47f89f
Author: Bertrand Bellenot <Bertrand.Bellenot@cern.ch>
Date: Tue Dec 6 15:56:22 2016 +0100
It seems that the root is taken from the master branch, but why?

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Wed, 07 Dec 2016 08:57:28 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Dmitry,

Dmitry Khaneft wrote on Wed, 07 December 2016 09:38: Hi Florian,

While in the fairsoft_may16p1/tools/root I get

```
[khaneftd@himster root]$ git branch
* master
```

Also, the git log in fairsoft_may16p1/tools/root gives
commit 349cf7f1602eb5ceb0a63e0c84bcf9acde47f89f
Author: Bertrand Bellenot <Bertrand.Bellenot@cern.ch>
Date: Tue Dec 6 15:56:22 2016 +0100
It seems that I get the root directory is taken from the master branch, but why?

here I have no idea why this happens. Could you please remove the tools/root directory and rerun the configure.sh script. This should end up with ROOT in the correct branch. Could you please attach the output of the process to this topic (up to the point where the compilation of ROOT starts). I would like to check if there is a hint what is going wrong.

Ciao

Florian

Subject: Re: Day1 master macros
Posted by [Dmitry Khaneft](#) on Thu, 08 Dec 2016 13:39:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Florian,

deleting and running the configure again didn't change anything. I have attached the installation log. I guess that the following lines causes the problem

```
...  
Initialized empty Git repository in  
/data/work/kpha4/panda_gegm_sim/PandaDayOne/TEST/fairsoft_may16p1/tools/root/.git/  
warning: Remote branch v5-34-36 not found in upstream origin, using HEAD instead  
...
```

Cheers,
Dmitry

File Attachments

1) [install.log](#), downloaded 459 times

Subject: Re: Day1 master macros
Posted by [Florian Uhlig](#) on Mon, 30 Jan 2017 12:25:31 GMT
[View Forum Message](#) <> [Reply to Message](#)

Could you please remove again the complete tools/root directory. Since I have no idea what goes wrong please do the git part manually.

```
cd tools  
git clone https://github.com/root-mirror/root  
cd root  
git checkout -b tag_v5-34-36 v5-34-36
```

After these steps you should have the correct root branch and you can rerun the configure.sh macro from the main directory.

Ciao

Florian

Subject: Re: Day1 master macros
Posted by [Dmitry Khaneft](#) on Fri, 03 Feb 2017 15:39:56 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks Florian,

it works now!

Subject: Re: Day1 master macros

Posted by [Dmitry Khanef](#) on Mon, 06 Feb 2017 13:27:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

Now we got problems running it. As Stefano said, we used the following macro without any extra modifications as a test .../macros/qa/day1/sim_complete.C

The software we used:

FairSoft may16p1

FairRoot v-16.06

PandaRoot trunk 29337

Below is the output:

```
root [0]
Processing sim_complete.C...
PndFileNameCreator::fFileName psi2s_jpsi2pi_jpsi_mumu 23
[INFO ] -E- Could not open input file
/data/work/kpha4/panda_gegm_sim/PandaDayOne/PandaRoot/macro/params/all_day1.par
Fatal in <FairParAsciiFilelo::open>: Could not open input file
aborting
#0 0x0000003aedaac65e in __libc_waitpid (pid=<value optimized out>,
stat_loc=0x7fff042f583c, options=<value optimized out>) at
../sysdeps/unix/sysv/linux/waitpid.c:32
#1 0x0000003aeda3e609 in do_system (line=<value optimized out>) at
../sysdeps/posix/system.c:149
#2 0x00002b0c378ea99f in TUnixSystem::StackTrace() () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#3 0x00002b0c37942831 in DefaultErrorHandler(int, bool, char const*, char const*) () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#4 0x00002b0c37942296 in ErrorHandler () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#5 0x00002b0c3795fc54 in TObject::Fatal(char const*, char const*, ...) const () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#6 0x00002b0c3e7387e6 in FairParAsciiFilelo::open(char const*, char const*) () at
/data/work/kpha4/panda_gegm_sim/PandaDayOne/FairRoot-16.06/parbase/FairParAsciiFilelo.
cxx:78
#7 0x00002b0c4c232acb in PndMasterRunSim::Setup(TString) () at
/data/work/kpha4/panda_gegm_sim/PandaDayOne/PandaRoot/PndTools/master/PndMasterR
unSim.cxx:87
#8 0x00002b0c4c2405eb in G__G__MasterDict_776_0_2(G__value*, char const*,
G__param*, int) () at
/data/work/kpha4/panda_gegm_sim/PandaDayOne/PandaRoot/buildPanda/PndTools/master/
G__MasterDict.cxx:1638
#9 0x00002b0c37e20aee in Cint::G__ExceptionWrapper(int (*)(G__value*, char const*,
G__param*, int), G__value*, char*, G__param*, int) () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5
```

#10 0x00002b0c37dc23c7 in G__execute_call () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#11 0x00002b0c37dc274d in G__call_cppfunc () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#12 0x00002b0c37e5ad38 in G__interpret_func () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#13 0x00002b0c37edc777 in G__getfunction () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#14 0x00002b0c37e0c24c in G__getstructmem(int, G__FastAllocString&, char*, int, char*, int*,
G__var_array*, int) () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#15 0x00002b0c37e04c04 in G__getvariable () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#16 0x00002b0c37e64daf in G__getitem () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#17 0x00002b0c37e6b66c in G__getexpr () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#18 0x00002b0c37db8505 in G__exec_statement () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#19 0x00002b0c37e59779 in G__interpret_func () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#20 0x00002b0c37edc7d5 in G__getfunction () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#21 0x00002b0c37e652b2 in G__getitem () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#22 0x00002b0c37e6b66c in G__getexpr () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#23 0x00002b0c37e761e8 in G__calc_internal () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#24 0x00002b0c37df5a77 in G__process_cmd () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCint.so.
5

#25 0x00002b0c378dda80 in TCint::ProcessLine(char const*, TInterpreter::EErrorCode*) ()
from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so.
.5

#26 0x00002b0c378da14b in TCint::ProcessLineSynch(char const*,
TInterpreter::EErrorCode*) () from

```
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#27 0x00002b0c379370dc in TApplication::ExecuteFile(char const*, int*, bool) () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#28 0x00002b0c37936640 in TApplication::ProcessLine(char const*, bool, int*) () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libCore.so
.5
#29 0x00002b0c371e1be2 in TRint::Run(bool) () from
/data/work/kpha4/panda_gegm_sim/PandaDayOne/fairsoft_may16p1_install/lib/root/libRint.so.
5
#30 0x000000000040127c in main ()
```

And few more questions:

1. What is parAsciiFile?
2. What is inputDir, where should it point to?
3. How to set output file? The command `fRun->SetOutput(output)`; as in digi macro doesn't work in the sim one.

P.S. Sim macro `/macro/qa/run3/sim_complete.C` works without problems.

Cheers,
Dmitry

Subject: Re: Day1 master macros
Posted by [Tobias Stockmanns](#) on Mon, 06 Feb 2017 13:50:38 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Dmitry,

could you please check if the file is really present at this place:

```
/data/work/kpha4/panda_gegm_sim/PandaDayOne/PandaRoot/macro/params/all_day1.par
```

Now your questions:

1. What is parAsciiFile?

This is a parameter file which contains the settings of parameters in an ASCII format. Just have a look at one of the files in `/macro/params`

2. What is inputDir, where should it point to?

The inputDir should point to the source directory of PandaRoot. It is automatically set in the macro via the `$VMCWORKDIR` variable. You have to call `./config.sh` in your build directory to set it.

3. How to set output file? The command `fRun->SetOutput(output)`; as in digi macro doesn't work in the sim one.

In this macro the prefix of the output file name is set via `PndMasterRunSim::Setup(TString`

outprefix). If outprefix is empty then the name is generated by the input to the particle generator.

In the other sim_complete.C macros you can set the output file name via FairRunSim::SetOutputFile(...).

Cheers,

Tobias

Subject: Re: Day1 master macros

Posted by [Dmitry Khaneft](#) on Mon, 06 Feb 2017 14:02:32 GMT

[View Forum Message](#) <> [Reply to Message](#)

Tobias Stockmanns wrote on Mon, 06 February 2017 14:50Dear Dmitry,

could you please check if the file is really present at this place:

/data/work/kpha4/panda_gegm_sim/PandaDayOne/PandaRoot/macro/params/all_d_ay1.par
Cheers,

Tobias

Hi Tobias,

thanks for the fast reply. The answer is no, there is only all.par and all_2gem_station12.par files.

I have downloaded the latest trunk revision 29695 and it has the all_d_ay1.par file.

Should we use the latest trunk version (is it safe?) or stick to the 29337 mentioned in the beginning by Stefano?

Cheers,
Dmitry

Subject: Re: Day1 master macros

Posted by [Tobias Stockmanns](#) on Mon, 06 Feb 2017 14:04:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Continue with the trunk. We will have a release of PandaRoot during this month which will not be too far away from the current trunk.

Cheers,

Tobias

Subject: Re: Day1 master macros
Posted by [Dmitry Khanef](#) on Thu, 09 Feb 2017 11:19:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hallo,

the day1 sim macro has a very strange behavior which we can't understand.

1. Giving a full path to the dec file produces an error:

The input file is not a proper .dec!!

Probably because PndMasterRunSim::UseEvtGenGenerator(TString fEvtGenFile) can't deal with "/" symbols?

2. Using an alternative, see below, to psi2s_Jpsi2pi_Jpsi_mumu.dec dec file gives the same error.

noPhotos

```
Decay pbarpSystem
  1.0 e+ e-    PHSP;
Enddecay
```

End

3. It seems that there is no way to use event generators other than those specified in the PndMasterRunSim class. Is it true?

All above was done with the trunk 29695.

Cheers,
Dmitry

Subject: Re: Day1 master macros
Posted by [Klaus Götzen](#) on Thu, 09 Feb 2017 13:34:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Dmitry,

I guess the problem in the macro/qa/day1/sim_complete.C are the lines

```
TString inputDir = gSystem->Getenv("VMCWORKDIR");
inputDir += "/macro/qa/day1/";
```

when using an absolute path. With a configuration for a decay file
/u/kgoetzen/decfiles/pp_DpDm_Kpipi.dec

```
TString inputGenerator = "pp_DpDm_Kpipi.dec";
TString inputDir = "/u/kgoetzen/decfiles/";
```

(i.e. setting inputDir to base dir of decay file) it worked for me. The output then is going to your current directory.

BTW, there is a parser looking for a proper initial resonance in the .dec file (the string found after the first appearance of the keyword 'Decay'). This can also be specified explicitly with e.g.

```
TString inputGenerator = "pp_DpDm_Kpipi.dec:pbarpSystem";
```

in case there are ambiguities in the decay file.

Best regards,
Klaus

Subject: Re: Day1 master macros
Posted by [Tobias Stockmanns](#) on Tue, 21 Feb 2017 12:38:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

I extended the master macros by recoideal. It uses ideal pattern recognition with momentum and position smearing both in the barrel and the forward part. After the pattern recognition our standard Kalman filter from Genfit is running over the tracks. The pidideal macro just takes the recoideal output and does standard particle id (not ideal one). In this way it is possible to also handle hyperon decays.

Cheers,

Tobias

Subject: Re: Day1 master macros
Posted by [Alaa Dbeyssi](#) on Fri, 24 Feb 2017 09:41:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

I plot the EMC deposit energy of the electron (in ppbar->e+e-) as a function of the electron polar angle (in lab frame). It seems that the forward EndCap of the EMC (below ~22°) is not included. Is that true?

The plot is attached. Trunk Revision: 29699


Thank you in advance,

Best regards,
Alaa

File Attachments

1) [FWEMC_Day1.png](#), downloaded 756 times

EMC deposit energy vs. polar angle (Lab)



Subject: Re: Day1 master macros

Posted by [Tobias Stockmanns](#) on Fri, 24 Feb 2017 09:54:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Alaa,

could you please post which macros you have used?

Could you use the eventdisplay to check if the forward EMC is drawn?

Can you update to the latest trunk version and run again?

According to the settings inside the master macro geometry version 1 is taken which is:

```
"emc_module12.dat","emc_module3_2012_new.root","emc_module4_StraightGeo24.4.root",  
"emc_module5_fsc.root"
```

So according to this it should be in.

Cheers,

Tobias

Subject: Re: Day1 master macros
Posted by [Tobias Stockmanns](#) on Fri, 24 Feb 2017 10:49:51 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Alaa,

I just checked the standard master macros with run_all.sh in /macros/master. There I can clearly see a peak of EMCBumps at the position of the forward EMC.

Please have a look at the attached z-distribution.

Cheers,

Tobias

File Attachments

1) [z-Distribution_EMCBumps.pdf](#), downloaded 395 times

Subject: Re: Day1 master macros
Posted by [Alaa Dbeyssi](#) on Fri, 24 Feb 2017 11:26:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Tobias,

Thank you for your answer. I am using the macros from "macro/qa/day1/". I will try with "macros/master". From the events display the FW EndCap is drawn.

We are updating the trunk version.

Best regards,

Alaa

Subject: Re: Day1 master macros
Posted by [Dmitry Khanef](#) on Fri, 24 Feb 2017 14:14:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Tobias,

we have checked and the forward EMC can be seen with the eventdisplay.

We are a little bit confused now as you mentioned that you run macros from /macros/master.

What macros should be used for the day1 simulations?

Cheers,
Dmitry

Subject: Re: Day1 master macros
Posted by [Stefano Spataro](#) on Fri, 24 Feb 2017 14:20:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

In day1 by default GEMs are switched off, then the extrapolation to FWD EMC fails. Are gem officially included in day1 geometry?

Subject: Re: Day1 master macros
Posted by [Tobias Stockmanns](#) on Fri, 24 Feb 2017 14:22:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

The GEMs are in the setup for Day1.

Subject: Re: Day1 master macros
Posted by [Stefano Spataro](#) on Fri, 24 Feb 2017 14:24:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Then, as I wrote at the beginning of this thread, one should use day1 macros using as option "day1+gem" and not simply "day1".
Alaa, could you please try with this setup?

Subject: Re: Day1 master macros
Posted by [Alaa Dbeyssi](#) on Fri, 24 Feb 2017 17:32:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear Stefano,

By using the option "day1+gem" the problem of the FWEC EMC is solved.
Thank you,
Alaa
