

---

Subject: NIEL

Posted by [Sergey Kononov](#) on Wed, 11 Apr 2018 04:31:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi!

How to extract NIEL (non-ionizing energy losses) in PandaRoot? I know it is possible in Geant4.

Best regards,

Sergey

---

---

Subject: Re: NIEL

Posted by [Ralf Kliemt](#) on Thu, 12 Apr 2018 11:29:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear Sergey,

We have access to the Virtual Monte-Carlo (VMC) wrapper during simulation. The class documentaion is ROOT's TVirtualMC: <https://root.cern.ch/doc/master/classTVirtualMC.html>  
Via google I found a pdf stating simewhere that TVirtualMC cannot deliver NIEL and a direct access to Geant4 is needed.

Kind regards from GSI

Ralf

---

---

Subject: Re: NIEL

Posted by [Mohammad Al-Turany](#) on Thu, 12 Apr 2018 17:50:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

I forward this issue to Ivana (the main VMC author) and here is the answer:

Hi Mohammad,

It is not so straightforward.

Users can extend Geant4 VMC user action classes, eg TG4SteppingAction and access directly Geant4 classes (G4Step) which provide this information. However this mode is not in regular testing so getting this work may require some debugging.

The simplest way how to provide this information would be to add a dedicated function for NIEL Edep in TVirtualMC interface; the user would need to wait when this update (Root && VMC packages) is available in tagged packages.

I have progressed with sensitive detectors, which will also require modifications in Root vmc core library, so this addition may be added with these changes. Let me know.

Please, pass my reply to your user, or to your forum, as you wish.

Cheers,

Ivana

---

Subject: Re: NIEL

Posted by [Sergey Kononov](#) on Fri, 13 Apr 2018 01:52:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Mohammad,

Thank you very much for the answer and triggering a request to the VMC developer.

We'll wait when it will be available. We have some workaround for calculating 1 MeV neutron equivalent flux for particles but it would be good to cross-check with direct simulation.

Best regards,

Sergey

---

Subject: Re: NIEL

Posted by [Tobias Stockmanns](#) on Tue, 17 Apr 2018 14:55:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Sergey,

sorry for my late reply.

In the MVD we use pre-stored lists which contain the conversion values to go from particle momentum and type to the corresponding neutron flux.

Have a look at detectors/mvd/MvdTools. In there are the stored lists /MvdRadDamage and the PndMvdRadDamTask which does the conversion.

I hope this helps.

Cheers,

Tobias

---

Subject: Re: NIEL

Posted by [Sergey Kononov](#) on Wed, 18 Apr 2018 07:27:37 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear Tobias,

Thank you for the usefull info. We'll look into the MVD software.

Cheers,  
Sergey

---