

---

Subject: works interactively but not in a macro  
Posted by [Olaf Hartmann](#) on Tue, 17 Jul 2007 14:03:04 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi ROOTers,

I'm quarreling with the following problem:

```
The sequence
root [15] partlist = TDatabasePDG::Instance();
root [16] TParticlePDG* part;
root [17] part = partlist->GetParticle("neutron");
root [18] Int_t mynumber = part.PdgCode()
root [19] mynumber
(Int_t)2112
```

works interactively. But inside a macro, I get the following error message:

```
Error: illegal pointer to class object part 0x0 1034 FILE:conv_urqmd.C LINE:467
*** Interpreter error recovered ***
```

exactly at the point where the function part.PdgCode() is used.

Any idea?

Kindly,  
Olaf.

---

Subject: Re: works interactively but not in a macro  
Posted by [wuestenf](#) on Wed, 18 Jul 2007 15:14:29 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Olaf,

```
root [16] TParticlePDG* part;
```

Is giving you the problem. You define part as a pointer to a TParticlePDG, so you should also use it as a pointer later.

So the correct line to access the memberfunction is:

```
Int_t mynumber = part->PdgCode()
```

This should also work in a macro and in compiled code.

Hope this helps.

Joern

---

---

Subject: Re: works interactively but not in a macro  
Posted by [Olaf Hartmann](#) on Tue, 24 Jul 2007 14:08:28 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Jörn,

Quote:

```
root [16] TParticlePDG* part;
```

Is giving you the problem. You define part as a pointer to a TParticlePDG, so you should also use it as a pointer later.

So the correct line to access the memberfunction is:

```
Int_t mynumber = part->PdgCode()
```

This should also work in a macro and in compiled code.

Unfortunately, in the macro it doesn't work neither. Actually I tried it before with that syntax, the same result. I couldn't figure out why this member function shouldn't be accessible that way in a macro. Furthermore, the very same macro once (some time ago) worked. So I already tried different ROOT versions.

Cheers,  
Olaf.

---

Subject: Re: works interactively but not in a macro  
Posted by [Ralf Kliemt](#) on Sun, 29 Jul 2007 08:36:33 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hello Olaf,

I tried your macro and it runs.

```
{  
  
partlist = TDatabasePDG::Instance();  
TParticlePDG* part;  
part = partlist->GetParticle("neutron");  
Int_t mynumber = part->PdgCode();  
std::cout<<mynumber<<std::endl;
```

}

I have root Version 5.14/00 and run on a SUSE 10.2.

Maybe you should try to catch if the pointer is not set properly. I've seen that you want to use this inside a macro for a particle generator. Maybe the TDatabasePDG is already loaded and modified by this.

Have a nice weekend,

Ralf.

---