

---

Subject: Emc digi crashes

Posted by [Ralf Kliemt](#) on Mon, 19 Jan 2009 16:29:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi everyone,

I took the snapshot of the emc codes from rev.4383 to find it broken.

the gdb output gives:

Toggle Spoiler

PndEmcMakeCluster, event: 27

EMC header: fired crystals= 58, digi= 46, Total energy= 1.69417 [GeV], Reconstructed clusters= 15, Total energy in clusters= 1.69653 [GeV]

\*\*\*\*\* PndEmcMakeBump, event: 27 \*\*\*\*\*

Digi at (52, 134) was a local max. Energy = 0.210923

Digi at (69, 33) was a local max. Energy = 0.157716

Digi at (71, 32) was a local max. Energy = 0.087623

Program received signal SIGSEGV, Segmentation fault.

[Switching to Thread -1229224240 (LWP 27606)]

0x00000000 in ?? ()

(gdb) bt

#0 0x00000000 in ?? ()

#1 0xb3c83b06 in PndEmcExpClusterSplitter::splitCluster (this=0x10485dc0, theMaximaDigis=@0xbff276f4, theCluster=0x10ad6800, clusterIndex=8, theBumpList=@0xbff2770c) at

/home/ralfk/Pandaroot/pandaroot/emc/EmcReco/PndEmcExpClusterSplitter.cxx :286

#2 0xb3c8037e in PndEmcMakeBump::Exec (this=0x89f74d8, opt=0xb407bff4 "")

at /home/ralfk/Pandaroot/pandaroot/emc/EmcReco/PndEmcMakeBump.cxx:183

#3 0xb79326d7 in TTask::ExecuteTasks (this=0x86c5820, option=0xb407bff4 "") at core/base/src/TTask.cxx:298

#4 0xb7932953 in TTask::ExecuteTask (this=0x86c5820, option=0xb407bff4 "") at core/base/src/TTask.cxx:261

#5 0xb3ffee22 in CbmRunAna::Run (this=0x86c5788, Ev\_start=0, Ev\_end=1000) at /home/ralfk/Pandaroot/pandaroot/base/CbmRunAna.cxx:195

#6 0xb4043ad6 in G\_\_CbmDict\_531\_0\_5 (result7=0xbff2f148, funcname=0x86c3988 "\001", libp=0xbff28d04, hash=0)

at /home/ralfk/Pandaroot/build/base/CbmDict.cxx:9268

#7 0xb7082dd3 in Cint::G\_\_ExceptionWrapper (funcp=0xb40439de <G\_\_CbmDict\_531\_0\_5>, result7=0xbff2f148, funcname=0x86c3988 "\001",

libp=0xbff28d04, hash=0) at cint/cint/src/Api.cxx:364

#8 0xb7163cb7 in G\_\_execute\_call (result7=0xbff2f148, libp=0xbff28d04, ifunc=0x86c3988, ifn=0) at cint/cint/src/newlink.cxx:2305

#9 0xb7169382 in G\_\_call\_cppfunc (result7=0xbff2f148, libp=0xbff28d04, ifunc=0x86c3988, ifn=0) at cint/cint/src/newlink.cxx:2471

#10 0xb71282b9 in G\_\_interpret\_func (result7=0xbff2f148, funcname=0xbff2eb48 "Run", libp=0xbff28d04, hash=309, p\_ifunc=0x86c3988,

funcmatch=1, memfunc\_flag=1) at cint/cint/src/ifunc.cxx:5245

#11 0xb7116b52 in G\_\_getfunction (item=0xbff339d6 "Run(0,nEvents)", known3=0xbff31e0c, memfunc\_flag=1) at cint/cint/src/func.cxx:2534

#12 0xb7210836 in G\_\_getstructmem (store\_var\_type=112, varname=0xbff3102c "timer", membername=0xbff339d6 "Run(0,nEvents)",

```

    tagname=0xbff3122c "fRun", known2=0xbff31e0c, varglobal=0xb72d4d00, objptr=2) at
cint/cint/src/var.cxx:6623
#13 0xb7201088 in G__getvariable (item=0xbff339d0 "fRun->Run(0,nEvents)",
known=0xbff31e0c, varglobal=0xb72d4d00, varlocal=0x0)
    at cint/cint/src/var.cxx:5252
#14 0xb70e264c in G__getitem (item=0xbff339d0 "fRun->Run(0,nEvents)") at
cint/cint/src/expr.cxx:1884
#15 0xb70f64d8 in G__getexpr (expression=0xbff34078 "fRun->Run(0,nEvents)") at
cint/cint/src/expr.cxx:1470
#16 0xb717bbdb in G__exec_function (statement=0xbff34078 "fRun->Run(0,nEvents)",
pc=0xbff3476c, piout=0xbff34768, plargestep=0xbff34760,
    presult=0xbff34718) at cint/cint/src/parse.cxx:601
#17 0xb7183166 in G__exec_statement (mparen=0xbff3ba28) at cint/cint/src/parse.cxx:6972
#18 0xb70caf0b in G__exec_tempfile_core (file=0xbff3db24
"/home/ralfk/Pandaroot/pandaroot/macro/Ralf/PhiPhi/./digireco.C", fp=0x0)
    at cint/cint/src/debug.cxx:251
#19 0xb70cb26f in G__exec_tempfile (file=0xbff3db24
"/home/ralfk/Pandaroot/pandaroot/macro/Ralf/PhiPhi/./digireco.C")
    at cint/cint/src/debug.cxx:798
#20 0xb7195ceb in G__process_cmd (line=0xb7e9c0af "", prompt=0x80e23a4 "",
more=0x80e239c, err=0xbff3ea08, rslt=0xbff3e9d4)
    at cint/cint/src/pause.cxx:3074
#21 0xb79a8445 in TCint::ProcessLine (this=0x80e2380, line=0xb7e9c0af "",
error=0xbff4119c) at core/meta/src/TCint.cxx:339
#22 0xb799fdff in TCint::ProcessLineSynch (this=0x80e2380, line=0xb7e9c0af "",
error=0xbff4119c) at core/meta/src/TCint.cxx:406
#23 0xb78b1616 in TApplication::ExecuteFile (file=0xbff3f161 "digireco.C", error=0xbff4119c)
at core/base/src/TApplication.cxx:936
#24 0xb78b17e8 in TApplication::ProcessFile (this=0x81035b0, file=0xbff3f161 "digireco.C",
error=0xbff4119c)
    at core/base/src/TApplication.cxx:825
#25 0xb78b3def in TApplication::ProcessLine (this=0x81035b0, line=0xbff3f15e ".x digireco.C",
sync=false, err=0xbff4119c)
    at core/base/src/TApplication.cxx:798
#26 0xb6e86848 in TRint::Run (this=0x81035b0, retrn=false) at core/rint/src/TRint.cxx:355
#27 0x08048e69 in main (argc=1, argv=0xbff412b4) at main/src/rmain.cxx:29

```

As it turns out the "cosmetic" changes removed some skin...

Although I went to rev. 4314, which does contain the last change on

PndEmcExpClusterSplitter, it seems to work (like for Dima and his post). So I think something is deleted outside of the PndEmcExpClusterSplitter class.

Kind greetings from the flu-infected Dresden,  
Ralf.

---

Subject: Re: Emc digi crashes

Posted by [mpeliz](#) on Mon, 19 Jan 2009 22:40:55 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Ralf,

thanks for reporting this error. How can I exactly reproduce this to have a look to it, e.g. which events should be used and which reco macro should be runned? Is the error observed on all platforms or just at Dresden?

One question for my understanding: Is rev.4383 used for the emc packages only or for all other packages?

Cheers,  
Marc

---

Subject: Re: Emc digi crashes  
Posted by [M.Babai](#) on Tue, 20 Jan 2009 10:30:08 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I'm running rev. 4383. And the following macro's work fine for me:

full\_emc.C  
digi\_emc.C

They both finish with no error.

Cheers.

---

Subject: Re: Emc digi crashes  
Posted by [Bertram Kopf](#) on Tue, 20 Jan 2009 19:29:00 GMT  
[View Forum Message](#) <> [Reply to Message](#)

Dear all,  
indeed, by running 1000 events with the macro

full\_emc.C

the application crashes with a same/similar error. I fixed the bug and tried to check in the new code. But it seems that I am not allowed to commit anything. What is the reason?  
In addition I would like to get back to Marc's question. It's also not clear to me how one can exactly reproduce the same bug. Which tools are available for this? Is it possible to start the application directly with the event where the crash has been observed? This would help to debug the code in an very easy way.

Thanks in advance for your help and best regards,  
Bertram.

---

Subject: Re: Emc digi crashes

Posted by [Florian Uhlig](#) on Wed, 21 Jan 2009 07:37:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi

Maybe you have never applied for an account. Only with an account and the correct rights you're able to commit to the repository. Please have a look at <http://fairroot.gsi.de/General/SVN%20account.htm>

Ciao

Florian

---

---

Subject: Re: Emc digi crashes

Posted by [Ralf Kliemt](#) on Wed, 21 Jan 2009 10:05:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi all,

Just to clarify one thing.

You can start a run at a certain interesting (buggy) event. Just use `CbmRunAna::Run(Int_t Ev_start, Int_t Ev_end)` (i.e. `fRun->Run(26,28);` ).

However there are no additional fancy tools for simulation steering or bug condition reproduction there, as some people are used to. Until now it worked well through communications on the forum here.

Kind greetings from Dresden,

Ralf.

---

---

Subject: Re: Emc digi crashes

Posted by [Florian Uhlig](#) on Wed, 21 Jan 2009 10:15:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Ralf

You can start the event at the interesting event, but if the bug is due to a problem connected to random numbers it must not occur in this event. If the error occurs independent of the seed of the random number generator then starting with the interesting event will probably help.

Ciao

Florian

---

---

Subject: Re: Emc digi crashes

Posted by [Stefano Spataro](#) on Wed, 21 Jan 2009 10:20:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

But of course one could set the same seed number...

---

---

Subject: Re: Emc digi crashes

Posted by [Florian Uhlig](#) on Wed, 21 Jan 2009 10:34:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Stefano

But you will have a different number. Think of a table of 100 numbers. If you start with event 1 you crash because you take number 99 from the list. If you start with event 26 you will maybe not crash because you take number 2 from the list.

To reproduce errors if random numbers come into play is sometimes a big problem. Normaly you reproduce the error with the same executable taking the same seed. If your crash happens in event 123456 then you have bad luck.

Ciao

Florian

---

---

Subject: Re: Emc digi crashes

Posted by [Stefano Spataro](#) on Wed, 21 Jan 2009 10:58:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Ok,  
understood, you are right

---

---

Subject: Re: Emc digi crashes

Posted by [Bertram Kopf](#) on Wed, 21 Jan 2009 11:02:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dear Florian and Ralf,

thank a lot for your prompt help.

Concerning the random number issue I would like to ask you again to read the documentation which I posted already few days ago:

<http://hepunx.rl.ac.uk/BFROOT/dist/releases/newest/RandControl/doc/Rando ms.ps>

In particular section 5.0 "Reproducing single stages" is focused on this problem.

Best regards,  
Bertram.

---

Subject: Re: Emc digi crashes  
Posted by [Stefano Spataro](#) on Thu, 22 Jan 2009 09:45:03 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Which was exactly the bug?

---

---

Subject: Re: Emc digi crashes  
Posted by [Bertram Kopf](#) on Thu, 22 Jan 2009 10:46:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi Stefano,  
in the destructor of EmcData/PndEmcSharedDigi.ccx the pointer "(PndEmcDigi\*) fDigi" will be deleted. This pointer is not owned by this class. Once the pointer has been deleted there and will be still used at another place, the application will crash. Therefore one has to remove this line there. The object "EmcData/PndEmcCluster.\*" instead takes care of the deletion of these pointers.

Unfortunately, I didn't get write permissions for the PandaRoot repository yet. Therefore it is right now not possible for me to commit this small bug fix.

Cheers,  
Bertram.

---

---

Subject: Re: Emc digi crashes  
Posted by [Bertram Kopf](#) on Thu, 22 Jan 2009 10:52:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,  
I got just now the write permissions and checked in the changes already. Please test revision 4398 (trunk) whether everything is working fine now.

Cheers,  
Bertram.

---

---

Subject: Re: Emc digi crashes  
Posted by [Stefano Spataro](#) on Thu, 22 Jan 2009 11:49:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Hi,  
I have just tried the new code with an event sample that had the crash, and now it runs till the end.  
Therefore, it seems this bug is solved. Probably it was introduced in one of the latest changes, considering that last year I was able to run thousand of events without any problem.  
Thanks for the fix.

---