
Subject: g3config.C and g3config_new.C
Posted by [donghee](#) on Thu, 09 Apr 2009 12:52:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I'm trying to produce some simulation data.
At present, I'm following the example in the macro/fsim/* and macro/run/*

When I do run my MC script with fRun->SetName("TGeant4");,
the script is working properly well.
But if I try to run fRun->SetName("TGeant3");, they could not access gconfig/g3Config.C

Error message looks like this:

```
-----  
FairGeanePro::TGeant3 has not been initialized! ABORTING!  
terminate called without an active exception  
-----
```

I found in gconfig/ that there are new additional version with name of g3Config_new.C. Now, I assume that I have to exchange this file.
How can I change from g3Config.C to g3Config_new.C
Do I need to recompile full pandaroot after rename of this file?
or is it possible to change this file locally?
What do I have to do?

Best regards,
Donghee Kang

Subject: Re: g3config.C and g3config_new.C
Posted by [donghee](#) on Thu, 09 Apr 2009 13:38:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

When I try to run a demo with following script which is introduced in genfit tutorial
> root -l -q recotasks/demo/runMC.C
I have same problem with TGeant3.
But if I use TGeant4, it is going to be smooth.

Some messages from using TGeant3 are attached in below at the end.
Does anybody teach me what is happening in Geant3 part?

Thank you!

Error message:

```
=====
===== FairRunSim: Initialising simulation run =====
Info in <TGeoManager::TGeoManager>: Geometry FAIRGeom, FAIR geometry created
-l- FairGeoMedia Read media
FairRunSim::Init() create visualisation manager
----- Standard Config is called -----
Loading Geant3 libraries ...
Loading Geant3 libraries ... finished
Error: Symbol TGeant3 is not defined in current scope
/home/donghee/GSI/pandaroot/gconfig/g3Config.C:9:
Warning: Automatic variable TGeant3* geant3 is allocated
/home/donghee/GSI/pandaroot/gconfig/g3Config.C:9:
(long)0
*** Interpreter error recovered ***
SetCuts Macro: Setting Processes..
Error: illegal pointer to class object gMC 0x0 1584
/home/donghee/GSI/pandaroot/gconfig/SetCuts.C:23:
*** Interpreter error recovered ***

*** Break *** segmentation violation
Attaching to program: /proc/13241/exe, process 13241
[Thread debugging using libthread_db enabled]
[New Thread 0xb6c446c0 (LWP 13241)]
done.
0xb7efd410 in __kernel_vsyscall ()
error detected on stdin
The program is running. Quit anyway (and detach it)? (y or n) [answered Y; input not from
terminal]
Detaching from program: /proc/13241/exe, process 13241
```

Subject: Re: g3config.C and g3config_new.C
Posted by [Felix Boehmer](#) on Thu, 09 Apr 2009 16:39:48 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi

well something's wrong with your g3Config.C.... can you post it here?

To answer your first question: you don't have to recompile, you can change g3Config.C and SetCuts.C without any further steps necessary.

If you want to create data with different settings, you can also specify a custom directory in your macros for the g3Config.C and the SetCuts.C with a statement like

```
fRun->SetUserCuts(dir+"SetCuts.C");  
fRun->SetUserConfig(dir+"g3Config.C");
```

with dir being your custom directory and fRun the FairRunSim* pointer.

Cheers

Felix

Subject: Re: g3config.C and g3config_new.C
Posted by [Mohammad Al-Turany](#) on Thu, 09 Apr 2009 20:46:36 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

It seems that your Geant3 installation has some problems! can you check if the libgeant321.so exists? it should be in your \$SIMPATh/simulation/geant3/lib

if this library is not there then nither Geant3 nor Geane will work!

Mohammad

Subject: Re: g3config.C and g3config_new.C
Posted by [donghee](#) on Tue, 14 Apr 2009 08:06:59 GMT
[View Forum Message](#) <> [Reply to Message](#)

Absolutely, I have a libgeant321.so library in \$SIMPATh/transport/geant3/lib/libgeant321.so

Externla package is installed including geant3 and geant4 without problem.

That means that geane and geant3 must to be worked.

Thank you!

Subject: Re: g3config.C and g3config_new.C
Posted by [donghee](#) on Tue, 14 Apr 2009 08:57:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

Could you check my scripts for Panda MC simulation?

I would like to know where is exactly wrong!

You can find an attached tar ball which include two root scripts, copy of g3Config_new.C and

geane.C, and 10 events data file.

Please do `untar` in `.../pandaroot/macro/dvcs`

A small data file is put in `../pandaroot/macro/dvcs/hepevt/Panda_event_1.txt` and problematic `gconfig` scripts, `geane.C` and `g3Config_new.C` can be found in `../pandaroot/macro/dvcs/gconfig`.

I didn't touch that. They are original files.

Then you can do run `My_dvcs_full_run.C` and `My_dvcs_full_reco.C` in regular sequence.

If you set `My_dvcs_full_run.C` to work, probably, it should be worked. then in the file of `My_dvcs_full_reco.C` you can meet some error relating `TGeant3Geo`.

Thank you for your kind teaching and debugging in advance!

Best regards,
Donghee

File Attachments

1) [dvcs.tar.gz](#), downloaded 277 times

Subject: Re: `g3config.C` and `g3config_new.C`

Posted by [Stefano Spataro](#) on Tue, 14 Apr 2009 09:10:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

Could you please try to add in your `gconfig/basiclibs.C` the following line at the end:

```
gSystem->Load("SIMPATH/transport/geant3/lib/libgeant321.so");
```

Maybe if you put the correct `$SIMPATH` it will be better. I have the feeling this is a problem of `gcc 4.3.2`. Which `gcc` version do you have? (`gcc -v`).

Please tell me if this fix works or not.

Subject: Re: `g3config.C` and `g3config_new.C`

Posted by [Bjoern Spruck](#) on Tue, 14 Apr 2009 09:27:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

Short remark to Stefanos entry:

The sytem where this solved this "Geant3" problem was an Ubuntu 64bit,
`gcc-Version 4.3.2 (Ubuntu 4.3.2-1ubuntu12)`

Björn

Subject: Re: g3config.C and g3config_new.C
Posted by [donghee](#) on Tue, 14 Apr 2009 09:44:39 GMT
[View Forum Message](#) <> [Reply to Message](#)

I'm working with OS ubuntu 8.04 32bit
and gcc version

```
>gcc -V  
gcc version 4.2.4 (Ubuntu 4.2.4-1ubuntu3)
```

Subject: Re: g3config.C and g3config_new.C
Posted by [donghee](#) on Tue, 14 Apr 2009 09:55:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

Dear all,

After putting this special line `gSystem->Load("SIMPATH/transport/geant3/lib/libgeant321.so");`
in `basiclib()`.

The message of TGeant3Geo loading error disappears and it seems to be worked.

However still I have a lot of other problem for understanding of all class and pandastructure.

Thank you for your kind help again.

I will post my other problem with different title soon.

Best wishes,
Donghee
