
Subject: Error while using runReco.C

Posted by [Sugat V. Shende](#) on Mon, 04 May 2009 06:01:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear All,

I have updated pandaroot via "svn update pandaroot" two days back.

I have also build the directory "build_may09" by using command

```
> cmake ../pandaroot_may09
```

```
> make
```

It worked.

Then I run the macro ~/pandaroot_may09/macro/runReco.C, I got following error:

```
root [0] .x runReco.C("etac_to_gg.evt",1000)
```

```
- RTDB container factory FairBaseContFact
```

```
dlopen error: /home/sugat/panda/build_may09/lib/libPndData.so: undefined symbol:
```

```
_ZTV12FairTrackPar
```

```
Load Error: Failed to load Dynamic link library
```

```
/home/sugat/panda/build_may09/lib/libPndData.so
```

```
(int)(-1)
```

```
*** Interpreter error recovered ***
```

However, macro runMC.C runs fine. Anybody knows the reason behind it and how to solve this error?

with regards

Sugat V. Shende

Subject: Re: Error while using runReco.C

Posted by [StefanoSpataro](#) on Mon, 04 May 2009 06:28:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

try to copy inside your directory the file gconfig/rootlogon.C.

Probably (I have not a copy of the code at the moment) runReco.C is using a library list which is fixed and is not taking into account the new changes, while the standard rootlogon.C is (almost) continuously updated .

Subject: Re: Error while using runReco.C

Posted by [Sugat V. Shende](#) on Mon, 04 May 2009 07:22:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

Thanks for your reply.

I did copy rootlogon.C to my working directory and run the macro again. Then I get following

error:

root[0].x runReco.C("etac_to_gg.evt",1000)

Note: File "/home/sugat/panda/build_may09/lib/libDrc.so" already loaded

Loaded shared libraries

=====

/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libRIO.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGeom.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libMatrix.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libHist.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGraf.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGpad.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGraf3d.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libThread.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libNet.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libTree.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGeomPainter.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGX11.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGui.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libGX11TTF.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libEG.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libVMC.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libPhysics.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libEGPythia6.so
/home/sugat/panda/fairsoft/generators/lib/libPythia6.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libSQL.so
/home/sugat/panda/fairsoft/tools/root_v5.20.00/lib/libMinuit.so
/home/sugat/panda/build_may09/lib/libDpmEvtGen.so
/home/sugat/panda/build_may09/lib/libGeoBase.so
/home/sugat/panda/build_may09/lib/libParBase.so
/home/sugat/panda/build_may09/lib/libBase.so
/home/sugat/panda/build_may09/lib/libTrkBase.so
/home/sugat/panda/build_may09/lib/libPndData.so
/home/sugat/panda/build_may09/lib/libField.so
/home/sugat/panda/build_may09/lib/libPassive.so
/home/sugat/panda/build_may09/lib/libGen.so
/home/sugat/panda/build_may09/lib/libPGen.so
/home/sugat/panda/build_may09/lib/libEmc.so
/home/sugat/panda/build_may09/lib/libgenfit.so
/home/sugat/panda/build_may09/lib/libtrackrep.so
/home/sugat/panda/build_may09/lib/libriemann.so
/home/sugat/panda/build_may09/lib/libtpc.so
/home/sugat/panda/build_may09/lib/libtpcreco.so
/home/sugat/panda/build_may09/lib/libStt.so
/home/sugat/panda/build_may09/lib/libSttReco.so
/home/sugat/panda/build_may09/lib/librecotasks.so
/home/sugat/panda/build_may09/lib/libMvd.so
/home/sugat/panda/build_may09/lib/libMvdReco.so
/home/sugat/panda/build_may09/lib/libMvdTrk.so
/home/sugat/panda/build_may09/lib/libTof.so
/home/sugat/panda/build_may09/lib/libDrcProp.so

```

/home/sugat/panda/build_may09/lib/libDrc.so
/home/sugat/panda/build_may09/lib/libMdt.so
/home/sugat/panda/build_may09/lib/libDch.so
/home/sugat/panda/build_may09/lib/libLHETrack.so
/home/sugat/panda/build_may09/lib/libGeane.so
/home/sugat/panda/build_may09/lib/libRpc.so
/home/sugat/panda/build_may09/lib/libLumi.so
/home/sugat/panda/fairsoft/transport/geant3/lib/tgt_linux/libgeant321.so
-ICore
-ICint
-IMathCore
-IRint
-----
57 libraries loaded
=====
-I- FairRunAna: Opening Input file: etac_to_gg.evt.mc.root
Info in <TGeoManager::TGeoManager>: Geometry Geometry, Geane geometry created
Info: TGeoManager::Import : Reading geometry from file: etac_to_gg.evt.mc.root
Info in <TGeoManager::CloseGeometry>: Geometry loaded from file...
Info in <TGeoManager::SetTopVolume>: Top volume is cave. Master volume is cave
Info in <TGeoManager::Voxelize>: Voxelizing...
Info in <TGeoNavigator::BuildCache>: --- Maximum geometry depth set to 100
Info in <TGeoManager::CloseGeometry>: 462215 nodes/ 1145 volume UID's in FAIR geometry

Info in <TGeoManager::CloseGeometry>: -----modeler ready-----
Loading Geant3 libraries ...
Loading Geant3 libraries ... finished

MZSTOR. ZEBRA table base TAB(0) in /MZCC/ at adr 766544351 2DB089DF HEX

MZSTOR. Initialize Store 0 in /GCBANK/
with Store/Table at absolute adrs 766653693 766544351
HEX 2DB234FD 2DB089DF
HEX 1A72A 0
relative adrs 108330 0
with 1 Str. in 2 Links in 5300 Low words in 4999970 words.
This store has a fence of 16 words.

MZLOGL. Set Log Level 0 for store 0
1***** GEANT Version 3.21/11 Released on 100298
0***** Correction Cradle Version 0.1100

MZDIV. Initialize Division Constant in Store 0
NW/NWMAX= 20004000000, MODE/KIND= 1 2
Division 20 initialized.

MZLINK. Initialize Link Area /GCLINK/ for Store 0 NL/NS= 20 20

MZLINK. Initialize Link Area /GCSLNK/ for Store 0 NL/NS= 100 100
-I- G3Config: Geant3 with TGeo has been created for Geane.
Energy straggling area parameter from user set to: 0.999
SetCuts Macro: Setting Processes..

```

SetCuts Macro: Setting cuts..

FairMCApplication::ConstructGeometry() : Now closing the geometry

Warning in <TGeoManager::CloseGeometry>: geometry already closed

Calculating cross section tables, see gphysi.dat for more information

Cross section calculation concluded successfully

-I- FairMCApplication::Monte carlo Engine Initialisation with TGeant3TGeo

I- FairGeane::FairGeane: Geane is Initialized

-E- Could not open input file /home/sugat/panda/pandaroot_may09/emc/emc.par

Fatal in <FairParAsciiFileIo::open>: Could not open input file

aborting

Attaching to program: /proc/6091/exe, process 6091

[Thread debugging using libthread_db enabled]

[New Thread 0xb7fb4950 (LWP 6091)]

0x00110416 in __kernel_vsyscall ()

Missing separate debuginfos, use: debuginfo-install expat-2.0.1-5.i386

fontconfig-2.6.0-3.fc10.i386 freetype-2.3.7-1.fc10.i386 glibc-2.9-3.i686 libX11-1.1.5-3.fc10.i386

libXau-1.0.4-1.fc10.i386 libXcursor-1.1.9-3.fc10.i386 libXdmp-1.0.2-6.fc10.i386

libXext-1.0.4-1.fc9.i386 libXfixes-4.0.3-4.fc10.i386 libXft-2.1.13-1.fc10.i386

libXpm-3.5.7-4.fc9.i386 libXrender-0.9.4-3.fc9.i386 libgcc-4.3.2-7.i386 libgfortran-4.3.2-7.i386

libstdc++-4.3.2-7.i386 libxcb-1.1.91-5.fc10.i386

#1 0x082d2f53 in __waitpid_nocancel () from /lib/libc.so.6

#2 0x0826d33b in do_system () from /lib/libc.so.6

#3 0x00b0859d in system () from /lib/libpthread.so.0

#4 0x003390d5 in TUnixSystem::Exec (this=0x8dca320,

#5 0x003385bd in TUnixSystem::StackTrace (this=0x8dca320)

at core/unix/src/TUnixSystem.cxx:2121

#6 0x0024d5fa in DefaultErrorHandler (level=6000, abort_bool=true,

location=0x7e4a46 "FairParAsciiFileIo::open",

msg=0x932af88 "Could not open input file") at core/base/src/TError.cxx:173

#7 0x0024cd9c in ErrorHandler (level=6000,

location=0x7e4a46 "FairParAsciiFileIo::open",

at core/base/src/TError.cxx:225

#8 0x0025e496 in TObject::DoError (this=0xb948d60, level=6000,

location=0x2b83a09 "open", fmt=0x2b839ef "Could not open input file",

#9 0x0025e29e in TObject::Fatal (this=0xb948d60, location=0x2b83a09 "open",

fmt=0x2b839ef "Could not open input file") at core/base/src/TObject.cxx:918

#10 0x02b44775 in FairParAsciiFileIo::open (this=0xb948d60,

fname=0x9196230 "/home/sugat/panda/pandaroot_may09/emc/emc.par",

status=0xb94325c "in")

at /home/sugat/panda/pandaroot_may09/parbase/FairParAsciiFileIo.cxx:65

#11 0x02b71329 in G__ParBaseDict_131_0_2 (result7=0xbfcc8438,

funcname=0xb93a940 "\001", libp=0xbfcc1ff4, hash=0)

at /home/sugat/panda/build_may09/parbase/ParBaseDict.cxx:4787

#12 0x00bf747a in Cint::G__ExceptionWrapper (

funcp=0x2b71246 <G__ParBaseDict_131_0_2>, result7=0xbfcc8438,

funcname=0xb93a940 "\001", libp=0xbfcc1ff4, hash=0) at cint/cint/src/Api.cxx:364

#13 0x00cd104b in G__execute_call (result7=0xbfcc8438, libp=0xbfcc1ff4,

ifunc=0xb93a940, ifn=0) at cint/cint/src/newlink.cxx:2305

```

#14 0x00cd84f4 in G__call_cppfunc (result7=0xbfcc8438, libp=0xbfcc1ff4,
    ifunc=0xb93a940, ifn=0) at cint/cint/src/newlink.cxx:2471
#15 0x00c98b3d in G__interpret_func (result7=0xbfcc8438,
    funcname=0xbfcc7e38 "open", libp=0xbfcc1ff4, hash=434, p_ifunc=0xb93a940,
    funcmatch=1, memfunc_flag=1) at cint/cint/src/ifunc.cxx:5245
#16 0x00c8447a in G__getfunction (
    item=0xbfccc788 "open(emcDigiFile.Data(),\in\)", known3=0xbfccac2c,
    memfunc_flag=1) at cint/cint/src/func.cxx:2534
#17 0x00d7cb8c in G__getstructmem (store_var_type=112, varname=0xbfcca00c "timer",
    membername=0xbfccc788 "open(emcDigiFile.Data(),\in\)",
    tagname=0xbfcca40c "parlo1", known2=0xbfccac2c, varglobal=0xe31d60, objptr=2)
    at cint/cint/src/var.cxx:6623
#18 0x00d6d0f3 in G__getvariable (
    item=0xbfccc780 "parlo1->open(emcDigiFile.Data(),\in\)", known=0xbfccac2c,
    varglobal=0xe31d60, varlocal=0xbfccd8a0) at cint/cint/src/var.cxx:5252
#19 0x00c5522c in G__getitem (
    item=0xbfccc780 "parlo1->open(emcDigiFile.Data(),\in\)")
    at cint/cint/src/expr.cxx:1884
#20 0x00c68891 in G__getexpr (
    expression=0xbfccca9c "parlo1->open(emcDigiFile.Data(),\in\)")
    at cint/cint/src/expr.cxx:1470
#21 0x00cea3b0 in G__exec_function (
    statement=0xbfccca9c "parlo1->open(emcDigiFile.Data(),\in\)", pc=0xbfccd190,
    piout=0xbfccd18c, plargestep=0xbfccd184, presult=0xbfccd13c)
    at cint/cint/src/parse.cxx:601
#22 0x00cf18e8 in G__exec_statement (mparen=0xbfccd9d8)
    at cint/cint/src/parse.cxx:6972
#23 0x00c9b963 in G__interpret_func (result7=0xbfcd40b8,
    funcname=0xbfcd3ab8 "runReco", libp=0xbfccd74, hash=734, p_ifunc=0x92cba78,
    funcmatch=1, memfunc_flag=0) at cint/cint/src/ifunc.cxx:6080
#24 0x00c850f2 in G__getfunction (
    item=0xbfcd5dd0 "runReco(\etac_to_gg.evt",1000)", known3=0xbfcd427c,
    memfunc_flag=0) at cint/cint/src/func.cxx:2745
#25 0x00c55378 in G__getitem (item=0xbfcd5dd0 "runReco(\etac_to_gg.evt",1000)")
    at cint/cint/src/expr.cxx:1896
#26 0x00c68891 in G__getexpr (
    expression=0x8fdd1d0 "runReco(\etac_to_gg.evt",1000)")
    at cint/cint/src/expr.cxx:1470
#27 0x00c69770 in G__calc_internal (
    exprwithspace=0xbfcd7a84 "runReco(\etac_to_gg.evt",1000)")
    at cint/cint/src/expr.cxx:1061
#28 0x00cffcf8 in G__process_cmd (line=0x7e4ca6 "ile.C", prompt=0x8dcd50c "",
    more=0x8dcd504, err=0xbfcd8974, rslt=0xbfcd8940) at cint/cint/src/pause.cxx:2234
#29 0x003250e0 in TCint::ProcessLine (this=0x8dcd4e8, line=0x7e4ca6 "ile.C",
    error=0x0) at core/meta/src/TCint.cxx:339
#30 0x0031bb96 in TCint::ProcessLineSynch (this=0x8dcd4e8, line=0x7e4ca6 "ile.C",
    error=0x0) at core/meta/src/TCint.cxx:406
#31 0x0022bd79 in TApplication::ExecuteFile (
    file=0x93ad593 "runReco.C(\etac_to_gg.evt",1000)", error=0x0)
    at core/base/src/TApplication.cxx:939
#32 0x0022bf4e in TApplication::ProcessFile (this=0x8dee298,
    file=0x93ad593 "runReco.C(\etac_to_gg.evt",1000)", error=0x0)

```

```
at core/base/src/TApplication.cxx:825
#33 0x0022e601 in TApplication::ProcessLine (this=0x8dee298,
line=0x93ad590 ".x runReco.C(\"etac_to_gg.evt\",1000)", sync=false, err=0x0)
at core/base/src/TApplication.cxx:798
#34 0x009aa095 in TRint::HandleTermInput (this=0x8dee298)
at core/rint/src/TRint.cxx:512
#35 0x009a997e in TTermInputHandler::Notify (this=0x939aec8)
at core/rint/src/TRint.cxx:123
#36 0x009ac938 in TTermInputHandler::ReadNotify (this=0x939aec8)
at core/rint/src/TRint.cxx:115
#37 0x0033abd2 in TUnixSystem::CheckDescriptors (this=0x8dca320)
at core/unix/src/TUnixSystem.cxx:1191
#38 0x0033b35a in TUnixSystem::DispatchOneEvent (this=0x8dca320, pendingOnly=false)
at core/unix/src/TUnixSystem.cxx:898
#39 0x0029cce9 in TSystem::InnerLoop (this=0x8dca320)
at core/base/src/TSystem.cxx:390
#40 0x002a97f4 in TSystem::Run (this=0x8dca320) at core/base/src/TSystem.cxx:340
#41 0x0022a444 in TApplication::Run (this=0x8dee298, retrn=false)
at core/base/src/TApplication.cxx:955
#42 0x009ab0a6 in TRint::Run (this=0x8dee298, retrn=false)
at core/rint/src/TRint.cxx:386
#43 0x08048df7 in main (argc=1, argv=0xbfcdb474) at main/src/rmain.cxx:29
The program is running. Quit anyway (and detach it)? (y or n) [answered Y; input not from
terminal]
Detaching from program: /proc/6091/exe, process 6091
```

with regards
Sugat

Subject: Re: Error while using runReco.C
Posted by [Ralf Kliemt](#) on Mon, 04 May 2009 07:42:22 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello Sugat,

To me it looks like you are missing a parameter file which your macro tries to load:

Quote:Cross section calculation concluded successfully

-I- FairMCApplication:: Monte carlo Engine Initialisation with TGeant3TGeo

I- FairGeane::FairGeane: Geane is Initialized

-E- Could not open input file /home/sugat/panda/pandaroot_may09/emc/emc.par

Fatal in <FairParAsciiFileIo::open>: Could not open input file
aborting

Attaching to program: /proc/6091/exe, process 6091

[Thread debugging using libthread_db enabled]

I think the emc parameter file can be found in pandaroot/macro/params/emc.par.

Kind regards, Ralf.

PS:

Maybe it is good if you check your source code status with
pandaroot_may09> svn info

and

pandaroot_may09> svn status

It might be that you got some file conflicts with your update.

Subject: Re: Error while using runReco.C

Posted by [Stefano Spataro](#) on Mon, 04 May 2009 08:01:47 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have not found the file ~/pandaroot_may09/macro/runReco.C as you have written in your first message.

Could you please check the correct path, so that we can check what you are using exactly?

Subject: Re: Error while using runReco.C

Posted by [Sugat V. Shende](#) on Mon, 04 May 2009 09:16:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

Thanks.

The file ~/pandaroot_may09/macro/runReco.C is on my PC here in Pune. I am running pandaroot on my PC and not at GSI.

I have solved this error by providing correct path of emc.par file (reference: reply from Ralf). For this I have modified line no.88 in runReco.C file from "emcDigiFile += "/emc/";" to "emcDigiFile += "/macro/params/";"

Is this the correct way? Now the macro is running.

Thank you very much.

with regards

Sugat

Subject: Re: Error while using runReco.C

Posted by [Stefano Spataro](#) on Mon, 04 May 2009 09:19:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

The question is where have you taken the file runReco.C from. It seems it is not updated, then we should fix it in the repository.

However, that is the correct fix to your problem.

Subject: Re: Error while using runReco.C
Posted by [Sugat V. Shende](#) on Mon, 04 May 2009 10:56:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I got this file from

svn co <https://subversion.gsi.de/fairroot/pandaroot/trunk> pandaroot

Thanks.

--Sugat
