
Subject: Moving the Geometry from data file to the parameters
Posted by [Mohammad Al-Turany](#) on Wed, 23 Sep 2009 10:33:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

The geometry is moved from the data files to the parameter file, this make the fRun->LoadGeomerty() method obsolete, and requires loading the parameters wherever the geometry is needed. usually this is the case for digi and reco macro.

please test it and let me know.

Mohammad

Subject: Re: Moving the Geometry from data file to the parameters
Posted by [Elena Litvinenko](#) on Fri, 23 Oct 2009 14:21:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hello,

I performed a simulation using "cbmroot/trunk/macro/run/run_sim.C" and tried to display geometry using correspondingly updated "eventDisplay.C" macro. The result is here:

- RTDB container factory FairBaseContFact
- RTDB container factory CbmFieldContFact
- RTDB container factory CbmPassiveContFact
- RTDB container factory CbmMvdContFact
- RTDB container factory CbmStsContFact
- RTDB container factory CbmRichContFact
- RTDB container factory CbmTofContFact
- RTDB container factory CbmEcalContFact

-I- FairRunAna: Opening Input file: data/test.mc.root

Warning in <TClass::TClass>: no dictionary for class CbmTrd is available

-I- FairRunAna::Init :

data/test.mc.root is connected with:

-I- Geometry was not found in the input file we will look in the friends if any!

create CbmFieldPar container CbmFieldPar

initialisation for run id 1501042957

Error in <TBufferFile::ReadObject>: trying to read an emulated class (CbmTrd) to store in a compiled pointer (TObject)

Info in <TGeoManager::TGeoManager>: Geometry Geometry, default geometry created

Warning in <TGeoManager::Init>: Deleting previous geometry: Geometry/default geometry

Info in <TGeoManager::CloseGeometry>: Geometry loaded from file...

Info in <TGeoManager::SetTopVolume>: Top volume is cave. Master volume is cave

```

Info in <TGeoManager::Voxelize>: Voxelizing...
Info in <TGeoNavigator::BuildCache>: --- Maximum geometry depth set to 100
Info in <TGeoManager::CloseGeometry>: 827935 nodes/ 235 volume UID's in FAIR geometry
Info in <TGeoManager::CloseGeometry>: -----modeler ready-----
Container FairBaseParSet initialized from ROOT file.
Container CbmFieldPar initialized from ROOT file.
New field at 0x2e6bdb0, type 3
-I- CbmFieldMap: Reading field map from ROOT file
/u/litvinen/cbm/trunk/input/FieldMuonMagnet.root
=====
---- : FieldMuonMagnet
----
---- Field type   : Map sym3
----
---- Field map grid :
---- x = 0.000 to 300.0 cm, 151 grid points, dx = 2.000 cm
---- y = 0.000 to 300.0 cm, 151 grid points, dy = 2.000 cm
---- z = 0.000 to 448.0 cm, 225 grid points, dz = 2.000 cm

---- Field centre position: ( 0.000, 0.000, 50.00) cm
---- Field scaling factor: 1.000
----
---- Field at origin is ( 0.000, -7.275, -2.727e-09) kG
=====
-E- FairRootManager Branch: GeoTracks not found in Tree
-E- FairRootManager Branch: GeoTracks not found in Tree
FairMCPointDraw::Init() branch Monte-Carlo Tracks Not found! Task will be deactivated
Info in <TGeoManager::SetVisLevel>: Automatic visible depth disabled
Warning in <TGLScene::RenderElements>: Timeout reached, not all elements rendered.
root [1] Warning in <TGLScene::RenderElements>: Timeout reached, not all elements
rendered.

```

In other tests I also can not find the geometry information. Which class is now responsible for the real writing this information to the parameter file? My "cbmroot/trunk" revision number is 6780

Subject: Re: Moving the Geometry from data file to the parameters
Posted by [Mohammad Al-Turany](#) on Mon, 26 Oct 2009 08:09:29 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Quote:Error in <TBufferFile::ReadObject>: trying to read an emulated class (CbmTrd) to store in a compiled pointer (TObject)

you are missing the Trd library!

Quote:-E- FairRootManager Branch: GeoTracks not found in Tree
-E- FairRootManager Branch: GeoTracks not found in Tree
FairMCPointDraw::Init() branch Monte-Carlo Tracks Not found! Task will be deactivated

in the run_sim.C macro the visualization flag is not set to true.

The geometry is now stored in the parameters (FairBaseParSet) exactly like the field. if you load the parameters the geometry will be loaded. if you would like to see the geometry in plain ROOT, then:

Quote:

```
//Load the libraries you need, then
```

```
TFile* file = new TFile("testparams.root");  
file->Get("FairBaseParSet");
```

```
// now the geometry is available as TGeo in memory
```

```
gGeoManager->GetMasterVolume()->Draw("ogl");
```

regards

Mohammad

Subject: Re: Moving the Geometry from data file to the parameters
Posted by [Elena Litvinenko](#) on Mon, 26 Oct 2009 08:27:37 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi. Mohammad,

Thanks for the hint with

```
file->Get("FairBaseParSet");
```

(I knew about libTrd)

Regards,
Elena

Subject: Re: Moving the Geometry from data file to the parameters
Posted by [Arun Prakash](#) on Mon, 26 Oct 2009 10:30:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am performing the simulations for MuCh. I could successfully perform the transport and segmentation. Now when I am running the much_hits_gem.C (with simple gem) I am getting the following error .

Processing much_hits_gem.C...

PSaid instance created... access via gSaid->f()

- RTDB container factory FairBaseContFact
- RTDB container factory CbmFieldContFact
- RTDB container factory CbmPassiveContFact
- RTDB container factory CbmStsContFact
- RTDB container factory CbmRichContFact
- RTDB container factory CbmTrdContFact
- RTDB container factory CbmTofContFact
- RTDB container factory CbmEcalContFact
- RTDB container factory CbmMuchContFact

-I- FairRunAna: Opening Input file:

/u/cbmcast5/arun/cbmroot/macro/much/data/mc.box.0009.root

Info in <CbmMuchGeoScheme::CbmMuchGeoScheme>: CbmMuchGeoScheme created

-I- FairRunAna::Init :

/u/cbmcast5/arun/cbmroot/macro/much/data/mc.box.0009.root is connected with:

-I- Geometry was not found in the input file we will look in the friends if any!

create CbmFieldPar container CbmFieldPar

initialisation for run id 1456339567

Info in <TGeoManager::TGeoManager>: Geometry Geometry, default geometry created

Warning in <TGeoManager::Init>: Deleting previous geometry: Geometry/default geometry

Info in <TGeoManager::CloseGeometry>: Geometry loaded from file...

Info in <TGeoManager::SetTopVolume>: Top volume is cave. Master volume is cave

Info in <TGeoManager::Voxelize>: Voxelizing...

Info in <TGeoNavigator::BuildCache>: --- Maximum geometry depth set to 100

Info in <TGeoManager::CloseGeometry>: 5512 nodes/ 4513 volume UID's in FAIR geometry

Info in <TGeoManager::CloseGeometry>: -----modeler ready-----

Container FairBaseParSet initialized from ROOT file.

Container CbmFieldPar initialized from ROOT file.

New field at 0xad00308, type 3

-I- CbmFieldMap: Reading field map from ROOT file

/u/cbmcast5/arun/cbmroot/input/FieldMuonMagnet.root

```
=====
---- : FieldMuonMagnet
----
---- Field type   : Map sym3
----
---- Field map grid :
---- x = 0.000 to 150.0 cm, 151 grid points, dx = 1.000 cm
---- y = 0.000 to 150.0 cm, 151 grid points, dy = 1.000 cm
---- z = 0.000 to 250.0 cm, 251 grid points, dz = 1.000 cm

---- Field centre position: ( 0.000, 0.000, 50.00) cm
---- Field scaling factor: 1.000
----
---- Field at origin is ( 0.000, -7.272, -2.724e-09) kG
=====
```

```
*** Break *** segmentation violation
terminate called after throwing an instance of 'std::bad_alloc'
what(): St9bad_alloc
```

Kindly advise me as how to rectify this error

Subject: Re: Moving the Geometry from data file to the parameters
Posted by [Arun Prakash](#) on Mon, 26 Oct 2009 10:32:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

I am using the trunk version of cbmroot

Best Regards

Arun Prakash

Subject: Re: Moving the Geometry from data file to the parameters
Posted by [Mohammad Al-Turany](#) on Mon, 26 Oct 2009 20:48:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

please run with gdb and send the output. I.e:

```
>gdb root.exe
root>.x much_hits_gem.C
```

regards

Mohammad
