
Subject: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***

Posted by [asanchez](#) on Wed, 04 Nov 2009 11:11:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

Dear all, i'm working with the gsi installation

my svn info is

Repository Root: <https://subversion.gsi.de/fairroot>

Repository UID: 0381ead4-6506-0410-b988-94b70fbc4730

Revision: 6816

Node Kind: directory

Schedule: normal

Last Changed Author: asanchez

Last Changed Rev: 5515

Last Changed Date: 2009-05-14 09:54:54 +0200 (Do, 14 Mai 2009)

after running the MC simulation macro at macro/hyp/sim_pid.C

i get the following message at the end of the run:

actually by quitting root, (please see below)

any idea???

```
root [1] .q
```

```
*** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
```

```
Program received signal SIGABRT, Aborted.
```

```
[Switching to Thread -1229629760 (LWP 25967)]
```

```
0xffffe410 in __kernel_vsyscall ()
```

```
(gdb) bt
```

```
#0 0xffffe410 in __kernel_vsyscall ()
```

```
#1 0xb6bad811 in raise () from /lib/tls/i686/cmov/libc.so.6
```

```
#2 0xb6baefb9 in abort () from /lib/tls/i686/cmov/libc.so.6
```

```
#3 0xb6be2dfa in __fsetlocking () from /lib/tls/i686/cmov/libc.so.6
```

```
#4 0xb6bea68f in mallopt () from /lib/tls/i686/cmov/libc.so.6
```

```
#5 0xb6bea732 in free () from /lib/tls/i686/cmov/libc.so.6
```

```
#6 0xb6da73b1 in operator delete () from /usr/lib/libstdc++.so.6
```

```
#7 0xaff8fbfa in ~G4PhotoNuclearCrossSection (this=0xa0c66f0) at  
src/G4PhotoNuclearCrossSection.cc:77
```

```
#8 0xaff68f94 in G4CrossSectionDataSetRegistry::Clean (this=0xaff43e8) at  
src/G4CrossSectionDataSetRegistry.cc:71
```

```
#9 0xaff692c6 in ~G4CrossSectionDataSetRegistry (this=0xaff43e8) at  
src/G4CrossSectionDataSetRegistry.cc:63
```

```
#10 0xaff6932c in __tcf_0 () at src/G4CrossSectionDataSetRegistry.cc:50
```

```
#11 0xb6bb03b0 in exit () from /lib/tls/i686/cmov/libc.so.6
```

```
#12 0xb79e6306 in TUnixSystem::Exit (this=0x80ea5d8, code=0, mode=true) at  
core/unix/src/TUnixSystem.cxx:1993
```

```
#13 0xb6e0bd27 in TRint::Terminate (this=0x8118518, status=0) at core/rint/src/TRint.cxx:598
```

```
#14 0xb78ca706 in TApplication::ProcessLine (this=0x8118518, line=0xb5a3a78 ".q",  
sync=false, err=0x0)
```

```
    at core/base/src/TApplication.cxx:735
```

```
#15 0xb6e0c100 in TRint::HandleTermInput (this=0x8118518) at core/rint/src/TRint.cxx:527
```

```
#16 0xb6e0b93e in TTermInputHandler::Notify (this=0x8361e30) at core/rint/src/TRint.cxx:123
```

```
#17 0xb6e0eb1a in TTermInputHandler::ReadNotify (this=0x8361e30) at  
core/rint/src/TRint.cxx:115
```

```
#18 0xb79e7bb1 in TUnixSystem::CheckDescriptors (this=0x80ea5d8) at
core/unix/src/TUnixSystem.cxx:1202
#19 0xb79e8332 in TUnixSystem::DispatchOneEvent (this=0x80ea5d8, pendingOnly=false) at
core/unix/src/TUnixSystem.cxx:909
#20 0xb793d769 in TSystem::InnerLoop (this=0x80ea5d8) at core/base/src/TSystem.cxx:392
#21 0xb794b8a0 in TSystem::Run (this=0x80ea5d8) at core/base/src/TSystem.cxx:342
#22 0xb78c6af0 in TApplication::Run (this=0x8118518, retn=false) at
core/base/src/TApplication.cxx:972
#23 0xb6e0d137 in TRint::Run (this=0x8118518, retn=false) at core/rint/src/TRint.cxx:399
#24 0x08048e09 in main (argc=1, argv=0xbfdf844) at main/src/rmain.cxx:29
(gdb) q
```

Only as information after setting config.sh

```
lxi010:build>. config.sh
```

```
System during compilation: Debian GNU/Linux 4.0 n l
```

```
i686
```

```
System now : Debian GNU/Linux 4.0 n l
```

```
i686
```

```
On this machine the G4SYSTEM=Linux-g++
```

```
On this machine the G4INSTALL=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/geant4
```

```
On this machine the G4INCLUDE=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/geant4/include/
```

```
On this machine the G4LIB=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/geant4/lib
```

```
On this machine the
```

```
G4LEVELGAMMADATA=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/data/gean
t4/PhotonEvaporation
```

```
On this machine the
```

```
G4RADIOACTIVEDATA=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/data/gea
nt4/RadioactiveDecay
```

```
On this machine the
```

```
G4LEDDATA=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/data/geant4/G4EML OW
```

```
On this machine the
```

```
NeutronHPCrossSections=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/dat a/geant4/G4NDL
```

```
On this machine the
```

```
G4ELASTICDATA=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/data/geant4/ G4ELASTIC
```

```
On this machine the
```

```
G4ABLADATA=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/data/geant4/G4A BLA
```

```
On this machine the CLHEP_BASE_DIR=/misc/cbmsoft/Etch32/jul09/fairsoft/cern/clhep
```

```
On this machine the
```

```
CLHEP_INCLUDE_DIR=/misc/cbmsoft/Etch32/jul09/fairsoft/cern/clhep/include
```

```
On this machine the CLHEP_LIB_DIR=/misc/cbmsoft/Etch32/jul09/fairsoft/cern/clhep/lib
```

```
On this machine the CLHEP_LIB=CLHEP
```

```
On this machine the G4DEBUG=1
```

```
On this machine the G4VIS_BUILD_RAYTRACERX_DRIVER=1
```

```
On this machine the G4VIS_USE_RAYTRACERX=1
```

```
On this machine the G4VIS_USE_VRML=1
```

```
On this machine the G4LIB_BUILD_G3TOG4=1
```

```
On this machine the G4LIB_USE_G3TOG4=1
```

```
On this machine the G4LIB_BUILD_ZLIB=1
```

```
On this machine the G4LIB_USE_ZLIB=1
```

```
On this machine the G4LIB_BUILD_SHARED=1
```

On this machine the G4LIB_USE_GRANULAR=1
On this machine the G4UI_USE_TCSH=1
In your environment you have the
G4WORKDIR=/misc/cbmsoft/Etch32/jul09/fairsoft/transport/geant4

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Stefano Spataro](#) on Wed, 04 Nov 2009 11:16:14 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,
this problem should come from the new geant4 version of the july09 external packages.

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [asanchez](#) on Wed, 04 Nov 2009 11:22:01 GMT
[View Forum Message](#) <> [Reply to Message](#)

Yes, thanks for the information, but is there any solution for that?
the point is that when I send some jobs to gsi batch farm,
i get as a ticket "worked exited" instead of "work done", and i'm afraid that it can lead to break
segmentations in some cases.

Can Mohammad tell anything to this respect?

thanks a lot.

ALicia S.

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Mohammad Al-Turany](#) on Wed, 04 Nov 2009 13:56:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

this is a problem in VMC/G4, I already reproduce this in the examples of the VMC, the solution
is to add a delete in the dtor of TG4HadronPhysicsList. Anyway I took the chance also to clean
a little in our code so at the GSI I will modify this and you can update to the newest SVN.

regards

Mohammad

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [asanchez](#) on Wed, 04 Nov 2009 14:25:15 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi
thank you very much,
best regards
alicia.

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Mohammad Al-Turany](#) on Wed, 04 Nov 2009 15:00:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi again,

On the GSI cluster it is corrected now for Etch32 and 64, you have also to add delete fRun in your macro before exit(0).

regards

Mohammad

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [StefanoSpataro](#) on Wed, 04 Nov 2009 15:25:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

Ehm,
and if we want to updated your external packages in our local farm, what should we do?
Should svn update be enough?

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Mohammad Al-Turany](#) on Wed, 04 Nov 2009 15:33:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I am waiting for an answer from Ivana, and according to what she will do we can change it in our SVN (External packages) or create a batch. but if you need this immediately, it is only one file:

```
$SIMPATH/transport/geant4_vmc/source/physics_list/src/TG4HadronPhysicsList.cxx
```

in the dtor add:

```
delete fPhysicsList;
```

and then go back to \$SIMPATH/transport/geant4_vmc/source and call make (the environment should have been set before this simply by calling your build_panda/config.sh)

regards

Mohammad

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Stefano Spataro](#) on Wed, 04 Nov 2009 15:36:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

Thanks.

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Vanniarajan Suyam Jothi](#) on Wed, 14 Apr 2010 14:33:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

I wanted to use the physics list emStandard+optical.
I get the similar error

```
** glibc detected *** /home/vanni/fairJan10/tools/root/bin/root.exe: double free or corruption  
(!prev): 0x091b8eb8 ***
```

while accessing the data from the simulation.

I am not sure, if it has to do with same Error in the VMC. Can anybody help me?

Regards,
Vanni

Subject: Re: *** glibc detected *** double free or corruption (out): 0x0a0c66f0 ***
Posted by [Stefano Spataro](#) on Wed, 14 Apr 2010 15:04:41 GMT
[View Forum Message](#) <> [Reply to Message](#)

This error appears with g4 and it last since several months.

If I remember well, it should be correlated to Geant4 classes/VMC, and not to our code, but I am not an expert about.
